

3D MASS SPECTROMETRY IMAGING REVEALS A VERY HETEROGENEOUS DRUG DISTRIBUTION IN TUMORS

S. Giordano¹, L. Morosi², P. Veglianesi³, S.A. Licandro², R. Frapolli², M. Zucchetti², G. Cappelletti⁴, L. Falciola⁴, V. Pifferi⁴, S. Visentin⁵, M. D'Incalci² and E. Davoli^{1*}

¹*Environmental Health Sciences Department, Mass Spectrometry Laboratory, IRCCS Istituto di Ricerche Farmacologiche Mario Negri, Via La Masa 19, 20156 Milano, Italy*

²*Oncology Department, Cancer Pharmacology Laboratory, IRCCS Istituto di Ricerche Farmacologiche Mario Negri, Via La Masa 19, 20156 Milano, Italy*

³*Neuroscience Department, Biology of Neurodegenerative Disorders Laboratory, IRCCS Istituto di Ricerche Farmacologiche Mario Negri, Via La Masa 19, 20156 Milano, Italy*

⁴*Chemistry Department, University of Milano, Via Golgi 19, 20133 Milano, Italy*

⁵*Department of Molecular Biotechnology and Health Science, University of Torino, Via Nizza 52, 10126 Torino, Italy*

*Correspondence to enrico.davoli@marionegri.it

SUPPLEMENTARY

Video 1| Three-dimensional model of PTX distribution inside mesothelioma 1.

Video 2| Three-dimensional model of PTX distribution inside mesothelioma 2.

Video 3| Three-dimensional model of PTX distribution inside mesothelioma 3.