

**Supplemental Table 3:** Comparison of IgM and IgG titers for early detection confirmed in 15 acute toxoplasmosis cases in Assessment 1

	AxSYM®		VIDIA®		VIDAS®	
	IgM	IgG	IgM	IgG	IgM	IgG
<b>A</b>	0.1	0	0.1	0	0.1	0
	<b>1.3</b>	<b>473</b>	<b>4.5</b>	<b>83</b>	<b>2.8</b>	<b>548</b>
<b>B</b>	0.1	0	0.1	0	0.1	0
	<b>1.6</b>	<u>2</u>	<b>5.9</b>	0	<b>3.4</b>	0
<b>C</b>	0.1	0	0.1	1	0.1	0
	<b>2.2</b>	<b>19</b>	<b>9.0</b>	<u>3</u>	<b>4.5</b>	<u>7</u>
<b>D</b>	0.1	1	0.1	0	0.1	0
	<b>2.2</b>	<b>5</b>	<b>10.2</b>	1	<b>4.1</b>	2
<b>E</b>	0.3	0	0.1	0	0.1	0
	<b>8.4</b>	1	<b>8.2</b>	0	<b>3.3</b>	<u>4</u>
<b>F</b>	0.2	0	0.1	0	0.1	0
	<b>3.4</b>	<u>2</u>	<b>6.0</b>	0	<b>3.3</b>	0
<b>G</b>	0.2	0	0.1	1	0.1	0
	<b>1.5</b>	<b>13</b>	<u>0.9</u>	<b>5</b>	<b>0.7</b>	<b>8</b>
<b>H</b>	0.12	0	0.1	0	0.1	0
	<b>3.2</b>	<b>32</b>	<b>6.5</b>	<b>6</b>	<b>3.5</b>	<b>29</b>
<b>I</b>	0.1	0	0.1	0	0.03	1
	<b>0.7</b>	<b>34</b>	<b>1.7</b>	<b>8</b>	<b>1.4</b>	<b>39</b>
<b>J</b>	0.1	0	0.04	0	0.1	0
	<b>10.7</b>	<b>246</b>	<b>24.7</b>	<b>10</b>	<b>8.0</b>	<b>31</b>
<b>K</b>	0.4	1	0.2	0	0.1	0
	<b>3.0</b>	<b>33</b>	<b>3.8</b>	<b>6</b>	<b>2.9</b>	<b>15</b>
<b>L</b>	0.2	0	0.1	0	0.1	0
	<b>4.6</b>	<b>34</b>	<b>7.8</b>	2	<b>4.1</b>	<b>8</b>
<b>M</b>	0.1	1	0.1	0	0.04	0
	<b>9.1</b>	<b>497</b>	<b>28.1</b>	<b>31</b>	<b>8.1</b>	<b>78</b>
<b>N</b>	0.1	0	0.1	0	0.1	0
	<b>7.3</b>	<b>354</b>	<b>16.6</b>	<b>48</b>	<b>6.7</b>	<b>155</b>
<b>O</b>	0.1	0	0.1	0	0.1	0
	<b>5.3</b>	<b>415</b>	<b>11.4</b>	<b>82</b>	<b>5.1</b>	<b>84</b>
<b>Range</b>	<b>0.1-9.1</b>	<b>0-497</b>	<b>0.1-28.1</b>	<b>0-83</b>	<b>0.1-8.1</b>	<b>0-548</b>

Values underlined: equivocal;

Values in bold: positive