

Supplementary 1

Complete list of included studies

- Albein-Urios, N., Verdejo-Román, J., Asensio, S., Soriano-Mas, C., Martínez-González, J. M., & Verdejo-García, A. (2014). Re-appraisal of negative emotions in cocaine dependence: Dysfunctional corticolimbic activation and connectivity. *Addiction Biology*, 19, 415–426. doi:10.1111/j.1369-1600.2012.00497.x
- Beauregard, M., Paquette, V., & Lévesque, J. (2006). Dysfunction in the neural circuitry of emotional self-regulation in major depressive disorder. *Neuroreport*, 17(8), 843–846. doi:10.1097/01.wnr.0000220132.32091.9f
- Blair, K. S., Geraci, M., Smith, B. W., Hollon, N., DeVido, J., Otero, M., ... Pine, D. S. (2012). Reduced dorsal anterior cingulate cortical activity during emotional regulation and top-down attentional control in generalized social phobia, generalized anxiety disorder, and comorbid generalized social phobia/generalized anxiety disorder. *Biological Psychiatry*, 72(6), 476–82. doi:10.1016/j.biopsych.2012.04.013
- Davis, T. S., Mauss, I. B., Lumian, D., Troy, A. S., Shallcross, A. J., Zarolia, P., ... McRae, K. (2014). Emotional reactivity and emotion regulation among adults with a history of self-harm: Laboratory self-report and functional MRI evidence. *Journal of Abnormal Psychology*, 123(3), 499–509. doi:10.1037/a0036962
- Denny, B. T., Fan, J., Liu, X., Ochsner, K. N., Guerreri, S., Mayson, S. J., ... Koenigsberg, H. W. (2015). Elevated amygdala activity during reappraisal anticipation predicts anxiety in avoidant personality disorder. *Journal of Affective Disorders*, 172, 1–7. doi:10.1016/j.jad.2014.09.017
- Dillon, D. G., & Pizzagalli, D. A. (2013). Evidence of successful modulation of brain activation and subjective experience during reappraisal of negative emotion in unmedicated depression. *Psychiatry Research - Neuroimaging*, 212(2), 99–107. doi:10.1016/j.pscychresns.2013.01.001
- Erk, S., Mikschl, A., Stier, S., Ciaramidaro, A., Gapp, V., Weber, B., & Walter, H. (2010). Acute and sustained effects of cognitive emotion regulation in major depression. *The Journal of Neuroscience : The Official Journal of the Society for Neuroscience*, 30(47), 15726–15734. doi:10.1523/JNEUROSCI.1856-10.2010
- Gaebler, M., Daniels, J., Lamke, J.-P., Fydrich, T., & Walter, H. (2014). Behavioural and neural correlates of self-focused emotion regulation in social anxiety disorder. *Journal of Psychiatry & Neuroscience*, 39(4), 249–258. doi:10.1503/jpn.130080
- Goldin, P. R., Manber, T., Hakimi, S., Canli, T., & Gross, J. J. (2009a). Neural bases of social anxiety disorder: emotional reactivity and cognitive regulation during social and physical threat. *Archives of General Psychiatry*, 66(2), 170–180. doi:10.1001/archgenpsychiatry.2008.525
- Goldin, P. R., Manber-Ball, T., Werner, K., Heimberg, R., & Gross, J. J. (2009b). Neural mechanisms of cognitive reappraisal of negative self-beliefs in social anxiety disorder. *Biological Psychiatry*, 66(12), 1091–1099. doi:10.1016/j.biopsych.2009.07.014

- Greening, S. G., Osuch, E. A., Williamson, P. C., & Mitchell, D. G. V. (2014). The neural correlates of regulating positive and negative emotions in medication-free major depression. *Social Cognitive and Affective Neuroscience*, 9(5), 628–37. doi:10.1093/scan/nst027
- Heller, A. S., Johnstone, T., Shackman, A. J., Light, S. N., Peterson, M. J., Kolden, G. G., ... Davidson, R. J. (2009). Reduced capacity to sustain positive emotion in major depression reflects diminished maintenance of fronto-striatal brain activation. *Proceedings of the National Academy of Sciences of the United States of America*, 106(52), 22445–22450. doi:10.1073/pnas.0910651106
- Johnstone, T., van Reekum, C. M., Urry, H. L., Kalin, N. H., & Davidson, R. J. (2007). Failure to Regulate: Counterproductive Recruitment of Top-Down Prefrontal-Subcortical Circuitry in Major Depression. *Journal of Neuroscience*, 27(33), 8877–8884. doi:10.1523/JNEUROSCI.2063-07.2007
- Kanske, P., Heissler, J., Schönfelder, S., & Wessa, M. (2012). Neural correlates of emotion regulation deficits in remitted depression: The influence of regulation strategy, habitual regulation use, and emotional valence. *NeuroImage*, 61(3), 686–693. doi:10.1016/j.neuroimage.2012.03.089
- Kanske, P., Schönfelder, S., Forneck, J., & Wessa, M. (2015). Impaired regulation of emotion: neural correlates of reappraisal and distraction in bipolar disorder and unaffected relatives. *Translational Psychiatry*, 5, e497. doi:10.1038/tp.2014.137
- Koenigsberg, H. W., Fan, J., Ochsner, K. N., Liu, X., Guise, K. G., Pizzarello, S., ... Siever, L. J. (2009). Neural Correlates of the Use of Psychological Distancing to Regulate Responses to Negative Social Cues: A Study of Patients with Borderline Personality Disorder. *Biological Psychiatry*, 66, 854–863. doi:10.1016/j.biopsych.2009.06.010
- Lang, S., Kotchoubey, B., Frick, C., Spitzer, C., Grabe, H. J., & Barnow, S. (2012). Cognitive reappraisal in trauma-exposed women with borderline personality disorder. *NeuroImage*, 59(2), 1727–34. doi:10.1016/j.neuroimage.2011.08.061
- Manber-Ball, T., Ramsawh, H. J., Campbell-Sills, L., Paulus, M. P., & Stein, M. B. (2013). Prefrontal dysfunction during emotion regulation in generalized anxiety and panic disorders. *Psychological Medicine*, 43(7), 1475–1486. doi:10.1017/S0033291712002383
- Marissen, M. A. E., Meuleman, L., & Franken, I. H. A. (2010). Altered emotional information processing in borderline personality disorder: an electrophysiological study. *Psychiatry Research*, 181(3), 226–32. doi:10.1016/j.psychresns.2009.10.006
- Morris, R. W., Sparks, A., Mitchell, P. B., Weickert, C. S., & Green, M. J. (2012). Lack of cortico-limbic coupling in bipolar disorder and schizophrenia during emotion regulation. *Translational Psychiatry*, 3, 2:e90. doi:10.1038/tp.2012.16
- New, A. S., Fan, J., Murrough, J. W., Liu, X., Liebman, R. E., Guise, K. G., ... Charney, D. S. (2009). A functional magnetic resonance imaging study of deliberate emotion regulation in resilience and posttraumatic stress disorder. *Biological Psychiatry*, 66(7), 656–664. doi:10.1016/j.biopsych.2009.05.020

- Paul, S., Simon, D., Endrass, T., & Kathmann, N. (2015). Altered emotion regulation in obsessive-compulsive disorder as evidenced by the late positive potential. *Psychological Medicine*, 1–11. doi:10.1017/S0033291715001610
- Rabinak, C. a., MacNamara, A., Kennedy, A. E., Angstadt, M., Stein, M. B., Liberzon, I., & Phan, K. L. (2014). Focal and Aberrant Prefrontal Engagement During Emotion Regulation in Veterans With Posttraumatic Stress Disorder. *Depression and Anxiety*, 31, 851–861. doi:10.1002/da.22243
- Reinecke, A., Filippini, N., Berna, C., Western, D. G., Hanson, B., Cooper, M. J., ... Harmer, C. (2015). Effective emotion regulation strategies improve fMRI and ECG markers of psychopathology in panic disorder: Implications for psychological treatment. *Translational Psychiatry*, 5, e673. doi:10.1038/tp.2015.160
- Reinecke, A., Thilo, K., Filippini, N., Croft, A., & Harmer, C. J. (2014). Predicting rapid response to cognitive-behavioural treatment for panic disorder: The role of hippocampus, insula, and dorsolateral prefrontal cortex. *Behaviour Research and Therapy*, 62, 120–128. doi:10.1016/j.brat.2014.07.017
- Schulze, L., Domes, G., Krüger, A., Berger, C., Fleischer, M., Prehn, K., ... Herpertz, S. C. (2011). Neuronal Correlates of Cognitive Reappraisal in Borderline Patients with Affective Instability. *Biological Psychiatry*, 69(6), 564–573. doi:10.1016/j.biopsych.2010.10.025
- Smoski, M. J., Keng, S. L., Schiller, C. E., Minkel, J., & Dichter, G. S. (2013). Neural mechanisms of cognitive reappraisal in remitted major depressive disorder. *Journal of Affective Disorders*, 151(1), 171–177. doi:10.1016/j.jad.2013.05.073
- Townsend, J. D., Torrisi, S. J., Lieberman, M. D., Sugar, C. a, Bookheimer, S. Y., & Altshuler, L. L. (2013). Frontal-amygdala connectivity alterations during emotion downregulation in bipolar I disorder. *Biological Psychiatry*, 73(2), 127–35. doi:10.1016/j.biopsych.2012.06.030
- van der Meer, L., Swart, M., van der Velde, J., Pijnenborg, G., Wiersma, D., Bruggeman, R., & Aleman, A. (2014). Neural correlates of emotion regulation in patients with schizophrenia and non-affected siblings. *PloS One*, 9(6), e99667. doi:10.1371/journal.pone.0099667
- Wang, X., Feng, Z., Zhou, D., Lei, X., Liao, T., Zhang, L., ... Li, J. (2014). Dissociable self effects for emotion regulation: a study of chinese major depressive outpatients. *BioMed Research International*, 2014, 390865. doi:10.1155/2014/390865
- Woodward, S. H., Shurick, A. A., Alvarez, J., Kuo, J., Nonyieva, Y., Blechert, J., ... Gross, J. J. (2015). A psychophysiological investigation of emotion regulation in chronic severe posttraumatic stress disorder. *Psychophysiology*, 52(5), 667–678. doi:10.1111/psyp.12392
- Wu, L., Winkler, M. H., Wieser, M. J., Andreatta, M., Li, Y., & Pauli, P. (2015). Emotion regulation in heavy smokers: experiential, expressive and physiological consequences of cognitive reappraisal. *Frontiers in Psychology*, 6(October), 1–11. doi:10.3389/fpsyg.2015.01555
- Ziv, M., Goldin, P. R., Jazaieri, H., Hahn, K. S., & Gross, J. J. (2013). Emotion regulation in social anxiety disorder: behavioral and neural responses to three socio-emotional tasks. *Biology of Mood & Anxiety Disorders*, 3, (1):20. doi:10.1186/2045-5380-3-20

First author	Year	Population	n	Analysis space	vIPFC	dIPFC	amygdala	dACC	parietal	SMA/PM
Mood disorders										
Beauregard	2006	MDD	12	MNI	-	-	26/-6/-14	4/17/19	-	-
Johnstone	2007	MDD	21	TAL	-47/24/0	32/46/25	-	-	-	-
Heller	2009	MDD	27	-	-	-	-	-	-	-
Erk	2010	MDD	17	MNI	-	36/44/28	-	-	-	-
Dillon	2013	MDD	12	-	-	-	-	-	-	-
Wang	2014	MDD	12	TAL	-48/20/-4	-	-20/-2/-16	-	-	-
Greening	2014	MDD	19	MNI	-	-	-	29/-51,53	-47/-1/43	-
Kanske	2012	rMDD	23	MNI	-	-	-15/-1/-14	-	-	-
Smoski	2013	rMDD	18	MNI	-	-	-	-	-	42/10/50
Morris	2012	BD	13	MNI	40/42/-10	-	-	-	-	-
Townsend	2013	BD	30	MNI	-32/26/-2 38/38/-8	-44/38/20 50/38/8	-	-12/8/34 64/-20/24 44/-36/52	26/-18/60	-
Kanske	2015	BD	22	MNI	-	-	-15/-4/-17 21/5/-26	-	-	-
Anxiety disorders										
New	2009	PTSD	14	MNI	-	-44/8/48	-	-	-	-6/15/52
Rabinak	2014	PTSD	21	MNI	-	-44/16/26	-	-	-	-
Blair	2012	GAD	17	MNI	-	-	-	-5/12/35	20/-75/50	-
Blair	2012	GAD/SAD	17	MNI	-	-	-	-5/12/35	20/-75/50	-
Manber-Ball	2013	GAD	23	TAL	-	34/7/28	-	-	-	-38/3/32
Manber-Ball	2013	PD	18	TAL	-	34/7/28	-	-	-	-38/3/32
Reinecke	2015	PD	18	MNI	48/56/-2	-	-	-	-	-
Goldin	2009a	SAD	15	TAL	-	21/49/29	-	10/-6/46	21/-65/63 -21/-48/70 -41/-37/50	58/4/36 -24/-10/46
Goldin	2009b	SAD	27	TAL	55/21/-2 -34/28/-2	52/25/22	-	3/14/29	55/-58/32 -38/-65/53	0/21/63
Blair	2012	SAD	19	MNI	-	-	-	-5/12/35	20/-75/50	-
Ziv	2013	SAD	27	TAL	-31/52/-6	-	-	0/18/33	-	-
Gaebler	2014	SAD	21	-	-	-	-	-	-	-
Other disorders										
Albein-	2014	CUD	17	MNI	64/2/8	-36/44/22	-	-	-	-

-56/8/6										
Morris	2012	Sz	12	MNI	50/26/6	-22/30/46	-	-	-	-
van der Meer	2014	Sz	20	MNI	-38/22/-10	-	-	-	-38/-66/26	-
Koenigsberg	2009	BPD	18	MNI	-	-	30/6/-22	-4/30/36	30/-52/44 -40/-50/54	-
Schulze	2011	BPD	15	MNI	-48/28/-6	-36/16/52	-	-	50/-54/22	30/-16/68 -28/-22/72
Lang	2012	BPD	14	-	-	-	-	-	-	-
Denny	2015	AvPD	17	-	-	-	-	-	-	-

Supplementary table 1.

Reported coordinates for group differences during downregulation of emotion reported by fMRI studies.

All brain regions from table 2 are listed. The n reported is the number of participants in the patient group.

Abbreviations: MNI = Montreal Neurological Institute, TAL = Talairach

vIPFC = ventrolateral prefrontal cortex, dIPFC = dorsolateral prefrontal cortex, dACC = dorsal anterior cingulate, SMA = supplementary motor area, PM = premotor cortex

MDD = Major Depressive Disorder, rMDD = remitted Major Depressive Disorder, BD = Bipolar Disorder, PTSD = Posttraumatic Stress Disorder, GAD = Generalized Anxiety Disorder, SAD = Social Anxiety Disorder, PD = Panic Disorder, OCD = Obsessive Compulsive Disorder, CUD = Cocaine use Disorder, ND = Nicotine Dependence, Sz = Schizophrenia, BPD = Borderline Personality Disorder, AvPD = Avoidant Personality Disorder

First author	Year	Population	n	Analysis space	vIPFC	dIPFC	amygdala	dACC	parietal	SMA/PM
Mood disorders										
Beauregard	2006	MDD	12	-	-	-	-	-	-	-
Johnstone	2007	MDD	21	-	-	-	-	-	-	-
Heller	2009	MDD	27	-	-	-	-	-	-	-
Dillon	2013	MDD	12	-	-	-	-	-	-	-
Wang	2014	MDD	12	TAL	-48/20/-4	-	-20/-2/-16	-	-	-
Greening	2014	MDD	19	-	-	-	-	-	-	-
Morris	2012	BD	13	MNI	40/40/-10	peak in vIPFC	-	10/46/18	-	-
Kanske	2015	BD	22	-	-	-	-	-	-	-
Anxiety disorders										
New	2009	PTSD	14	MNI	-	-	-	-	-	-6/15/52
Blair	2012	GAD	17	MNI	-	-	-	-5/12/35	-	-
Blair	2012	GAD/SAD	17	MNI	-	-	-	-5/12/35	-	-
Blair	2012	SAD	19	MNI	-	-	-	-5/12/35	-	-
Gaebler	2014	SAD	21	-	-	-	-	-	-	-
Other disorders										
Morris	2012	Sz	12	MNI	40/42/-10	peak in vIPFC	-	8/42/18	-	-
Schulze	2011	BPD	15	-	-	-	-	-	-	-
Lang	2012	BPD	14	MNI	-	-	-	-3/35/10	-	-

Supplementary table 2.

Reported coordinates for group differences during upregulation of emotion reported by fMRI studies.

All brain regions from table 3 are listed. The n reported is the number of participants in the patient group.

Abbreviations: MNI = Montreal Neurological Institute, TAL = Talairach

vIPFC = ventrolateral prefrontal cortex, dIPFC = dorsolateral prefrontal cortex, dACC = dorsal anterior cingulate

MDD = Major Depressive Disorder, rMDD = remitted Major Depressive Disorder, BD = Bipolar Disorder, PTSD = Posttraumatic Stress Disorder, GAD = Generalized Anxiety Disorder, SAD = Social Anxiety Disorder, PD = Panic Disorder, OCD = Obsessive Compulsive Disorder, CUD = Cocaine use Disorder, ND = Nicotine Dependence, Sz = Schizophrenia, BPD = Borderline Personality Disorder, AvPD = Avoidant Personality Disorder