Supplementary tables

Supplementary Table 1: Frequency of hospital admissions among children.

	Number of children	Percentage
admissions		
0	180	57.9%
1	80	25.7%
2	25	8.0%
3	10	3.2%
4	8	2.6%
5	3	1.0%
6	2	0.6%
10	1	0.3%
16	1	0.3%
21	1	0.3%
Total	311	100.0%

Supplementary Table 2: The five most frequent ICD-10 codes for hospital admissions for boys/girls and Nuuk/Ilulissat.

ICD-10 code	N	Mean (SD)	Incidence rate (1000/year)
Boys			
Observation for suspected disease or condition UNS (Z039)	14	0.08 (±0.32)	9.6
Pneumonia UNS (J189)	12	0.07 (±0.32)	8.3
Epilepsy UNS (G409)	10	0.06 (±0.51)	6.9
Febrile convulsions (R560)	10	0.06 (±0.56)	6.9
Acute bronchitis UNS (J209)	10	0.06 (±0.29)	6.9
Girls			
Pneumonia UNS (J189)	11	0.08 (±0.26)	8.7
Observation for suspected disease or condition UNS (Z039)	6	0.04 (±0.20)	4.7
Febrile convulsions (R560)	5	0.03 (±0.18)	3.9
Acute bronchitis UNS (J209)	5	0.03 (±0.18)	3.9
Prematurity (P073)	4	0.03 (±0.26)	3.2
Fever UNS (R509)	4	0.03 (±0.16)	3.2
Nuuk			
Pneumonia UNS (J189)	11	0.06 (±0.23)	6.2
Observation for suspected disease or condition UNS (Z039)	10	0.05 (±0.22)	5.7
Unilateral or unspecified inguinal hernia, without obstruction or gangrene (K409)	9	0.05 (±0.41)	5.1
Concussion (S060)	8	0.04 (±0.20)	4.5
Acute bronchitis UNS (J209)	8	0.04 (±0.22)	4.5
Ilulissat			
Pneumonia UNS (J189)	12	0.11 (±0.39)	12.5
Febrile convulsions (R560)	11	0.10 (±0.68)	11.4
Observation for suspected disease or condition UNS (Z039)	10	0.09 (±0.34)	10.4
Epilepsy UNS (G409)	8	0.07 (±0.59)	8.3
Follow-up examination after medical treatment (Z095)	8	0.07 (±0.44)	8.3

 \overline{N} =number of contacts, SD=standard deviation.

Supplementary Table 3: The five most frequent ICD-10 categories for hospital admissions for boys/girls and Nuuk/Ilulissat.

ICD-10 category	N	Mean (SD)	Incidence rate (1000/ year)
Boys			
Diseases of the respiratory system [DJ00-DJ99]	46	0.28 (±0.84)	31.6
Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified [DR00-DR99]	29	0.18 (±0.98)	19.9
Diseases of the ear and mastoid process [DH60-DH95]	25	0.15 (±0.90)	17.2
Factors influencing health status and contact with health services [DZ00-DZ99]	25	0.15 (±0.54)	17.2
Injury, poisoning and certain other consequences of external causes [DS00-DT98]	25	0.15 (±0.39)	17.2
Girls			
Diseases of the respiratory system [DJ00-DJ99]	27	0.18 (±0.44)	21.3
Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified [DR00-DR99]	16	0.11 (±0.44)	12.6
Certain infectious and parasitic diseases [DA00-DB99]	12	0.08 (±0.32)	9.5
Certain conditions originating in the perinatal period [DP00-DP96]	10	0.07 (±0.40)	7.9
Diseases of the ear and mastoid process [DH60-DH95]	10	0.07 (±0.36)	7.9
Nuuk			
Diseases of the respiratory system [DJ00-DJ99]	48	0.24 (±0.55)	27.2
Injury, poisoning and certain other consequences of external causes [DS00-DT98]	20	0.10 (±0.35)	11.4
Diseases of the ear and mastoid process [DH60-DH95]	20	0.10 (±0.39)	11.4
Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified [DR00-DR99]	16	0.08 (±0.31)	9.1
Diseases of the digestive system [DK00-DK93]	16	0.08 (±0.47)	9.1
Ilulissat			
Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified [DR00-DR99]	29	0.26 (±1.22)	30.1
Diseases of the respiratory system [DJ00-DJ99]	25	0.22 (±0.86)	26.0
Factors influencing health status and contact with health services [DZ00-DZ99]	19	0.17 (±0.61)	19.7
Diseases of the nervous system [DG00-DG99]	18	0.16 (±1.03)	18.7
Diseases of the ear and mastoid process [DH60-DH95]	15	0.13 (±1.05)	15.6

N=number of contacts, SD=standard deviation.

Supplementary Table 4: The five most frequent ICD-10 codes for outpatient consultations for boys/girls and Nuuk/Ilulissat.

ICD-10 code	N	Mean (SD)	Incidence rate (1000/year)
Male			
Otitis media UNS (H669)	13	0.08 (±0.35)	8.9
Hypertrophy of adenoids (J352)	10	0.06 (±0.33)	6.9
Hypermetropia (H520)	7	0.04 (±0.23)	4.8
Hypertrophy of tonsils (J351)	7	0.04 (±0.23)	4.8
Special screening for respiratory tuberculosis (Z111)	6	0.04 (±0.22)	4.1
Delayed milestone (R620B)	6	0.04 (±0.24)	4.1
Epistaxis (R040)	6	0.04 (±0.22)	4.1
Perforation of tympanic membrane UNS (H729)	6	0.04 (±0.19)	4.1
Female			
Special screening for respiratory tuberculosis (Z111)	11	0.08 (±0.29)	8.7
Hypermetropia (H520)	7	0.05 (±0.21)	5.5
Astigmatism (H522)	6	0.04 (±0.20)	4.7
Atopic dermatitis UNS (L209)	5	0.03 (±0.18)	3.9
Constipation (K590)	5	0.03 (±0.22)	3.9
Nuuk			
Special screening for respiratory tuberculosis (Z111)	17	0.09 (±0.32)	9.7
Otitis media UNS (H669)	12	0.06 (±0.31)	6.8
Hypertrophy of adenoids (J352)	9	0.05 (±0.29)	5.1
Hypertrophy of tonsils (J351)	8	0.04 (±0.24)	4.5
Constipation (K590)	7	0.04 (±0.21)	4.0
Ilulissat			
Hypermetropia (H520)	8	0.07 (±0.29)	8.3
Atopic dermatitis UNS (L209)	6	0.05 (±0.23)	6.2
Esotropia alternating (H500A)		0.04 (±0.28)	5.2
Hypertrophy of adenoids (J352)	3	0.03 (±0.16)	3.1
Perforation of tympanic membrane UNS (H729)	3	0.03 (±0.16)	3.1

N=number of contacts, SD=standard deviation. Z0-diagnoses excluded.

Supplementary Table 5: The five most frequent ICD-10 categories for outpatient consultations for boys/girls and Nuuk/Ilulissat.

ICD-10 category	N	Mean (SD)	Incidence rate (1000/year)
Male			
Diseases of the ear and mastoid process [DH60-DH95]	35	0.21 (±0.67)	24.1
Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified [DR00-DR99]	34	0.21 (±0.63)	23.4
Diseases of the respiratory system [DJ00-DJ99]	23	0.14 (±0.47)	15.8
Diseases of the eye and adnexa [DH00-DH59]	22	0.13 (±0.63)	15.1
Congenital malformations, deformations and chromosomal abnormalities [DQ00-DQ99]	13	0.08 (±0.40)	8.9
Female			
Diseases of the eye and adnexa [DH00-DH59]	32	0.22 (±0.68)	25.2
Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified [DR00-DR99]	13	0.09 (±0.31)	10.2
Diseases of the respiratory system [DJ00-DJ99]	11	0.08 (±0.37)	8.7
Congenital malformations, deformations and chromosomal abnormalities [DQ00-DQ99]	9	0.06 (±0.34)	7.1
Diseases of the skin and subcutaneous tissue [DL00-DL99]	8	0.05 (±0.23)	6.3
Nuuk			
Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified [DR00-DR99]	40	0.20 (±0.60)	22.7
Diseases of the eye and adnexa [DH00-DH59]	32	0.16 (±0.56)	18.2
Diseases of the ear and mastoid process [DH60-DH95]	30	0.15 (±0.57)	17.0
Diseases of the respiratory system [DJ00-DJ99]	26	0.13 (±0.50)	14.8
Congenital malformations, deformations and chromosomal abnormalities [DQ00-DQ99]	15	0.08 (±0.39)	8.5
Ilulissat			
Diseases of the eye and adnexa [DH00-DH59]	22	0.19 (±0.79)	22.9
Diseases of the ear and mastoid process [DH60-DH95]	9	0.08 (±0.38)	9.4
Diseases of the respiratory system [DJ00-DJ99]	8	0.07 (±0.26)	8.3
Congenital malformations, deformations and chromosomal abnormalities [DQ00-DQ99]	7	0.06 (±0.34)	7.3
Mental and behavioural disorders [DF00-DF99]	7	0.06 (±0.34)	7.3
Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified [DR00-DR99]	7	0.06 (±0.28)	7.3

 $[\]overline{N}$ =number of contacts, SD=standard deviation.

Z-diagnoses excluded.

Supplementary Table 6: The five most frequent ICD-10 codes for contacts to the primary health care sector for boys/girls and Nuuk/Ilulissat.

ICD-10 code	N	Mean (SD)	Incidence rate (1000/year)
Male			
Conjunctivitis UNS (H109)	41	1.71 (±2.07)	197.4
Otitis media UNS (H669)		1.67 (±2.32)	192.6
Acute nasopharyngitis UNS (J009)	36	1.50 (±1.89)	173.3
Cough UNS (R059)	30	1.25 (±1.39)	144.4
Rash UNS (R219)	29	1.21 (±1.14)	139.6
Female			
Conjunctivitis UNS (H109)	51	1.82 (±2.40)	220.6
Acute nasopharyngitis UNS (J009)	51	1.82 (±1.83)	220.6
Rash UNS (R219)	45	1.61 (±2.01)	194.6
Fever UNS (R509)	39	1.39 (±1.85)	168.7
Cough UNS (R059)	38	1.36 (±1.37)	164.3
Nuuk			
Acute nasopharyngitis UNS (J009)	79	1.98 (±1.98)	234.4
Conjunctivitis UNS (H109)	77	1.93 (±2.44)	228.5
Cough UNS (R059)	65	1.63 (±1.39)	192.9
Otitis media UNS (H669)	60	1.50 (±1.81)	178.0
Rash UNS (R219)	58	1.45 (±1.74)	172.1
Ilulissat			
Fever UNS (R509)	17	1.42 (±1.51)	166.8
Rash UNS (R219)	16	1.33 (±1.44)	157.0
Conjunctivitis UNS (H109)	15	1.25 (±1.29)	147.2
Otitis media UNS (H669)	13	1.08 (±1.68)	127.6
Otalgia (H920)	10	0.83 (±1.34)	98.1

N=number of contacts, SD=standard deviation. Study population = 52.

Z0-diagnoses and vaccinations excluded.

Supplementary Table 7: The five most frequent ICD-10 categories for contacts to the primary health care sector for boys/girls and Nuuk/Ilulissat.

ICD-10 category	N	Mean (SD)	Incidence rate (1000/year)
Male			
Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified [DR00-DR99]	125	5.21 (±3.20)	601.8
Diseases of the respiratory system [DJ00-DJ99]	119	4.96 (±4.21)	572.9
Diseases of the ear and mastoid process [DH60-DH95]	78	3.25 (±3.31)	375.5
Certain infectious and parasitic diseases [DA00-DB99]	68	2.83 (±2.46)	327.4
Injury, poisoning and certain other consequences of external causes [DS00-DT98]	53	2.21 (±1.38)	255.2
Female			
Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified [DR00-DR99]	153	5.46 (±3.61)	661. 7
Diseases of the respiratory system [DJ00-DJ99]	139	4.96 (±3.46)	601.1
Certain infectious and parasitic diseases [DA00-DB99]	75	2.68 (±2.28)	324.4
Diseases of the ear and mastoid process [DH60-DH95]	71	2.54 (±1.90)	307.1
Diseases of the skin and subcutaneous tissue [DL00-DL99]	59	2.11 (±2.03)	255.2
Nuuk			
Diseases of the respiratory system [DJ00-DJ99]	223	5.58 (±3.90)	661.7
Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified [DR00-DR99]	216	5.40 (±3.54)	640.9
Diseases of the ear and mastoid process [DH60-DH95]	115	2.88 (±2.59)	341.2
Certain infectious and parasitic diseases [DA00-DB99]	115	2.88 (±2.37)	341.2
Diseases of the eye and adnexa [DH00-DH59]	87	2.18 (±2.47)	258.1
Ilulissat			
Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified [DR00-DR99]	62	5.17 (±2.98)	608.4
Diseases of the respiratory system [DJ00-DJ99]	35	2.92 (±2.58)	343.5
Diseases of the ear and mastoid process [DH60-DH95]	34	2.83 (±2.92)	333.7
Certain infectious and parasitic diseases [DA00-DB99]	28	2.33 (±2.31)	274.8
Diseases of the skin and subcutaneous tissue [DL00-DL99]	20	1.67 (±1.88)	196.3
Injury, poisoning and certain other consequences of external causes [DS00-DT98]	20	1.67 (±1.07)	196.3

N=number of contacts, SD=standard deviation. Study population = 52.

Z-diagnoses excluded.