

Table E1. Baseline Patient and Disease Characteristics and Prior Procedures in 606 Patients

Parameter	Value
Patient sex	
Women	233 (38.4)
Men	373 (61.6)
Age (y) [*]	61.5 ± 12.7 (20.8–91.9)
Race [†]	
White or Caucasian	398 (77.7)
Black or African American	67 (13.1)
Hispanic or Latino	17 (3.3)
Asian	12 (2.3)
Other	18 (3.5)
Eastern Cooperative Oncology Group performance status [‡]	
Grade 0	168 (65.4)
Grade 1	72 (28.0)
Grade 2	14 (5.4)
Grade 3	3 (1.2)
Site of primary tumor [§]	
Colon	443 (73.3)
Rectum	133 (22.0)
Colorectal	28 (4.6)
Primary tumor in situ	78 (13.0)
Metastases [#]	
Synchronous	396 (69.6)
Extrahepatic metastases	
Yes	213 (35.1)
No	393 (64.9)
Lung	148 (24.4)
Lymph node	67 (11.1)
Peritoneum	17 (2.8)
Bone	30 (5.0)
Other	38 (6.3)
Median CEA level (µg/L) ^{**}	62.2 (283.4)
Ascites ^{††}	28 (4.7)
Prior liver-directed procedures	
Any	183 (30.2)
Surgery and/or ablation	168 (27.7)
Vascular therapy (HAI, TACE, TAE)	37 (6.1)
Upper abdominal radiation	7 (1.2)
Stereotactic external-beam radiation therapy	4 (0.7)
Prior systemic chemotherapy treatment courses for mCRC	
None	35 (6.0)
One treatment course	206 (35.3)
Two treatment courses	184 (31.6)

At least three treatment courses	158 (27.1)
Unknown	23 (3.8)
Median time from mCRC diagnosis to radioembolization (mo) ^{††}	16.3 (0.4–96.3)
Treated target	
Whole liver, single session with or without repeat treatment	179 (29.5)
Whole liver, sequential	218 (36.0)
Right lobe with or without segmental	168 (27.7)
Left lobe with or without segmental	33 (5.4)
Segmental	5 (0.8)

Note.—Data are numbers of patients with percentages in parentheses, unless indicated otherwise. Synchronous metastases are defined as those identified within 4 months (120 days) of the primary tumor. HAI = hepatic arterial infusion chemotherapy, TACE = transarterial chemoembolization, TAE = transarterial embolization

* Data are the mean \pm standard deviation, with the range in parentheses.

[†] Baseline patient data were missing in 94 patients.

[‡] Baseline patient data were missing in 349 patients.

[§] Baseline patient data were missing in two patients.

^{||} Baseline patient data were missing in six patients.

[#] Baseline patient data were missing in 37 patients.

^{**} Baseline patient data were missing in 176 patients. Data in parentheses are the interquartile range.

^{††} Baseline patient data were missing in 15 patients.

^{††} Data in parentheses are the range.