# Uncropped blot, autoradiograph and gel images for Figures 1, 2, 3, 4 and 6, and Supplementary Figures 1, 3 and 4.

### Figure 1



## Figure 2a

#### Autoradiographs



#### Coomassie (CBB) stain (loading control)



## Figure 2b

wt CHO-K1 lysate + FICD: -+ ----FICDH363A: ---+ --FICDE234G: ----÷ -FICDE234G-H363A ----+ CHX: -+ + + + + ----IEF IB: BiP

## Figure 2c

#### Autoradiographs



#### Coomassie (CBB) stain (loading control)



# Figure 3d



СВВ

# Figure 3e



СВВ



First scan Ex/Em then stain with CBB and re-scan

# Figure 6a

	FICD (μg): 2.5 2.5 5 7.5
Native-PAGE IB: BiP	
SDS-PAGE IB: FICD	250 kDa 150 kDa 100 kDa 50 kDa 37 kDa 25 kDa 20 kDa -
SDS-PAGE IB: BiP and eIF2a	250 kDa — 150 kDa — 100 kDa — 75 kDa — 37 kDa —

## Supplementary Figure 1a



First scan Ex/Em then stain with CBB and re-scan

## Supplementary Figure 3a



## **Supplementary Figure 4b**

