

Strain	Group	Isolation period (years)	SEAP activity (OD)		
			TLR2	TLR4	NOD2
B0558	Introd-Vac	1950-60	1.55	0.47	0.57
B0304		1950-60	1.75	0.36	0.52
B0571		1950-60	1.57	0.50	0.41
B1203		1950-60	1.85	0.62	0.55
B1381		1950-60	1.50	0.43	0.54
B1198		1950-60	1.34	0.49	0.56
B0569		1950-60	1.12	0.48	0.40
B1378		1950-60	1.37	0.43	0.54
B1384		1950-60	1.45	0.42	0.55
		Avg (Avg OD_{allstrains})	1.50 (1.51)	0.47 (0.51)	0.51 (0.51)
B0440	WCV	1970-2000	1.70	0.56	0.44
B2939		1970-2000	1.58	0.47	0.51
B2965		1970-2000	1.54	0.59	0.46
B0354		1970-2000	1.94	0.54	0.53
B0599		1970-2000	1.68	0.47	0.63
B0541		1970-2000	1.63	0.52	0.60
B0606		1970-2000	1.76	0.56	0.42
B1960		1970-2000	1.89	0.74	0.38
B1895		1970-2000	1.58	0.53	0.55
B1917		1970-2000	1.46	0.56	0.51
		Avg (Avg OD_{allstrains})	1.67 (1.71)	0.55 (0.54)	0.50 (0.57)
B3212	ACV	2005-nu	1.73	0.39	0.36
B2914		2005-nu	1.84	0.64	0.72
B3115		2005-nu	1.78	0.61	0.74
B3135		2005-nu	1.83	0.55	0.56
B3446		2005-nu	1.65	0.69	0.37
B3896		2005-nu	1.79	0.57	0.55
B3962		2005-nu	1.96	0.48	0.53
B4171		2005-nu	1.72	0.48	0.54
B3235		2005-nu	1.56	0.54	0.54
B3400		2005-nu	1.55	0.59	0.50
		Avg (Avg OD_{allstrains})	1.74 (1.71)	0.55(0.54)	0.54 (0.57)