

Supplementary Table III. MiChart implementation survey responses from a group of 62 ophthalmologists, N (column %). Survey results from all questions are presented.

		Survey Time					p-value ^a
		Pre-Implementation	3 Month Post-Implementation	7 Month Post-Implementation	13 Month Post-Implementation	2 Year Post-Implementation	
Number of Surveys Completed		32	28	35	40	39	
Gender	Male	20 (62.5)	17 (60.7)	21 (60.0)	22 (55.0)	21 (53.8)	0.93 ^b
	Female	12 (37.5)	11 (39.3)	14 (40.0)	18 (45.0)	18 (46.2)	
Age	30-39	10 (31.3)	10 (35.7)	10 (28.6)	15 (37.5)	14 (35.9)	0.95 ^c
	40-49	9 (28.1)	6 (21.4)	12 (34.3)	11 (27.5)	12 (30.8)	
	50-59	5 (15.6)	5 (17.9)	7 (20.0)	9 (22.5)	9 (23.1)	
	60-69	5 (15.6)	5 (17.9)	5 (14.3)	5 (12.5)	3 (7.7)	
	70-79	3 (9.4)	2 (7.1)	1 (2.9)	0 (0.0)	1 (2.6)	
Question	Responses						
How often do you use handwritten notes for documentation?	1 – Never	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	----- ^e
	2	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	
	3	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	
	4	4 (12.5)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	
	5 – All of the time	28 (87.5)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	
	Non-Response ^d	30	61	61	56	58	
How often do you use CareWeb for documentation?	1 – Never	4 (12.5)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	----- ^e
	2	8 (25.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	
	3	7 (21.9)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	
	4	9 (28.1)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	
	5 – All of the time	4 (12.5)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	
	Non-Response	30	61	61	56	58	
When using CareWeb, how often do you use full dictation?	1 – Never	10 (31.3)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	----- ^e
	2	3 (9.4)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	
	3	5 (15.6)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	
	4	7 (21.9)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	
	5 – All of the time	7 (21.9)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	
	Non-Response	30	61	61	56	58	
When using CareWeb, how often do you image paper notes?	1 – Never	1 (3.1)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	----- ^e
	2	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	
	3	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	
	4	4 (12.5)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	
	5 – All of the time	27 (84.4)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	
	Non-Response	30	61	61	56	58	
When using CareWeb, how often do you type using a template?	1 – Never	17 (54.8)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	----- ^e
	2	7 (22.6)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	
	3	3 (9.7)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	
	4	2 (6.5)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	
	5 – All of the time	2 (6.5)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	
	Non-Response	31	61	61	56	58	

When using MiChart, how often do you use full telephone dictation?	1 – Never	0 (0.0)	20 (74.1)	20 (87.0)	36 (90.0)	35 (89.7)	0.10 ^c
	2	0 (0.0)	4 (14.8)	2 (8.7)	1 (2.5)	1 (2.6)	
	3	0 (0.0)	2 (7.4)	0 (0.0)	0 (0.0)	3 (7.7)	
	4	0 (0.0)	1 (3.7)	1 (4.3)	1 (2.5)	0 (0.0)	
	5 – All of the time	0 (0.0)	0 (0.0)	0 (0.0)	2 (5.0)	0 (0.0)	
	Non-Response	62	34	38	16	19	
When using MiChart, how often do you use partial telephone dictation?	1 – Never	0 (0.0)	22 (81.5)	28 (80.0)	35 (89.7)	38 (97.4)	0.41 ^c
	2	0 (0.0)	1 (3.7)	2 (5.7)	2 (5.1)	1 (2.6)	
	3	0 (0.0)	1 (3.7)	2 (5.7)	1 (2.6)	0 (0.0)	
	4	0 (0.0)	2 (7.4)	3 (8.6)	1 (2.6)	0 (0.0)	
	5 – All of the time	0 (0.0)	1 (3.7)	0 (0.0)	0 (0.0)	0 (0.0)	
	Non-Response	62	34	26	17	19	
When using MiChart, how often do you use Dictaphone dictation?	1 – Never	0 (0.0)	14 (53.8)	17 (48.6)	24 (60.0)	27 (69.2)	0.45 ^c
	2	0 (0.0)	1 (3.8)	4 (11.4)	3 (7.5)	5 (12.8)	
	3	0 (0.0)	4 (15.4)	5 (14.3)	6 (15.0)	1 (2.6)	
	4	0 (0.0)	5 (19.2)	6 (17.1)	3 (7.5)	2 (5.1)	
	5 – All of the time	0 (0.0)	2 (7.7)	3 (8.6)	4 (10.0)	4 (10.3)	
	Non-Response	62	35	26	16	19	
When using MiChart, how often do you type into empty text box?	1 – Never	0 (0.0)	4 (14.8)	12 (34.3)	0 (0.0)	0 (0.0)	< 0.01 ^c
	2	0 (0.0)	6 (22.2)	1 (2.9)	2 (5.0)	3 (7.9)	
	3	0 (0.0)	2 (7.4)	5 (14.3)	3 (7.5)	3 (7.9)	
	4	0 (0.0)	7 (25.9)	4 (11.4)	20 (50.0)	13 (34.2)	
	5 – All of the time	0 (0.0)	8 (29.6)	13 (37.1)	15 (37.5)	19 (50.0)	
	Non-Response	62	34	26	16	20	
When using MiChart, how often do you use Note Writer?	1 – Never	0 (0.0)	19 (67.9)	19 (54.3)	28 (71.8)	25 (71.4)	0.42 ^c
	2	0 (0.0)	2 (7.1)	1 (2.9)	3 (7.7)	3 (8.6)	
	3	0 (0.0)	0 (0.0)	3 (8.6)	3 (7.7)	1 (2.9)	
	4	0 (0.0)	3 (10.7)	7 (20.0)	2 (5.1)	1 (2.9)	
	5 – All of the time	0 (0.0)	4 (14.3)	5 (14.3)	3 (7.7)	5 (14.3)	
	Non-Response	62	33	26	17	23	
When using MiChart, how often do you use Smart Text template?	1 – Never	0 (0.0)	5 (18.5)	6 (17.1)	7 (17.5)	4 (10.3)	0.500 ^c
	2	0 (0.0)	4 (14.8)	4 (11.4)	1 (2.5)	1 (2.6)	
	3	0 (0.0)	4 (14.8)	5 (14.3)	11 (27.5)	10 (25.6)	
	4	0 (0.0)	10 (37.0)	13 (37.1)	11 (27.5)	12 (30.8)	
	5 – All of the time	0 (0.0)	4 (14.8)	7 (20.0)	10 (25.0)	12 (30.8)	
	Non-Response	62	34	26	16	19	
When using MiChart, how often do you use Smart Phrase shortcut?	1 – Never	0 (0.0)	2 (7.1)	5 (17.2)	1 (2.5)	0 (0.0)	0.062 ^c
	2	0 (0.0)	1 (3.6)	2 (6.9)	3 (7.5)	0 (0.0)	
	3	0 (0.0)	1 (3.6)	2 (6.9)	8 (20.0)	6 (15.4)	
	4	0 (0.0)	10 (35.7)	10 (34.5)	15 (37.5)	12 (30.8)	
	5 – All of the time	0 (0.0)	14 (50.0)	10 (34.5)	13 (32.5)	21 (53.8)	
	Non-Response	62	33	32	16	19	
When using MiChart, how often do you use scribes?	1 – Never	0 (0.0)	0 (0.0)	0 (0.0)	27 (69.2)	17 (44.7)	0.17 ^c
	2	0 (0.0)	0 (0.0)	0 (0.0)	1 (2.6)	5 (13.2)	
	3	0 (0.0)	0 (0.0)	0 (0.0)	2 (5.1)	3 (7.9)	

	4	0 (0.0)	0 (0.0)	0 (0.0)	5 (12.8)	5 (13.2)	
	5 – All of the time	0 (0.0)	0 (0.0)	0 (0.0)	4 (10.3)	8 (21.1)	
	Non-Response	62	61	61	17	20	
With what frequency do you enter data into record while in patient rooms?	1 – Never	6 (18.8)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	<0.01 ^c
	2	6 (18.8)	0 (0.0)	2 (5.7)	2 (5.0)	0 (0.0)	
	3	5 (15.6)	3 (10.7)	2 (5.7)	4 (10.0)	4 (10.3)	
	4	4 (12.5)	6 (21.4)	10 (28.6)	7 (17.5)	7 (17.9)	
	5 – All of the time	11 (34.4)	19 (67.9)	21 (60.0)	27 (67.5)	28 (71.8)	
	Non-Response	30	33	26	16	19	
With what frequency do you enter data into record between patients?	1 – Never	7 (21.9)	1 (3.6)	3 (8.6)	0 (0.0)	0 (0.0)	0.07 ^c
	2	4 (12.5)	3 (10.7)	2 (5.7)	4 (10.0)	5 (12.8)	
	3	7 (21.9)	8 (28.6)	9 (25.7)	7 (17.5)	7 (17.9)	
	4	9 (28.1)	7 (25.0)	8 (22.9)	16 (40.0)	10 (25.6)	
	5 – All of the time	5 (15.6)	9 (32.1)	13 (37.1)	13 (32.5)	17 (43.6)	
	Non-Response	30	33	26	16	19	
With what frequency do you enter data into record on workday evenings/nights?	1 – Never	9 (28.1)	7 (25.9)	7 (20.0)	6 (15.0)	7 (17.9)	0.54 ^b
	2	5 (15.6)	4 (14.8)	7 (20.0)	10 (25.0)	12 (30.8)	
	3	8 (25.0)	7 (25.9)	8 (22.9)	10 (25.0)	7 (17.9)	
	4	9 (28.1)	6 (22.2)	9 (25.7)	7 (17.5)	4 (10.3)	
	5 – All of the time	1 (3.1)	3 (11.1)	4 (11.4)	7 (17.5)	9 (23.1)	
	Non-Response	30	34	26	16	19	
With what frequency do you enter data into record on non-clinical/administrative days?	1 – Never	13 (40.6)	9 (33.3)	9 (26.5)	8 (20.5)	9 (23.1)	0.40 ^b
	2	5 (15.6)	2 (7.4)	8 (23.5)	11 (28.2)	6 (15.4)	
	3	8 (25.0)	3 (11.1)	5 (14.7)	7 (17.9)	10 (25.6)	
	4	5 (15.6)	9 (33.3)	8 (23.5)	7 (17.9)	7 (17.9)	
	5 – All of the time	1 (3.1)	4 (14.8)	4 (11.8)	6 (15.4)	7 (17.9)	
	Non-Response	30	34	27	17	19	
With what frequency do you enter data into record on days off?	1 – Never	18 (56.3)	10 (35.7)	9 (25.7)	13 (32.5)	15 (38.5)	0.51 ^c
	2	5 (15.6)	5 (17.9)	10 (28.6)	12 (30.0)	9 (23.1)	
	3	6 (18.8)	5 (17.9)	9 (25.7)	10 (25.0)	10 (25.6)	
	4	2 (6.3)	7 (25.0)	5 (14.3)	2 (5.0)	3 (7.7)	
	5 – All of the time	1 (3.1)	1 (3.6)	2 (5.7)	3 (7.5)	2 (5.1)	
	Non-Response	30	33	26	16	19	
The current system enables me to create high quality documentation.	1 – Disagree strongly	0 (0.0)	7 (25.0)	10 (28.6)	7 (17.5)	7 (17.9)	<0.01 ^c
	2	1 (3.1)	6 (21.4)	5 (14.3)	4 (10.0)	5 (12.8)	
	3	2 (6.3)	4 (14.3)	4 (11.4)	7 (17.5)	11 (28.2)	
	4	10 (31.3)	7 (25.0)	10 (28.6)	16 (40.0)	10 (25.6)	
	5 – Agree strongly	19 (59.4)	4 (14.3)	6 (17.1)	6 (15.0)	6 (15.4)	
	Non-Response	30	33	26	16	19	
The current system enables my colleagues to create high quality documentation.	1 – Disagree strongly	1 (3.1)	8 (28.6)	10 (28.6)	6 (15.0)	7 (17.9)	<0.02 ^b
	2	1 (3.1)	7 (25.0)	5 (14.3)	6 (15.0)	7 (17.9)	
	3	6 (18.8)	5 (17.9)	5 (14.3)	12 (30.0)	10 (25.6)	
	4	8 (25.0)	5 (17.9)	9 (25.7)	11 (27.5)	12 (30.8)	
	5 – Agree strongly	16 (50.0)	3 (10.7)	6 (17.1)	5 (12.5)	3 (7.7)	
	Non-Response	30	33	26	16	19	

The current system supports my clinical thought process.	1 – Disagree strongly	0 (0.0)	11 (39.3)	11 (31.4)	7 (17.5)	9 (23.1)	< 0.01 ^c
	2	1 (3.1)	9 (32.1)	8 (22.9)	9 (22.5)	5 (12.8)	
	3	1 (3.1)	2 (7.1)	6 (17.1)	9 (22.5)	14 (35.9)	
	4	5 (15.6)	5 (17.9)	7 (20.0)	12 (30.0)	8 (20.5)	
	5 – Agree strongly	25 (78.1)	1 (3.6)	3 (8.6)	3 (7.5)	3 (7.7)	
	Non-Response	30	33	26	16	19	
The current system does not interfere with face-to-face contact with patients.	1 – Disagree strongly	0 (0.0)	12 (42.9)	22 (62.9)	17 (42.5)	18 (46.2)	< 0.01 ^c
	2	0 (0.0)	12 (42.9)	7 (20.0)	15 (37.5)	12 (30.8)	
	3	3 (9.4)	1 (3.6)	4 (11.4)	6 (15.0)	6 (15.4)	
	4	7 (21.9)	2 (7.1)	2 (5.7)	2 (5.0)	2 (5.1)	
	5 – Agree strongly	22 (68.8)	1 (3.6)	0 (0.0)	0 (0.0)	1 (2.6)	
	Non-Response	30	33	26	16	19	
The current system supports meaningful interaction with patients.	1 – Disagree strongly	0 (0.0)	9 (32.1)	16 (45.7)	11 (27.5)	15 (38.5)	< 0.01 ^c
	2	0 (0.0)	11 (39.3)	8 (22.9)	18 (45.0)	11 (28.2)	
	3	2 (6.3)	4 (14.3)	7 (20.0)	7 (17.5)	8 (20.5)	
	4	7 (21.9)	3 (10.7)	2 (5.7)	4 (10.0)	4 (10.3)	
	5 – Agree strongly	23 (71.9)	1 (3.6)	2 (5.7)	0 (0.0)	1 (2.6)	
	Non-Response	30	33	26	16	19	
The current system has improved patient safety.	1 – Disagree strongly	1 (3.1)	7 (25.0)	7 (20.0)	7 (17.5)	6 (15.4)	0.43 ^c
	2	7 (21.9)	5 (17.9)	5 (14.3)	4 (10.0)	6 (15.4)	
	3	14 (43.8)	6 (21.4)	11 (31.4)	10 (25.0)	11 (28.2)	
	4	6 (18.8)	8 (28.6)	7 (20.0)	13 (32.5)	14 (35.9)	
	5 – Agree strongly	4 (12.5)	2 (7.1)	5 (14.3)	6 (15.0)	2 (5.1)	
	Non-Response	30	33	26	16	19	
The current system reminds me of important actions or items.	1 – Disagree strongly	7 (21.9)	5 (18.5)	9 (25.7)	6 (15.0)	7 (17.9)	0.09 ^c
	2	8 (25.0)	4 (14.8)	6 (17.1)	5 (12.5)	4 (10.3)	
	3	11 (34.4)	7 (25.9)	4 (11.4)	7 (17.5)	9 (23.1)	
	4	3 (9.4)	10 (37.0)	13 (37.1)	15 (37.5)	18 (46.2)	
	5 – Agree strongly	3 (9.4)	1 (3.7)	3 (8.6)	7 (17.5)	1 (2.6)	
	Non-Response	30	34	26	16	19	
The current system enables me to complete my documentation in a timely manner.	1 – Disagree strongly	0 (0.0)	6 (21.4)	10 (28.6)	10 (25.0)	8 (20.5)	< 0.01 ^c
	2	4 (12.5)	7 (25.0)	5 (14.3)	4 (10.0)	8 (20.5)	
	3	3 (9.4)	7 (25.0)	10 (28.6)	14 (35.0)	8 (20.5)	
	4	6 (18.8)	7 (25.0)	7 (20.0)	9 (22.5)	11 (28.2)	
	5 – Agree strongly	19 (59.4)	1 (3.6)	3 (8.6)	3 (7.5)	4 (10.3)	
	Non-Response	30	33	26	16	19	
Rate the impact the current system has had on your efficiency and workflow, compared to the previous system.	1 – Much less efficient	4 (14.3)	8 (28.6)	11 (31.4)	11 (27.5)	9 (23.1)	0.97 ^b
	2	8 (28.6)	10 (35.7)	13 (37.1)	13 (32.5)	11 (28.2)	
	3	8 (28.6)	4 (14.3)	6 (17.1)	7 (17.5)	8 (20.5)	
	4	7 (25.0)	5 (17.9)	4 (11.4)	7 (17.5)	9 (23.1)	
	5 – Much more efficient	1 (3.6)	1 (3.6)	1 (2.9)	2 (5.0)	2 (5.1)	
	Non-Response	34	33	26	16	19	
How much MiChart training have you received?	1 – None	8 (25.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	----- ^e
	2	16 (50.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	
	3 – All	8 (25.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	

	Non-response	30	61	61	56	58	
The amount of training you received for MiChart was:	1 – Very inadequate	3 (37.5)	7 (25.0)	5 (14.3)	1 (2.5)	3 (7.7)	0.17 ^c
	2	2 (25.0)	7 (25.0)	9 (25.7)	7 (17.5)	9 (23.1)	
	3	1 (12.5)	4 (14.3)	6 (17.1)	11 (27.5)	5 (12.8)	
	4	2 (25.0)	7 (25.0)	9 (25.7)	10 (25.0)	16 (41.0)	
	5 – Very adequate	0 (0.0)	3 (10.7)	6 (17.1)	11 (27.5)	6 (15.4)	
	Non-Response	54	33	26	16	19	
	Estimate your prior MiChart experience before coming to UM.	1 – None	31 (96.9)	26 (92.9)	32 (91.4)	38 (95.0)	36 (92.3)
2		0 (0.0)	0 (0.0)	2 (5.7)	0 (0.0)	0 (0.0)	
3		1 (3.1)	1 (3.6)	1 (2.9)	1 (2.5)	2 (5.1)	
4		0 (0.0)	1 (3.6)	0 (0.0)	1 (2.5)	1 (2.6)	
5 – More than four years		0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	
Non-Response		30	33	26	16	19	
Rate your current overall job satisfaction.		1 – Very unsatisfied	0 (0.0)	2 (7.1)	4 (11.4)	2 (5.0)	4 (10.3)
	2	2 (6.3)	3 (10.7)	4 (11.4)	6 (15.0)	7 (17.9)	
	3	3 (9.4)	2 (7.1)	3 (8.6)	8 (20.0)	3 (7.7)	
	4	9 (28.1)	9 (32.1)	10 (28.6)	8 (20.0)	11 (28.2)	
	5 – Very satisfied	18 (56.3)	12 (42.9)	14 (40.0)	16 (40.0)	14 (35.9)	
	Non-Response	30	33	26	16	19	
	Estimate the impact the current system has had on your job satisfaction.	1 – Large negative impact	1 (3.1)	5 (17.9)	6 (17.1)	7 (17.5)	7 (17.9)
2		4 (12.5)	13 (46.4)	13 (37.1)	13 (32.5)	16 (41.0)	
3		18 (56.3)	4 (14.3)	12 (34.3)	16 (40.0)	9 (23.1)	
4		8 (25.0)	4 (14.3)	3 (8.6)	3 (7.5)	7 (17.9)	
5 – Large positive impact		1 (3.1)	2 (7.1)	1 (2.9)	1 (2.5)	0 (0.0)	
Non-Response		30	33	26	16	19	
MiChart will allow me to provide better care for my patients.		1 – Disagree strongly	5 (15.6)	4 (14.3)	7 (20.0)	8 (20.0)	9 (23.1)
	2	4 (12.5)	10 (35.7)	7 (20.0)	4 (10.0)	10 (25.6)	
	3	10 (31.3)	6 (21.4)	11 (31.4)	17 (42.5)	9 (23.1)	
	4	9 (28.1)	5 (17.9)	8 (22.9)	9 (22.5)	10 (25.6)	
	5 – Agree strongly	4 (12.5)	3 (10.7)	2 (5.7)	2 (5.0)	1 (2.6)	
	Non-Response	30	33	26	16	19	
	Would you like to keep the current system or switch back to the previous one?	1 – Definitely keep	6 (18.8)	5 (17.9)	5 (14.3)	10 (25.0)	10 (25.6)
2		6 (18.8)	9 (32.1)	16 (45.7)	15 (37.5)	11 (28.2)	
3		2 (6.3)	6 (21.4)	3 (8.6)	7 (17.5)	9 (23.1)	
4		13 (40.6)	5 (17.9)	4 (11.4)	4 (10.0)	6 (15.4)	
5 – Definitely switch		5 (15.6)	3 (10.7)	7 (20.0)	4 (10.0)	3 (7.7)	
Non-Response		30	33	26	16	19	
MiChart has eliminated work that I used to have to do.		1 – Disagree strongly	0 (0.0)	8 (28.6)	15 (42.9)	10 (25.0)	12 (30.8)
	2	0 (0.0)	7 (25.0)	8 (22.9)	14 (35.0)	11 (28.2)	
	3	0 (0.0)	5 (17.9)	5 (14.3)	2 (5.0)	6 (15.4)	
	4	0 (0.0)	6 (21.4)	4 (11.4)	10 (25.0)	7 (17.9)	
	5 – Agree strongly	0 (0.0)	2 (7.1)	3 (8.6)	4 (10.0)	3 (7.7)	
	Non-Response	62	33	26	16	19	
	MiChart has created new work that I now	1 – Disagree strongly	0 (0.0)	0 (0.0)	1 (2.9)	1 (2.5)	0 (0.0)
2		0 (0.0)	1 (3.6)	0 (0.0)	0 (0.0)	1 (2.6)	

must do.	3	0 (0.0)	1 (3.6)	3 (8.6)	3 (7.5)	5 (12.8)
	4	0 (0.0)	12 (42.9)	11 (31.4)	14 (35.0)	14 (35.9)
	5 – Agree strongly	0 (0.0)	14 (50.0)	20 (57.1)	22 (55.0)	19 (48.7)
	Non-Response	62	33	26	16	19

Grey filled boxes denote questions not included on the survey at the indicated time

^a All comparison tests are performed on only the survey times where that question was asked (i.e., grey boxes omitted from analyses), and only considering responses

^b Chi-square test

^c Fisher exact test

^d Non-Response can be due to item non-response or unit non-response

^e No comparison test; question only present at one survey time