

S3 Table. Geometric mean of bacterial reduction among all three water purifications interventions each week.

	Total Coliform				<i>E. coli</i>		
	Week	Geometric mean	Standard Error	Number of participants	Geometric mean	Standard Error	Number of participants
Silver Embedded Tablet	1	60%	5%	47	98%	2%	11
	2	85%	3%	47	100%	0%	14
	3	80%	3%	50	92%	5%	11
	4	69%	4%	44	93%	4%	7
	5	72%	4%	38	100%	0%	9
	37	78%	9%	8	59%	26%	3
	52	81%	5%	9	64%	13%	7
Ceramic Water Filter Only	1	84%	5%	19	100%	0%	14
	2	98%	1%	19	100%	0%	11
	3	96%	3%	18	100%	0%	9
	4	85%	5%	18	100%	0%	10
	5	99%	1%	16	100%	0%	6
	37	99%	1%	10	100%	0%	7
	52	96%	3%	11	56%	16%	7
Ceramic Water Filter + Silver Embedded Tablet	1	95%	3%	21	100%	0%	13
	2	97%	2%	21	100%	0%	9
	3	91%	4%	16	100%	0%	8
	4	99%	0%	21	100%	0%	7
	5	89%	5%	15	99%	1%	7
	37	92%	6%	9	100%	0%	6
	52	93%	5%	7	100%	0%	3