

**Supplemental Table 2. Individual Scores on the Human Intruder Paradigm During Infancy**

Subjects	Freezing						Hostile						Anxious						Self-directed					
	<u>2 months</u>			<u>4.5 months</u>			<u>2 months</u>			<u>4.5 months</u>			<u>2 months</u>			<u>4.5 months</u>			<u>2 months</u>			<u>4.5 months</u>		
	A	P	S	A	P	S	A	P	S	A	P	S	A	P	S	A	P	S	A	P	S	A	P	S
Neo-C-1	0.0	2.47	0.0	1.9	5.37	0.0	0.0	0.5	13.5	0.0	10	34	0.0	0.0	7	0.0	0.0	6	0.0	3.04	9.94	1.9	0.0	20.64
Neo-C-2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5	1	1.75	8	7	0.25	0.0	1	0.0	0.5	5.5	0.0	0.0	2.79	6.5	3	5.44
Neo-C-3	0.0	2.25	0.0	---	---	---	0.0	0.0	0.5	---	---	---	0.0	0.0	4	---	---	---	2.5	5.5	0.0	---	---	---
Neo-C-4	0.0	0.0	0.0	---	---	---	0.0	0.0	2.5	---	---	---	0.0	0.0	0.0	---	---	---	0.0	0.0	0.0	---	---	---
Neo-C-5	0.0	0.0	0.0	0.0	20.73	3.92	0.0	0.0	0.5	0.0	0.0	23	0.25	0.0	4.5	0.0	0.0	5	0.0	0.0	0.0	0.0	0.0	6.87
Neo-C-6	0.0	0.0	0.0	0.0	38.59	12.11	0.0	0.0	0.0	0.0	0.0	20.67	0.0	0.0	2	0.5	0.0	6.5	2	0.0	12.91	9.5	8	3.2
Neo-Hibo-1	0.0	3.78	0.0	1.55	8.57	0.0	0.0	0.0	1	3.25	0.0	1.75	0.5	6	6.5	0.0	0.0	10.5	3.56	2.82	14.27	2.52	13.04	32.23
Neo-Hibo-2	0.0	30.58	0.0	1.22	2.59	0.0	0.0	0.0	5.5	0.0	2	24.5	0.0	0.0	6.5	0.0	2.5	7	0.0	0.0	0.0	0.0	26.5	10.16
Neo-Hibo-3	0.84	1.24	0.0	---	---	---	0.0	2	4.5	---	---	---	0.0	2	2.5	---	---	---	0.0	1.5	0.0	---	---	---
Neo-Hibo-4	0.0	36.36	5.07	---	---	---	0.0	2.25	1.5	---	---	---	0.5	1.5	15	---	---	---	0.0	15.48	16.97	---	---	---
Neo-Hibo-5	0.0	1.4	0.0	0.0	14.64	0.0	0.0	0.0	0.5	0.0	0.0	7.75	0.0	0.5	10	0.0	1.5	4	8.77	1.02	6.97	7.44	18.91	8.84
Neo-Hibo-6	0.0	2.71	0.0	0.0	3.27	0.0	0.0	1.5	10	0.0	2.5	60	0.0	0.0	10.5	0.0	0.0	8	13.38	4.92	6.35	0.0	10.23	7.34

Nontransformed data, averaged across the two days of testing, for all subjects during infancy (2, 4.5 months) on the Human Intruder paradigm conditions Alone (A), Profile (P), and Stare (S). Freezing is measured in duration (seconds), whereas Hostile, Anxious, and Self-directed behaviors are measured in frequency count.