





Clinical utility of microRNA-378 as early diagnostic biomarker of human cancers: a meta-analysis of diagnostic test

Supplementary Materials



Supplementary Figure S1: Risk of bias and applicability concerns graph: review authors' judgements about each domain presented as percentages across included studies.

	<u>Risk of Bias</u>				<u>Applicability Concerns</u>		
	Patient Selection	Index Test	Reference Standard	Flow and Timing	Patient Selection	Index Test	Reference Standard
Fedorko 2015	?	+	-	+	+	+	+
Hauser 2012	+	?	+	+	+	+	+
Li 2013	-	+	+	+	?	+	+
Li 2013	+	?	?	+	+	+	+
Li 2015	+	?	+	+	+	+	?
Liu 2012	?	+	?	+	+	+	+
Liu 2013	+	+	+	+	+	?	+
Peng 2015	+	-	?	+	+	+	+
Redova 2012	+	?	+	+	+	+	+
Wang 2015	?	-	?	+	+	+	+
Yin 2014	?	+	+	?	+	+	+
Zanutto 2014	+	?	?	-	+	+	?

 High	 Unclear	 Low
---	--	--

Supplementary Figure S2: Risk of bias and applicability concerns summary: review authors' judgements about each domain for each included study.

Supplementary Table S1: Preferred reporting items for systematic reviews and meta-analyses. See Supplementary_Table_S1