

## mDia2 and CXCL12/CXCR4 Chemokine Signaling Intersect to Drive Tumor Cell Amoeboid Morphological Transitions

Meghan M. Wyse<sup>a</sup>, Silvia Goicoechea<sup>b</sup>, Rafael Garcia-Mata<sup>b</sup>, Andrea L. Nestor-Kalinoski<sup>c</sup>, and Kathryn M. Eisenmann<sup>a\*</sup>

<sup>a</sup>Department of Biochemistry and Cancer Biology, University of Toledo Health Science Campus, Toledo, Ohio 43614 USA; <sup>b</sup>Department of Biological Sciences, University of Toledo, Toledo, Ohio 43606 USA; <sup>c</sup>Department of Surgery, University of Toledo, Health Science Campus, Toledo, Ohio 43614 USA.

\*Corresponding author: Department of Biochemistry and Cancer Biology, University of Toledo Health Science Campus, 3000 Arlington Ave, Mail Stop 1010, Toledo, Ohio 43614 USA, Telephone: (419) 383-4101; E-mail: [Kathryn.eisenmann@utoledo.edu](mailto:Kathryn.eisenmann@utoledo.edu)

Supplementary Table 1. shRNA sequences for RhoGEFs used in this study

shRNA#	p115	Net1	LARG	ECT2	PDZ
1	CCTTTGAACT TGACCGCAC	CCCGAGGTG AACAGGATTT	CGTCCGATCTT CCTTGAGTTT	CCAGCAATGA TAAGCATGT	CCTGGATCTT ACAACCAGA
2	CATGGCAGAA TGCCTGTTC	GCTTTCAGTA ACTCAGAGA	CCACTCAAATG CAAAGGCTTA	GCCCGTTGTA TTGTACAAG	CCTGATCTTC TACCAGCGA
3	CCATCTCTAC CGACGAAGA	CGCCTAGTCA AATACCCTT	GCGTTGCGTA ATCATCCAG	CGGGTTGAAA CAATTTCTC	CGACCGGAT CATCAAAGTC
4	CACCGATCAC AAAGCCTTC	CCAAAGCTCT TCTTGATCA	CCAGAAGTTCA AAGGCACT	GCTGAGCATT CCCTTTCCA	GCGAAACCT ATCCTCAA
5	TCCCTGAAGC AGCTTCTGT	GAGTGGACAT AAACTTTAC		CGGAATGAAC AGGATTTCT	