

**miR-125b-5p enhances chemotherapy sensitivity to cisplatin by down-regulating Bcl2 in
gallbladder cancer**

Dong Yang, Ming Zhan, Tao Chen, Wei Chen, Yunhe Zhang, Sunwang Xu, Jinchun Yan,
Qihong Huang, and Jian Wang

Supplementary Figure 1. Uncropped immunoblot gel of Bcl2 expression.

Supplementary Table 1. PCR primer sequences.

Supplementary Figure 1

NOZ

GBC-SD

SGC-996

BCL2


β-actin

BCL2

β-actin

BCL2

β-actin



Control mimic
miR-125b-5p mimic
Antisense control
Antisense miR-125b-5p

Control mimic
miR-125b-5p mimic
Antisense control
Antisense miR-125b-5p

Control mimic
miR-125b-5p mimic
Antisense control
Antisense miR-125b-5p

Control mimic
miR-125b-5p mimic
Antisense control
Antisense miR-125b-5p

Control mimic
miR-125b-5p mimic
Antisense control
Antisense miR-125b-5p

Control mimic
miR-125b-5p mimic
Antisense control
Antisense miR-125b-5p

Supplementary Table 1 Primers of qPCR

Genes (<i>Homo sapiens</i>)	Primers	Sequences
<i>miR-125b-5p</i>	Anchor	CGACTCGATCCAGTCTCAGGGTCCGAGGTAT
	RT primer	TCGATCGAGTCGCACTTTTTTTTTTTT
	Forward	5'-TCCCTGAGACCCTAACTTGTGA-3'
	Reverse	5'-AGTCTCAGGGTCCGAGGTATTC-3'
<i>U6</i>	Forward	5'-CTCGCTTCGGCAGCACA-3'
	Reverse	5'-AACGCTTCACGAATTTGCGT-3'
<i>BCL2</i>	Forward	5'-CAACATCGCCCTGTGGATGA-3'
	Reverse	5'-GGCCAAACTGAGCAGAGTCT-3'
<i>GAPDH</i>	Forward	5'-GAAGGTGAAGGTCGGAGTC-3'
	Reverse	5'-GAAGATGGTGATGGGATTTC-3'