

Supplemental Table 1. Medications used to identify HIV+ waitlist candidates.

Abacavir Sulfate
Abacavir Sulfate-Lamivudine
Abacavir Sulfate-Lamivudine-Zidovudine
Amprenavir
Atazanavir Sulfate
Darunavir Ethanolate
Delavirdine Mesylate
Didanosine
Efavirenz
Efavirenz-Emtricitabine-Tenofovir disoproxil fumarate
Elvitegravir-Cobicistat-Emtricitabine-Tenofovir
Emtricitabine-Rilpivirine-Tenofovir disoproxil fumarate
Enfuvirtide
Etravirine
Fosamprenavir calcium
Indinavir sulfate
Lamivudine-Zidovudine
Lopinavir-Ritonavir
Maraviroc
Nelfinavir mesylate
Nevirapine
Raltegravir potassium
Rilpivirine hcl
Ritonavir

Supplemental Table 2. Characteristics of unique kidney-patient listings not in IMS vs. in IMS from January 1, 2001-October 2, 2012 based on a period of continuous fills

Characteristic	Not in IMS % (N)	In IMS % (N)
Age category		
<18	4.3 (8,860)	0
18-34	14.4 (29,567)	8.3 (7,675)
35-49	27.5 (56,327)	29.9 (27,577)
50-64	39.9 (81,749)	45.4 (41,930)
65+	13.8 (28,312)	16.4 (15,100)
Race		
Non-Hispanic White	44.6 (91,270)	52.3 (48,274)
Black	29.8 (60,962)	27.4 (25,263)
Hispanic	17.7 (36,250)	13.3 (12,302)
Asian/Pacific-Islander	6.5 (13,218)	6.0 (5,552)
Other	1.5 (3,115)	1.0 (891)
Male	60.5 (123,904)	59.8 (55,174)
Diagnosis		
Diabetes	28.5 (58,358)	32.1 (29,658)
Hypertension	22.3 (45,768)	23.0 (21,195)
Glomerulonephritis	19.3 (39,546)	17.4 (16,063)
Other	29.7 (60,821)	26.9 (24,832)
Region		
1	3.9 (8,089)	3.5 (3,242)
2	12.5 (25,667)	15.6 (14,401)
3	13.5 (27,556)	11.5 (10,586)
4	10.2 (20,793)	7.4 (6,829)
5	19.8 (40,630)	17.8 (16,391)
6	2.5 (5,137)	3.8 (3,515)
7	8.3 (17,084)	10.2 (9,426)
8	5.1 (10,413)	5.2 (4,822)
9	7.4 (15,177)	7.8 (7,185)
10	7.4 (15,154)	8.8 (8,079)
11	9.3 (19,115)	8.5 (7,806)
Rural	15.6 (32,019)	15.9 (14,678)
Time on Dialysis		
None	22.1 (45,221)	24.8 (22,871)
<1 year	31.1 (63,723)	31.1 (28,738)
1-<2 years	17.7 (36,197)	16.9 (15,598)
2-<3 years	7.6 (15,622)	7.6 (7,009)
3-<4 years	4.2 (8,529)	4.1 (3,800)
4-<6 years	4.5 (9,310)	4.4 (4,102)
6-<11 years	5.8 (11,836)	5.2 (4,763)
11+ years	7.0 (14,377)	5.9 (5,401)

Insurance		
Medicaid	8.8 (18,123)	7.3 (6,702)
Medicare	45.0 (92,084)	45.0 (41,490)
Private	44.8 (91,706)	46.8 (43,212)
Other	1.4 (2,902)	1.0 (878)
Blood Type		
A	33.0 (67,677)	34.4 (31,748)
AB	3.9 (7,973)	4.2 (3,836)
B	14.4 (29,526)	14.2 (13,141)
O	48.6 (99,639)	47.2 (43,557)
Previous kidney transplant	10.7 (21,877)	8.3 (7,695)
Education level		
Grade school	8.3 (16,966)	6.2 (5,694)
High school	39.8 (81,528)	40.0 (36,912)
Post-high school	17.4 (35,692)	20.1 (18,591)
Technical	20.3 (41,563)	21.3 (19,610)
Other	14.2 (29,066)	12.4 (11,475)
Angina or CAD	5.0 (10,304)	6.1 (5,654)
Hypertension	71.9 (147,198)	74.8 (69,063)
Cerebrovascular disease	2.7 (5,480)	3.2 (2,914)
Peripheral vascular disease	4.5 (9,124)	5.0 (4,649)
Malignancy	4.4 (9,048)	5.7 (5,231)
Physical capacity		
Hospitalized	1.1 (2,293)	0.5 (472)
Limited	4.7 (9,715)	5.7 (5,247)
None	52.0 (106,413)	56.8 (52,451)
Wheelchair	0.4 (773)	0.4 (347)
Unknown	41.8 (85,621)	36.6 (33,765)
Medical condition		
Hospitalized	1.6 (3,253)	0.7 (663)
Not Hospitalized	87.8 (179,885)	87.8 (81,011)
Unknown	10.6 (21,677)	11.5 (10,608)
COPD	1.2 (2,406)	1.4 (1,285)
Working for income	21.2 (43,438)	24.5 (22,571)
Diabetes		
Type I	5.9 (11,989)	6.9 (6,371)
Type II	28.6 (58,557)	32.3 (29,792)
Type other/unknown	3.1 (6,298)	3.1 (2,858)
None	60.6 (124,057)	56.1 (51,809)
Unknown	1.9 (3,914)	1.6 (1,452)
Number of previous nonrenal solid organ transplants		
0	98.0 (200,785)	98.3 (90,681)
1	1.9 (3,992)	1.7 (1,580)
2	0.02 (38)	0.02 (20)
3	0	0.001 (1)