APPENDIX 9: RANDOMIZED CONTROLLED TRIALS OF KERATINOCYTE GROWTH FACTOR FOR THE PREVENTION OF ORAL MUCOSITIS IN ADULT AND PEDIATRIC PATIENTS RECEIVING TREATMENT FOR CANCER OR UNDERGOING HEMATOPOIETIC STEM CELL TRANSPLANTATION – METHODOLOGY

METHODOLOGY					RISK OF BIAS FOR RANDOMIZED CONTROL TRIALS					
First Author (Year)	RCT or quasi- RCT	Study Design: (Parallel group, Cross-over, N-of-1)	Scales Used to Measure Mucositis	Frequency and Timing of Mucositis Assessment	Adequate sequence generation?	Adequate allocation concealment?	Participants and personnel blinded?	Outcome assessors blinded?	Loss to follow- up is less than 20% and/or equally distributed between both interventions?	Study free of selective reporting?
Blijilevens (2013) [1]	RCT	Parallel	WHO	Daily from day 2 to day 32	Yes	Unclear	Yes	Yes	Yes	Yes
Jagasia (2012) [2]	RCT	Parallel	WHO	First day of the conditioning regimen until discharge or day 28	Unclear	Unclear	Yes	Yes	Yes	Yes
Le (2011) [3]	RCT	Parallel	WHO	Twice weekly during chemo-radiotherapy for 15 weeks	Unclear	Yes	Yes	Yes	Yes	Yes
Henke (2011) [4]	RCT	Parallel	WHO	Twice-weekly during radio-chemotherapy for 15 weeks	Yes	Yes	Yes	Yes	Yes	Yes
Vadhan_Raj (2010) [5]	RCT	Parallel	WHO, CTCAE	Before chemotherapy and days 10, 12 and 14	Yes	Yes	Yes	Yes	Yes	Yes
Brizel (2008) [6]	RCT	Parallel	CTCAE v2.0 and RTOG	Once weekly for 12 weeks, weeks 14, 16, 18 and 20	Unclear	Unclear	Yes	Yes	Yes	Yes
Rosen (2006) [7]	RCT	Parallel	WHO, OMDQ	Baseline, days 1, 4, 8, 12, 15, and at the end of both cycles 1 and 2	Unclear	Unclear	Yes	Yes	Yes	Yes
Blazar (2006) [8]	RCT	Parallel	WHO	3 times per week during hospitalization	Unclear	Unclear	Yes	Yes	Yes	Yes
Freytes (2004) [9]	RCT	Parallel	CTCAE, OMAS	Day 0 and three times per week until mucositis resolved	Unclear	Unclear	Yes	Yes	Yes	Yes
Spielberger (2004) [10] (companion paper: [11])	RCT	Parallel	WHO, RTOG, Western Consortium Cancer Nursing Research Scale	Daily for 28 days after HSCT	Unclear	Unclear	Yes	Yes	Yes	Yes
Meropol (2003) [12]	RCT	Parallel	WHO	Days 1, 4, 8, 15, and 28 after chemotherapy	Unclear	Unclear	Yes	Yes	Yes	Yes

Abbreviations: RCT – randomized controlled trial; WHO – World Health Organization; CTCAE – Common Terminology Criteria for Adverse Events; RTOG – Radiation Therapy Oncology Group; OMDQ – Oral Mucositis Daily Questionnaire; HSCT – hematopoietic stem cell transplantation

REFERENCES

- 1. Blijlevens N, de Chateau M, Krivan G, et al. In a high-dose melphalan setting, palifermin compared with placebo had no effect on oral mucositis or related patient's burden. *Bone marrow transplantation* 2013;**48**(7):966-71 doi: http://dx.doi.org/10.1038/bmt.2012.257published Online First: Epub Date]
- 2. Jagasia MH, Abonour R, Long GD, et al. Palifermin for the reduction of acute GVHD: a randomized, double-blind, placebo-controlled trial. *Bone marrow transplantation* 2012;**47**(10):1350-5 doi: http://dx.doi.org/10.1038/bmt.2011.261published Online First: Epub Date].
- 3. Le Q-T, Kim HE, Schneider CJ, et al. Palifermin reduces severe mucositis in definitive chemoradiotherapy of locally advanced head and neck cancer: a randomized, placebocontrolled study. *Journal of clinical oncology: official journal of the American Society of Clinical Oncology* 2011;**29**(20):2808-14 doi: http://dx.doi.org/10.1200/JCO.2010.32.4095published Online First: Epub Datell.
- 4. Henke M, Alfonsi M, Foa P, et al. Palifermin decreases severe oral mucositis of patients undergoing postoperative radiochemotherapy for head and neck cancer: a randomized, placebo-controlled trial. *Journal of clinical oncology: official journal of the American Society of Clinical Oncology* 2011;**29**(20):2815-20 doi:

http://dx.doi.org/10.1200/JCO.2010.32.4103published Online First: Epub Date].

5. Vadhan-Raj S, Trent J, Patel S, et al. Single-dose palifermin prevents severe oral mucositis during multicycle chemotherapy in patients with cancer: a randomized trial.[Summary for patients in Ann Intern Med. 2010 Sep 21;153(6):I-44; PMID: 20855786]. *Ann Intern Med* 2010;**153**(6):358-67 doi: http://dx.doi.org/10.7326/0003-4819-153-6-201009210-00003published Online First: Epub Date]|.

- 6. Brizel DM, Murphy BA, Rosenthal DI, et al. Phase II study of palifermin and concurrent chemoradiation in head and neck squamous cell carcinoma. *Journal of clinical oncology : official journal of the American Society of Clinical Oncology* 2008;**26**(15):2489-96 doi: http://dx.doi.org/10.1200/JCO.2007.13.7349published Online First: Epub Date]
- 7. Rosen LS, Abdi E, Davis ID, et al. Palifermin reduces the incidence of oral mucositis in patients with metastatic colorectal cancer treated with fluorouracil-based chemotherapy. *Journal of clinical oncology : official journal of the American Society of Clinical Oncology* 2006;**24**(33):5194-200
- 8. Blazar BR, Weisdorf DJ, Defor T, et al. Phase 1/2 randomized, placebo-control trial of palifermin to prevent graft-versus-host disease (GVHD) after allogeneic hematopoietic stem cell transplantation (HSCT). *Blood* 2006;**108**(9):3216-22
- 9. Freytes CO, Ratanatharathorn V, Taylor C, et al. Phase I/II randomized trial evaluating the safety and clinical effects of repifermin administered to reduce mucositis in patients undergoing autologous hematopoietic stem cell transplantation. *Clin Cancer Res* 2004;**10**(24):8318-24
- 10. Spielberger R, Stiff P, Bensinger W, et al. Palifermin for oral mucositis after intensive therapy for hematologic cancers. *N Engl J Med* 2004;**351**(25):2590-8
- 11. Stiff PJ, Emmanouilides C, Bensinger WI, et al. Palifermin reduces patient-reported mouth and throat soreness and improves patient functioning in the hematopoietic stem-cell transplantation setting. *Journal of clinical oncology : official journal of the American Society of Clinical Oncology* 2006;**24**(33):5186-93
- 12. Meropol NJ, Somer RA, Gutheil J, et al. Randomized phase I trial of recombinant human keratinocyte growth factor plus chemotherapy: potential role as mucosal protectant. *Journal of clinical oncology : official journal of the American Society of Clinical Oncology* 2003;**21**(8):1452-