
Has aidi injection the attenuation and synergistic efficacy to gemcitabine and cisplatin in non-small cell lung cancer? A meta-analysis of 36 randomized controlled trials


SUPPLEMENTARY FIGURES

	Aidi injection plus GP		GP		Risk Difference			Risk Difference		
Study or Subgroup	Events	Total	Events	Total	Weight	M-H, Fixed, 95% C	Year	M-H, Fixed, 95% CI		
Zou,Y,et.al2006	30	42	34	39	10.7%	-0.16 [-0.33, 0.01]	2006	-		
Song,Z,et.al2009	7	30	12	30	7.9%	-0.17 [-0.40, 0.06]	2009			
Lv,D,et.al2009	16	30	24	30	7.9%	-0.27 [-0.50, -0.04]	2009			
Li,Z,et.al2010	10	36	21	36	9.5%	-0.31 [-0.52, -0.09]	2010			
Shi,X,et.al2010	16	28	23	28	7.4%	-0.25 [-0.48, -0.02]	2010			
Liu,Y,et al.2010	3	32	11	32	8.5%	-0.25 [-0.44, -0.06]	2010			
He,W,et.al2011	9	29	17	23	6.8%	-0.43 [-0.67, -0.18]	2011			
Xu,Y,et.al2012	23	33	33	33	8.7%	-0.30 [-0.46, -0.14]	2012			
Ju,S,et al2013	11	34	23	34	9.0%	-0.35 [-0.58, -0.13]	2013			
Cai,H,et.al2013	5	19	8	19	5.0%	-0.16 [-0.46, 0.14]	2013			
Lai,L2013	25	70	31	70	18.5%	-0.09 [-0.25, 0.08]	2013			
Total (95% CI)		383		374	100.0%	-0.23 [-0.29, -0.17]		•		
Total events	155		237							
Heterogeneity: Chi ² = 9	9.35, df = 10 (P =	0.50); I ² =	0%				<u> </u>	-0.5 0 0.5		
Test for overall effect: Z = 7.16 (P < 0.00001) Favours [Aidi injection plus GP] Favours [GP]									'	
ravours [Aluminjection plus Gr] ravours [Gr]										


Supplementary Figure S1: The analysis of myelosuppression between two groups.




Supplementary Figure S2: The analysis of neutropenia between two groups.




Supplementary Figure S3: The analysis of thrombocytopenia between two groups.




Supplementary Figure S4: The analysis of liver injury between two groups.



Supplementary Figure S5: The analysis of renal injury between two groups.



Supplementary Figure S6: The analysis of neurotoxicity between two groups.



Supplementary Figure S7: The analysis of nausea and vomiting between two groups.