

Additional file 4 – Table 1: Excluded studies

Author name	Reason for exclusion
Vasudevan [108]	Not an evaluation of a relevant ERAS component.
Burry [109]	
Chatmongkolchart [110]	
McDonald [111]	
Soltani [112]	

References

108. Vasudevan C, McGuire W. Early removal versus expectant management of central venous catheters in neonates with bloodstream infection. Cochrane database Syst Rev. 2011;(8):CD008436.
109. Burry L, Rose L, McCullagh IJ, Fergusson DA, Ferguson ND, Mehta S. Daily sedation interruption versus no daily sedation interruption for critically ill adult patients requiring invasive mechanical ventilation. Cochrane database Syst Rev. 2014;(7):CD009176.
110. Chatmongkolchart S, Prathee S. Supplemental oxygen for caesarean section during regional anaesthesia. Cochrane database Syst Rev. 2013;(6):CD006161.
111. McDonald S, Abbott JM, Higgins SP. Prophylactic ergometrine-oxytocin versus oxytocin for the third stage of labour. Cochrane database Syst Rev. 2004;(1):CD000201.
112. Soltani H, Poulose TA, Hutchon DR. Placental cord drainage after vaginal delivery as part of the management of the third stage of labour. Cochrane database Syst Rev. 2011;(9):CD004665.