

Module 1: Basic Information					
No.	Questions and Filters	Responses			
101	What is your position at this facility? [Interviewer: circle the category that applies to the respondent.]		01 02 03 04 05 06 07 96	Gynecologist-obstetrician General practitioner Clinical officer Medical assistant Nurse-midwife technician/enrolled nurse midwife Registered nurse midwife Other nurse (e.g., community health nurse) Other (specify): _____	
102	Gender of the respondent [Interviewer: circle the category that applies to the respondent. Do not ask this question aloud.]		1 2	Male Female	
103	How old are you?			Years	
104	How many years have you worked in your current profession? [If less than 12 months, enter "0".]			Years	
105	How many years have you worked in this facility? [If less than 12 months, enter "0".]			Years	
106	Which of the following gynecological and obstetric services does this facility offer? [Interviewer: Please read out all relevant categories. Multiple responses are allowed.]	Gynaecological obstetric services offered:			
			No	Yes	
		a	0	1	Gynaecological services
		b	0	1	Maternity and delivery services
		c	0	1	Antenatal care
		d	0	1	Postnatal care
		e	0	1	Family planning services
		f	0	1	HIV testing and counseling
		g	0	1	ART services
		h	m	1	STI services
		i	0	1	PMTCT services
		j	0	1	Cervical cancer screening
		m	0	1	Immunization
					Other (specify, limit to 2-3): _____ _____
m	0	1	None of the above		

107	<p>Which of the following items are available <u>and</u> functional at this facility?</p> <p>[Interviewer: Please read out all relevant categories. Multiple responses are allowed.]</p> <p>NOTE: Functionality applies to day of interview, that is, if the equipment is not working that day, it is not functional (0). For electricity, if there is a temporary power outage but the electricity will come back on when ESCOM returns it, then electricity is functional; otherwise, it is not.]</p>				
		a	0	1	Operating room
		b	0	1	Instrument preparation room
		c	0	1	Outpatient department (OPD)
		d	0	1	Recovery room
		e	0	1	Drug store
		f	0	1	Laboratory
		g	0	1	Blood transfusion service
		h	0	1	Intensive care unit (ICU)
		i	0	1	Sonogram (scanning)
		j	0	1	Local anaesthetics (numbs one area)
		k	0	1	General anaesthetics (sedates patient)
		l	0	1	Water
		m	0	1	Electricity / solar power
n	0	1	Blood pressure machine		
o	0	1	Intravenous fluids		
p	0	1	Telephone or radio communication		
108	<p>Which of the following essential drugs and tests are available at this facility?</p> <p>[Interviewer: Read each item on the list.]</p> <p>NOTE: Again, availability refers to the day of interview. If the drug/test is not available the day you are there, please code it as No (0).]</p>	a	0	1	Oxytocin/ergometrine
		b	0	1	Antibiotics
		c	0	1	Analgesics
		d	0	1	Sedatives
		e	0	1	IV fluids
		f	0	1	Hemoglobin test
		g	0	1	Syphilis test
		h	0	1	HIV test
		i	0	1	Pregnancy test
		j	0	1	Blood grouping test

Module 2: Postabortion Care

Now, I would like to ask you some questions regarding **medical care for patients treated at this facility with abortion complications, irrespective of whether the abortion was spontaneous or induced.** Among other things, I will ask about **the number of patients treated for such complications at your facility.** By abortion complications, we are referring to those complications that are severe enough to **need treatment** in a health facility. Abortion complications, as defined here, include not only the **extremely serious cases** such as those with sepsis or a perforated uterus, but also those cases which are termed "incomplete abortions," which are usually identified by heavy bleeding, and which present a somewhat less severe health risk to the woman, but which, nevertheless, need hospitalization. In answering the following set of questions concerning abortion complications, please keep this definition in mind.

[Interviewer: Please note that the abortion-complication questions relate to both spontaneous and induced abortions. You should reiterate this as often as possible while completing this section.]

The following questions refer to all cases of abortions that are underway (spontaneous or induced), incomplete abortions and postabortion care.

201	<p>On average about how many deliveries take place at your facility each month?</p> <p>[Interviewer: if respondent can't answer for average month, probe for the total number in 2014.]</p>	<p>a. Deliveries per month <table border="1" style="display: inline-table; border-collapse: collapse; width: 40px; height: 20px;"> <tr><td style="width: 10px;"></td><td style="width: 10px;"></td><td style="width: 10px;"></td><td style="width: 10px;"></td></tr> </table> </p> <p style="text-align: center;">OR</p> <p>b. Total number of deliveries during the 2014 calendar year <table border="1" style="display: inline-table; border-collapse: collapse; width: 40px; height: 20px;"> <tr><td style="width: 10px;"></td><td style="width: 10px;"></td><td style="width: 10px;"></td><td style="width: 10px;"></td></tr> </table> </p>																																				
202	<p>Does this facility treat women with spontaneous abortions or complications from induced abortions?</p>	<table border="1" style="margin-left: auto; margin-right: auto; border-collapse: collapse;"> <tr> <td style="width: 20px; text-align: center;">0</td> <td>No -> [END INTERVIEW.]</td> </tr> <tr> <td style="text-align: center;">1</td> <td>Yes</td> </tr> </table>	0	No -> [END INTERVIEW.]	1	Yes																																
0	No -> [END INTERVIEW.]																																					
1	Yes																																					
203	<p>In which areas of this health facility are patients with abortion complications treated?</p> <p>[Interviewer: Please read out the list of wards and circle all that apply.]</p>	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 5%;"></th> <th style="width: 10%; text-align: center;">No</th> <th style="width: 10%; text-align: center;">Yes</th> <th style="width: 75%;"></th> </tr> </thead> <tbody> <tr> <td>a.</td> <td style="text-align: center;">0</td> <td style="text-align: center;">1</td> <td>General outpatient clinic</td> </tr> <tr> <td>b.</td> <td style="text-align: center;">0</td> <td style="text-align: center;">1</td> <td>Outpatient maternal-child clinic</td> </tr> <tr> <td>c.</td> <td style="text-align: center;">0</td> <td style="text-align: center;">1</td> <td>Outpatient gynaecological clinic</td> </tr> <tr> <td>d.</td> <td style="text-align: center;">0</td> <td style="text-align: center;">1</td> <td>General surgical ward</td> </tr> <tr> <td>e.</td> <td style="text-align: center;">0</td> <td style="text-align: center;">1</td> <td>Gynaecological/Obstetric ward</td> </tr> <tr> <td>f.</td> <td style="text-align: center;">0</td> <td style="text-align: center;">1</td> <td>Intensive care unit (ICU)</td> </tr> <tr> <td>g.</td> <td style="text-align: center;">0</td> <td style="text-align: center;">1</td> <td>Emergency ward</td> </tr> <tr> <td>h.</td> <td style="text-align: center;">0</td> <td style="text-align: center;">1</td> <td>Other ward (specify):</td> </tr> </tbody> </table>		No	Yes		a.	0	1	General outpatient clinic	b.	0	1	Outpatient maternal-child clinic	c.	0	1	Outpatient gynaecological clinic	d.	0	1	General surgical ward	e.	0	1	Gynaecological/Obstetric ward	f.	0	1	Intensive care unit (ICU)	g.	0	1	Emergency ward	h.	0	1	Other ward (specify):
	No	Yes																																				
a.	0	1	General outpatient clinic																																			
b.	0	1	Outpatient maternal-child clinic																																			
c.	0	1	Outpatient gynaecological clinic																																			
d.	0	1	General surgical ward																																			
e.	0	1	Gynaecological/Obstetric ward																																			
f.	0	1	Intensive care unit (ICU)																																			
g.	0	1	Emergency ward																																			
h.	0	1	Other ward (specify):																																			
204	<p>In your facility, are post-abortion patients treated as outpatients (i.e., are not admitted, day cases) only, inpatients only (i.e., are admitted, stay overnight), or both?</p>	<table border="1" style="margin-left: auto; margin-right: auto; border-collapse: collapse;"> <tr> <td style="width: 20px; text-align: center;">1</td> <td>Inpatient only -> GO TO Q207</td> </tr> <tr> <td style="text-align: center;">2</td> <td>Outpatient only</td> </tr> <tr> <td style="text-align: center;">3</td> <td>Both</td> </tr> </table>	1	Inpatient only -> GO TO Q207	2	Outpatient only	3	Both																														
1	Inpatient only -> GO TO Q207																																					
2	Outpatient only																																					
3	Both																																					

<p>205</p>	<p>During an average month, about how many post-abortion care patients would you estimate are treated as outpatients in this facility as a whole? Please remember to include all patients treated for abortion complications, whether they are spontaneous or induced.</p> <p>[Interviewer : Please probe to elicit a response for an average month; if respondent is <u>not</u> able to provide you with that estimate, then probe for the number of outpatients on average per year. Specify that this is a full calendar year (i.e. from January to December). Please reiterate to the respondent that the number is for spontaneous and induced abortion patients, and should take into consideration all wards of the facility.]</p>	<p>a. Number of postabortion care outpatients in an average month <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/></p> <p>OR</p> <p>b. Number of postabortion care outpatients in an average year <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/></p>
<p>206</p>	<p>In the past month, about how many post-abortion care patients were treated as outpatients in this facility as a whole? Please remember to include all patients treated for abortion complications, whether they are due to spontaneous or induced abortions.</p> <p>[Interviewer : Please probe to elicit a response for the past month; if respondent is not able to provide you with that estimate, then probe for the number of outpatients during the year 2014. Please reiterate to the respondent that the number should take into consideration all wards of the facility.]</p>	<p>a. Number of postabortion care outpatients in the past month <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/></p> <p>OR</p> <p>b. Number of postabortion care outpatients last calendar year (2014) <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/></p>

[Interviewer: See Q. 204. If the Health Facility provides ONLY outpatient services, go to Q. 209.]	
<p>207</p> <p>During an average month, about how many post-abortion care patients would you estimate were treated as inpatients at this facility as a whole? Please remember to include all patients treated for abortion complications, whether they are due to spontaneous or induced abortions.</p> <p>[Interviewer : Please probe to elicit a response for an average month; if respondent is not able to provide you with that estimate, then probe for the number of inpatients on average per year. Specify that this is a full calendar year (i.e. from January to December). Please reiterate to the respondent that the number is for spontaneous and induced abortion patients, and should take into consideration all wards of the facility.]</p>	<p>a. Number of postabortion care inpatients in an average month <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/></p> <p>OR</p> <p>b. Number of postabortion care inpatients in an average year <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/></p>
<p>208</p> <p>In the past month, about how many post-abortion care patients were treated as inpatients in this facility as a whole? Please remember to include all patients treated for abortion complications, whether they are due to spontaneous or induced abortions.</p> <p>[Interviewer : Please probe to elicit a response for the past month; if respondent is not able to provide you with that estimate, then probe for the number of inpatients during the year 2014. Please reiterate to the respondent that the number should take into consideration all wards of the facility.]</p>	<p>a. Number of postabortion care inpatients in the past month <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/></p> <p>OR</p> <p>b. Number of postabortion care inpatients last calendar year (2014) <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/></p>

<p>209</p>	<p>[Interviewer : Refer to the previous figures before asking the respondent about the patient totals.]</p> <p>Just to confirm what you have just told me, in an average month (or year), your facility treated</p> <p>___ outpatients (Q205) ___ inpatients (Q207).</p> <p>[Interviewer: Please read out the total number of spontaneous and induced abortion patients seen at this facility in an average month (Q 205 and Q 207).]</p> <p>Is this number correct ?</p> <p>[Interviewer: If correct, please insert again at right; if not, then correct Q 205 and Q 207 and insert at right.]</p>	<p>Summary of average per month:</p> <p>a. Outpatients (Q205) <table border="1" style="display: inline-table; vertical-align: middle;"><tr><td style="width: 20px; height: 20px;"></td><td style="width: 20px; height: 20px;"></td><td style="width: 20px; height: 20px;"></td><td style="width: 20px; height: 20px;"></td></tr></table></p> <p>b. Inpatients (Q207) <table border="1" style="display: inline-table; vertical-align: middle;"><tr><td style="width: 20px; height: 20px;"></td><td style="width: 20px; height: 20px;"></td><td style="width: 20px; height: 20px;"></td><td style="width: 20px; height: 20px;"></td></tr></table></p> <p>OR</p> <p>Summary on average per year:</p> <p>c. Outpatients (Q205) <table border="1" style="display: inline-table; vertical-align: middle;"><tr><td style="width: 20px; height: 20px;"></td><td style="width: 20px; height: 20px;"></td><td style="width: 20px; height: 20px;"></td><td style="width: 20px; height: 20px;"></td></tr></table></p> <p>d. Inpatients (Q207) <table border="1" style="display: inline-table; vertical-align: middle;"><tr><td style="width: 20px; height: 20px;"></td><td style="width: 20px; height: 20px;"></td><td style="width: 20px; height: 20px;"></td><td style="width: 20px; height: 20px;"></td></tr></table></p>																
<p>210</p>	<p>[Interviewer : Refer to the previous figures before asking the respondent about the patient totals.]</p> <p>Just to confirm what you have just told me, in the past month (or during the year 2014), your facility treated</p> <p>___ outpatients (Q206) and ___ inpatients (Q208)</p> <p>[Interviewer: Please read out the total number of spontaneous and induced abortion patients seen at this facility last month (Q 206 and Q 208).]</p> <p>Is this number correct ?</p> <p>[Interviewer: If correct, please insert again at right; if not, then correct Q 206 and Q 208 and insert at right.]</p>	<p>Summary of number in past month:</p> <p>a. Outpatients (Q206) <table border="1" style="display: inline-table; vertical-align: middle;"><tr><td style="width: 20px; height: 20px;"></td><td style="width: 20px; height: 20px;"></td><td style="width: 20px; height: 20px;"></td><td style="width: 20px; height: 20px;"></td></tr></table></p> <p>b. Inpatients (Q208) <table border="1" style="display: inline-table; vertical-align: middle;"><tr><td style="width: 20px; height: 20px;"></td><td style="width: 20px; height: 20px;"></td><td style="width: 20px; height: 20px;"></td><td style="width: 20px; height: 20px;"></td></tr></table></p> <p>OR</p> <p>Summary of number in year 2014:</p> <p>c. Outpatients (Q206) <table border="1" style="display: inline-table; vertical-align: middle;"><tr><td style="width: 20px; height: 20px;"></td><td style="width: 20px; height: 20px;"></td><td style="width: 20px; height: 20px;"></td><td style="width: 20px; height: 20px;"></td></tr></table></p> <p>d. Inpatients (Q208) <table border="1" style="display: inline-table; vertical-align: middle;"><tr><td style="width: 20px; height: 20px;"></td><td style="width: 20px; height: 20px;"></td><td style="width: 20px; height: 20px;"></td><td style="width: 20px; height: 20px;"></td></tr></table></p>																

211	<p>Thinking about patients you have treated at your facility in the past 1 year (12 months), what percentage of the post-abortion patients at this facility had the following complications?</p> <p>[Interviewer: Read each complication aloud. The percentages must add up to at least 100%. They may add up to more than 100% since a patient may suffer from more than one complication.]</p>	<table border="1"> <tr><td>A</td><td>Hemorrhagic shock</td></tr> <tr><td>B</td><td>Septic shock</td></tr> <tr><td>C</td><td>Sepsis</td></tr> <tr><td>D</td><td>Uterine perforation</td></tr> <tr><td>E</td><td>Hemorrhage</td></tr> <tr><td>F</td><td>Incomplete abortion</td></tr> <tr><td>G</td><td>Cervical/vaginal lacerations</td></tr> <tr><td>H</td><td>Visceral injury (ie. bladder, intestine)</td></tr> <tr><td rowspan="2">X</td><td>Other (specify):</td></tr> <tr><td>_____</td></tr> <tr><td></td><td>_____</td></tr> </table>	A	Hemorrhagic shock	B	Septic shock	C	Sepsis	D	Uterine perforation	E	Hemorrhage	F	Incomplete abortion	G	Cervical/vaginal lacerations	H	Visceral injury (ie. bladder, intestine)	X	Other (specify):	_____		_____	<table border="1"> <tr><td style="text-align: right;">%</td></tr> <tr><td></td></tr> <tr><td></td></tr> <tr><td></td></tr> <tr><td></td></tr> <tr><td></td></tr> <tr><td></td></tr> <tr><td></td></tr> <tr><td></td></tr> <tr><td></td></tr> <tr><td></td></tr> <tr><td style="text-align: right;">100+</td></tr> </table>	%											100+
A	Hemorrhagic shock																																			
B	Septic shock																																			
C	Sepsis																																			
D	Uterine perforation																																			
E	Hemorrhage																																			
F	Incomplete abortion																																			
G	Cervical/vaginal lacerations																																			
H	Visceral injury (ie. bladder, intestine)																																			
X	Other (specify):																																			

%																																				
100+																																				
212	<p>a. Last year (2014), did any woman die in your facility from any of these abortion-related complications?</p> <p>b. If yes, please estimate how many died?</p>	<table border="1"> <tr><td>0</td><td>No</td></tr> <tr><td>1</td><td>Yes</td></tr> </table>	0	No	1	Yes	<table border="1"> <tr><td style="width: 30px; height: 20px;"></td><td style="width: 30px; height: 20px;"></td><td style="width: 30px; height: 20px;"></td><td>number who died</td></tr> </table>				number who died																									
0	No																																			
1	Yes																																			
			number who died																																	
213	<p>Out of all the patients you treated in the past month, how many were referred to your facility <i>after having been treated</i> at a lower level facility?</p> <p>(ONLY if they don't know/can't estimate for past month:) Or in the year 2014?</p> <p>[NOTE: If 0, circle "Y" in Q214, then skip to Q215.]</p>	<p>Total number of postabortion care patients received from another health facility in the past month</p> <p>OR</p> <p>Total number of postabortion care patients received from another health facility in the year 2014</p>	<table border="1"> <tr><td style="width: 30px; height: 20px;"></td><td style="width: 30px; height: 20px;"></td><td style="width: 30px; height: 20px;"></td></tr> <tr><td style="width: 30px; height: 20px;"></td><td style="width: 30px; height: 20px;"></td><td style="width: 30px; height: 20px;"></td></tr> </table>																																	
214	<p>What reasons were given by the escorts or in the referral records of patients referred to you for postabortion care?</p> <p>[Interviewer: Do not prompt. Circle all that apply.]</p>	<table border="1"> <tr><td>A</td><td>Medical reasons (fever, lower abdominal pain, hemorrhage (or anemia), perforation of uterus)</td></tr> <tr><td>B</td><td>Comprehensive care</td></tr> <tr><td>C</td><td>Need for blood transfusion</td></tr> <tr><td>D</td><td>Lack of equipment, drugs, consumables, etc</td></tr> <tr><td>E</td><td>Lack of qualified personnel/medical expertise</td></tr> <tr><td>F</td><td>Family planning</td></tr> <tr><td>X</td><td>Other (specify):</td></tr> <tr><td></td><td>_____</td></tr> <tr><td>Y</td><td>Received no referrals</td></tr> </table>	A	Medical reasons (fever, lower abdominal pain, hemorrhage (or anemia), perforation of uterus)	B	Comprehensive care	C	Need for blood transfusion	D	Lack of equipment, drugs, consumables, etc	E	Lack of qualified personnel/medical expertise	F	Family planning	X	Other (specify):		_____	Y	Received no referrals																
A	Medical reasons (fever, lower abdominal pain, hemorrhage (or anemia), perforation of uterus)																																			
B	Comprehensive care																																			
C	Need for blood transfusion																																			
D	Lack of equipment, drugs, consumables, etc																																			
E	Lack of qualified personnel/medical expertise																																			
F	Family planning																																			
X	Other (specify):																																			

Y	Received no referrals																																			

215	<p>Out of all the post-abortion care patients treated at your facility in the past month, how many have you referred to another level facility for adequate coverage, after having treated them for postabortion care (either as inpatients or outpatients)?</p> <p>(ONLY if they don't know/can't estimate for past month, or if they say there were no referrals in the past month:) Or in the year 2014?</p> <p>Note: If 0, circle "Y" in 216, then skip to Q217.</p>	<p>a. Total number of patients referred for postabortion care in the past month <input type="text"/> <input type="text"/> <input type="text"/></p> <p>OR</p> <p>b. Total number of patients referred for postabortion care in the year 2014 <input type="text"/> <input type="text"/> <input type="text"/></p>	
216	<p>What are the medical reasons (indications) for transferring a postabortion care case to a higher level facility?</p> <p>[Interviewer: Do not prompt. Circle all that apply.]</p>	<p>A</p> <p>B</p> <p>C</p> <p>D</p> <p>E</p> <p>F</p> <p>X</p> <p>Y</p>	<p>Medical reasons (fever, lower abdominal pain, hemorrhage (or anemia), perforation of uterus)</p> <p>Comprehensive care</p> <p>Need for blood transfusion</p> <p>Lack of equipment, drugs, consumables, etc</p> <p>Lack of qualified personnel/medical expertise</p> <p>Family planning</p> <p>Other (specify):</p> <p>Does not apply (don't refer patients)</p>
217	<p>What are the various procedures and measures used to treat abortion-complication patients at this facility?</p> <p>[Interviewer: Do not prompt. Circle all that apply.]</p>	<p>A</p> <p>B</p> <p>C</p> <p>D</p> <p>E</p> <p>F</p> <p>G</p> <p>H</p> <p>I</p> <p>X</p>	<p>Evacuation with a sharp curette (D&E, D&C)</p> <p>MVA (manual vacuum aspiration)</p> <p>Electric vacuum aspiration</p> <p>Surgery (e.g. laparotomy, repair injured viscera, hysterectomy)</p> <p>Misoprostol</p> <p>Blood transfusion</p> <p>Antibiotics</p> <p>Injectable uterotonic (e.g. Oxytocin, ergometrine)</p> <p>IV fluids</p> <p>Other (specify):</p> <p>_____</p> <p>_____</p>

218	<p>In this facility, what percentage of postabortion care patients are treated by the following procedures?</p> <p>[Interviewer: If the respondent has trouble with 100%, you can ask "How many out of 10" instead, as long as you convert to percentages by multiplying each response by 10.]</p> <p>[Interviewer: Read each procedure to the respondent. After you have completed the list, make sure all numbers add up to at least 100. There can be 0% for certain procedures, but there must be a number in each box. It is OK if the sum is more than 100 because some patients might receive more than 1 procedure.]</p>			%
		A	Evacuation with a sharp curette (D&E, D&C)	
		B	MVA (manual vacuum aspiration)	
		C	Electric vacuum aspiration	
		D	Surgery only (e.g. laparotomy)	
		E	Misoprostol	
		X	Other (specify):	
				100+
219	Out of every 10 women treated in this facility for abortion complications, how many, in your opinion, had a spontaneous abortion or miscarriage?	Number of spontaneous abortions out of every 10 PAC (postabortion care) cases		<input type="text"/> <input type="text"/>
220	Out of every 10 women treated in this facility for abortion complications, how many, according to your best estimate, were in the first trimester of pregnancy?	Number of 1st trimester pregnancy losses out of every 10 PAC (postabortion care)		<input type="text"/> <input type="text"/>
221	Does this facility currently possess functional manual vacuum aspiration (MVA) kits?	0	No	
		1	Yes	

Module 3: General		
301	Do you consider treatment of abortion complications to be a burden for your facility? If yes, ask: "In what respect does treatment of abortion complications pose a burden for your facility?" [Do not read. Circle all that apply.]	
		0 No [Go to 302]
		1 Yes
		A Too many patients
		B Lack of equipment/ supplies
		C It is morally unacceptable because of religious considerations
		D Lack of staff/ qualified personnel
E Facility does not have adequate space (e.g. theatre too small)		
X Other (specify): _____		
302	In your opinion, how could treatment for abortion complications be improved at this facility? [Do not read] Circle all that apply.	A Have a private room for postabortion care patients
		B Improve/expand infrastructure
		C Have more trained people available
		D Have more lower level facilities equipped to provide PAC (postabortion care).
		E Have more commodities available (MVA equipment, antibiotics, blood, pain medication)
		F Provide information on contraception and give methods
		G Provide protocols for caring for postabortion patients
		H Provide more incentives to staff (e.g. financial, refresher courses, material)
		I Nothing is needed, current treatment is adequate
		X Other (specify): _____
303	Currently in Malawi, the law only allows abortion to save a woman's life. Do you think the abortion laws in Malawi should be changed?	
		0 No
		1 Yes
		8 Don't know, no opinion, or not sure

304	Do you think the law should allow abortion in the following situations? [U = unsure, undecided, "it depends." U is a catch-all category for nuanced or ambivalent opinions.] [Interviewer: Please read each reason and record response.]		Y	N	U
		a. if the woman's physical health is at risk	1	0	8
		b. if the woman is mentally incapacitated	1	0	8
		m	1	0	8
		d. if the girl or woman is still in school	1	0	8
		e. if a girl is under age 18	1	0	8
		f. economic reasons (e.g. cannot care for the child)	1	0	8
		g. If the woman or girl is unmarried	1	0	8
		h. if pregnancy is from rape	1	0	8
		i. if pregnancy is from incest	1	0	8
		j. If pregnancy is from contraceptive failure	1	0	8
		k. if baby would be handicapped/foetal anomaly	1	0	8
		l. if the woman doesn't want the pregnancy	1	0	8
		x. other (specify) _____ _____	1	0	8
305	Has your facility ever provided an abortion to save a woman's life (within the Malawian law)?	<input type="checkbox"/>			
		0	No [Go to module 4]		
		1	Yes		
306	How many times has this happened during the last 6 months, during the last 12 months, and during the last 5 years?	a. During the last 6 months <input type="text"/>			
		b. During the last 12 months <input type="text"/>			
		c. During the last 5 years <input type="text"/>			

Module 4: Abortion reporting																																																												
401	<p>Do you keep or compile records on the number of women treated for abortion complications at this facility?</p>	<table border="1" style="margin-left: auto; margin-right: auto;"> <tr><td style="width: 30px; text-align: center;">0</td><td>No</td></tr> <tr><td style="width: 30px; text-align: center;">1</td><td>Yes</td></tr> </table> <p style="margin-left: 100px;">[End interview here.]</p>	0	No	1	Yes																																																						
0	No																																																											
1	Yes																																																											
402	<p>How are these records kept?</p> <p>[If the facility keeps more than one type of records, circle the one that is the most complete and up-to-date.]</p>	<table border="1" style="margin-left: auto; margin-right: auto;"> <tr><td style="width: 30px; text-align: center;">1</td><td>Paper-based log book</td></tr> <tr><td style="width: 30px; text-align: center;">2</td><td>Electronic, just in facility</td></tr> <tr><td style="width: 30px; text-align: center;">3</td><td>Electronic, centralised in national or regional database</td></tr> <tr><td style="width: 30px; text-align: center;">4</td><td>Other (specify):</td></tr> </table>	1	Paper-based log book	2	Electronic, just in facility	3	Electronic, centralised in national or regional database	4	Other (specify):																																																		
1	Paper-based log book																																																											
2	Electronic, just in facility																																																											
3	Electronic, centralised in national or regional database																																																											
4	Other (specify):																																																											
403	<p>Is there any written information about the number of women treated in this health facility (for abortion complications) that you can give me?</p> <p>[Interviewer: Record details at right and indicate if you are attaching additional information. It's best to obtain the information after the interview so as not to interrupt the interview right now. Obtain a photocopy of actual records, if available.]</p>	<table border="1" style="margin-left: auto; margin-right: auto;"> <tr><td style="width: 30px; text-align: center;">0</td><td>No</td></tr> <tr><td style="width: 30px; text-align: center;">1</td><td>Yes</td></tr> </table> <p>No [End interview]</p> <p>IF YES: Details:</p> <p>Number of women treated for complications of abortion:</p> <p>a. In the last month:</p> <table style="margin-left: 20px;"> <tr><td style="width: 20px; border: 1px solid black;"> </td><td style="width: 20px; border: 1px solid black;"> </td><td style="width: 20px; border: 1px solid black;"> </td><td style="width: 20px; border: 1px solid black;"> </td><td style="width: 20px; border: 1px solid black;"> </td><td style="padding-left: 5px;">Outpatients</td></tr> <tr><td style="border: 1px solid black;"> </td><td style="border: 1px solid black;"> </td><td style="border: 1px solid black;"> </td><td style="border: 1px solid black;"> </td><td style="border: 1px solid black;"> </td><td style="padding-left: 5px;">Inpatients</td></tr> <tr><td style="border: 1px solid black;"> </td><td style="border: 1px solid black;"> </td><td style="border: 1px solid black;"> </td><td style="border: 1px solid black;"> </td><td style="border: 1px solid black;"> </td><td style="padding-left: 5px;">Total</td></tr> </table> <p>b. In the last quarter:</p> <table style="margin-left: 20px;"> <tr><td style="width: 20px; border: 1px solid black;"> </td><td style="width: 20px; border: 1px solid black;"> </td><td style="width: 20px; border: 1px solid black;"> </td><td style="width: 20px; border: 1px solid black;"> </td><td style="width: 20px; border: 1px solid black;"> </td><td style="padding-left: 5px;">Outpatients</td></tr> <tr><td style="border: 1px solid black;"> </td><td style="border: 1px solid black;"> </td><td style="border: 1px solid black;"> </td><td style="border: 1px solid black;"> </td><td style="border: 1px solid black;"> </td><td style="padding-left: 5px;">Inpatients</td></tr> <tr><td style="border: 1px solid black;"> </td><td style="border: 1px solid black;"> </td><td style="border: 1px solid black;"> </td><td style="border: 1px solid black;"> </td><td style="border: 1px solid black;"> </td><td style="padding-left: 5px;">Total</td></tr> </table> <p>c. During the year 2014:</p> <table style="margin-left: 20px;"> <tr><td style="width: 20px; border: 1px solid black;"> </td><td style="width: 20px; border: 1px solid black;"> </td><td style="width: 20px; border: 1px solid black;"> </td><td style="width: 20px; border: 1px solid black;"> </td><td style="width: 20px; border: 1px solid black;"> </td><td style="padding-left: 5px;">Outpatients</td></tr> <tr><td style="border: 1px solid black;"> </td><td style="border: 1px solid black;"> </td><td style="border: 1px solid black;"> </td><td style="border: 1px solid black;"> </td><td style="border: 1px solid black;"> </td><td style="padding-left: 5px;">Inpatients</td></tr> <tr><td style="border: 1px solid black;"> </td><td style="border: 1px solid black;"> </td><td style="border: 1px solid black;"> </td><td style="border: 1px solid black;"> </td><td style="border: 1px solid black;"> </td><td style="padding-left: 5px;">Total</td></tr> </table>	0	No	1	Yes						Outpatients						Inpatients						Total						Outpatients						Inpatients						Total						Outpatients						Inpatients						Total
0	No																																																											
1	Yes																																																											
					Outpatients																																																							
					Inpatients																																																							
					Total																																																							
					Outpatients																																																							
					Inpatients																																																							
					Total																																																							
					Outpatients																																																							
					Inpatients																																																							
					Total																																																							
<p>END: Thank the respondent for their time.</p> <p>(Interview: Remember to note time on title page)</p>																																																												