

Supplementary- Figure 1. The figure shows the breakdown of patients included and excluded from the study.




Table 1S. Nonopioid Pain Medication Use

Medication, n (%)	IVA	Non-IVA	P Value
Acetaminophen			
Oral	152 (37.4)	200 (98.5)	<0.0001
Oral, mean, mg (cumulative)	1023	7260	<0.0001
Non-steroidal anti-inflammatory			
Celecoxib	298 (73.4)	157 (77.3)	0.32
Diclofenac	1 (0.2)	0	1
Diclofenac topical	1 (0.2)	0	1
Ibuprofen	2 (0.5)	0	1
Meloxicam	1 (0.2)	1 (0.5)	1
Naproxen	1 (0.2)	0	1
Nerve acting agents			
Amitriptyline	0	1 (0.5)	1
Duloxetine	15 (3.7)	4 (2)	0.32
Gabapentin	14 (3.4)	6 (3)	0.81
Nortriptyline	2 (0.5)	0	1
Pregabalin	368 (90.6)	62 (30.5)	<0.0001
Anesthetic/ Nerve block			
Ketamine	9 (2.2)	11 (5.4)	0.67
Lidocaine	1 (0.2)	1 (0.5)	0.55
Lidocaine, topical	3 (0.7)	1 (0.5)	0.31

Mepivacaine	1 (0.2)	0	0.04
Muscle Relaxant			
Baclofen	4 (1)	1 (0.5)	0.67
Carisoprodol	2 (0.5)	5 (2.5)	0.04
Cyclobenzapine	3 (0.7)	0	0.55
Metaxolone	4 (1)	0	0.31
Anti-emetics			
Meclizine	2 (0.5)	0	0.55
Metoclopramide	5 (1.2)	3 (1.5)	1
Ondansetron	292 (71.9)	167 (82.2)	0.0052
Prochlorperazine	19 (4.7)	2 (1)	<0.0001
Promethazine	10 (2.5)	2 (1)	0.35
Scopolamine	19 (4.7)	2 (1)	0.02
Trimethobenzamide	4 (1)	2 (1)	1
Other			
Dexamethasone	76 (18.7)	45 (22.2)	0.33
Dexmedetomidine	2 (0.5)	2 (1)	0.60
Hydrocortisone	4 (1)	1 (0.5)	0.67
Methylprednisolone	2 (0.5)	0	1
Prednisone	2 (0.5)	1 (0.5)	1
Tramadol	4 (1)	0	0.31
Triamcinolone	1 (0.2)	0	1