

S8 Table. Luciferase assay values

Figure 1D	
Sample	RLU
Control	1.00 ± 0.03
WDR23 Isoform 1 o/e	0.75 ± 0.02
WDR23 Isoform 2 o/e	0.73 ± 0.02

Figure 4C	
Sample	RLU
Control	1.00 ± 0.03
KEAP1 RNAi	1.77 ± 0.11
WDR23 Isoform 1 o/e	0.75 ± 0.02
KEAP1 RNAi + WDR23 Isoform 1 o/e	1.06 ± 0.05
WDR23 Isoform 2 o/e	0.73 ± 0.02
KEAP1 RNAi + WDR23 Isoform 2 o/e	0.89 ± 0.03

Figure S2A-B	
Sample	RLU
Control	1.00 ± 0.09
Ce WDR-23 Isoform 1 o/e	0.97 ± 0.07
Ce WDR-23 Isoform 2 o/e	1.07 ± 0.04
Control	1.00 ± 0.09
KEAP1 RNAi	1.34 ± 0.09
Ce WDR-23 Isoform 1 o/e	0.97 ± 0.07
KEAP1 RNAi + Ce WDR-23 Isoform 1 o/e	1.28 ± 0.08
Ce WDR-23 Isoform 2 o/e	1.07 ± 0.04
KEAP1 RNAi + Ce WDR-23 Isoform 2 o/e	1.24 ± 0.05