

Supplementary data

Table 2. RSA variables at 6 months, 12 months, and 24 months (MTPM and x-, y-, and z-translation in mm and rotation in degrees) C: control; T: teriparatide. No variables showed a significant difference. Translation is defined as medial-lateral (X), distal-proximal (Y), and posterior-anterior (Z). A positive value means X being medial, Y being superior, and Z being anterior. Rotation about the X-axis is defined as flexion-extension, rotation about the Y-axis as external-internal rotation, and rotation about the Z-axis as abduction-adduction. Positive values mean X being extension, Y being internal, and Z being adduction

Мо	nths Group	M ⁻ mean (In) (SD)	TPM median (10–90% percentile range)	X mean (SD)	Translation Y mean (SD)	Z mean (SD)	X mean (SD)	Rotation Y mean (SD)	Z mean (SD)
6	C	-1.05 (0.53) -0.85 (0.46)	0.33 (0.18–0.88) 0.41 (0.24–0.99)	-0.01 (0.05) -0.01 (0.08)	-0.02 (0.16) 0.06 (0.13)	0.04 (0.11) 0.02 (0.08)	-0.06 (0.36) -0.08 (0.40)	-0.06 (0.15) -0.15 (0.28)	-0.01 (0.45) 0.02 (0.28)
12	C	-0.96 (0.55)	0.34 (0.24–1.08)	0.01 (0.06)	-0.03 (0.20)	0.06 (0.13)	-0.07 (0.35)	-0.07 (0.19)	-0.04 (0.54)
	T	-0.83 (0.42)	0.38 (0.27–0.75)	-0.01 (0.07)	0.04 (0.14)	0.02 (0.08)	-0.06 (0.56)	0.04 (0.76)	0.01 (0.32)
24	C	-0.91 (0.60)	0.36 (0.21–1.13)	-0.01 (0.08)	-0.03 (0.22)	0.06 (0.13)	-0.10 (0.39)	-0.09 (0.21)	0.14 (0.61)
	T	-0.75 (0.43)	0.44 (0.26–0.77)	0.01 (0.08)	0.04 (0.14)	0.01 (0.09)	-0.20 (0.43)	-0.02 (0.29)	-0.01 (0.32)



