SUPPLEMENTARY MATERIAL

Reconciling visual field defects and retinal nerve fibre layer asymmetric patterns in retrograde degeneration: an extended case series

Barbara Zangerl PhD DVM
Andrew Whatham DPhil BOptom PGCertOcTher
Juno Kim PhD BSc
Agnes Cho MOptom PGCertOcTher
Nagi N Assaad MBBS MBiomedE
Michael P Hennessy MBBS MBiomedE FRAZCO
Michael Kalloniatis PhD MScOptom FAAO

Patient number	Age	Sex	VA		SE		Relevant symptoms/ history	Pathology
			RE	LE	RE	LE		
15	61	M	6/4.8	6/4.8	-0.50	-1.00	Difficulty reading for 4 years, migraines	Glaucoma OU
16	61	F	6/6	6/6	1.00	1.50	Family history of glaucoma, progressed during past three years, IOP 14.5/13.0	Normal tension glaucoma
17	58	M	6/6	6/6	-1.00	-0.63	Optic nerve head asymmetry, IOP 15.0 OU	Normal tension glaucoma
18	62	M	6/7.5-1	6/12+2	1.25	1.00	Increased glare sensitivity, IOP 15.0 OU	Normal tension glaucoma
19	59	M	6/6-1	6/6	-0.50	-0.50	Elevated intraocular pressure	Glaucoma RE

VA: visual acuity, SE: spherical equivalent, OU: both eyes

Supplementary Table 1. Glaucoma patients' characteristics. All lesions were located in the optic nerve head.