

## Supplementary Data

SUPPLEMENTARY TABLE S1. FULL ADJUSTED LOGISTIC REGRESSION MODELS OF UNMET INFORMATION AND SERVICE NEEDS AMONG ADOLESCENT AND YOUNG ADULT SURVIVORS (N=1395)

	<i>Unmet needs</i>			
	<i>Late effects information</i>	<i>Fertility information</i>	<i>Recurrence concerns</i>	<i>Family risk of cancer concerns</i>
	<i>OR (95% CI)</i>			
Survivorship care planning				
Receipt of written treatment summary	<b>0.51 (0.37–0.71)<sup>a</sup></b>	0.81 (0.60–1.08)	<b>0.55 (0.39–0.79)</b>	0.90 (0.66–1.21)
Receipt of instructions for follow-up care	<b>0.29 (0.15–0.58)</b>	<b>0.62 (0.42–0.91)</b>	0.61 (0.36–1.02)	0.72 (0.48–1.08)
Sociodemographics				
Age at time of survey	1.01 (0.99–1.04)	0.98 (0.96–1.00)	<b>0.98 (0.96–1.00)</b>	1.00 (0.98–1.02)
Female	<b>2.03 (1.35–3.06)</b>	<b>2.46 (1.70–3.56)</b>	<b>1.55 (1.02–2.34)</b>	<b>1.70 (1.18–2.43)</b>
Race				
White	1.47 (0.94–2.30)	0.88 (0.59–1.34)	1.08 (0.65–1.80)	0.73 (0.47–1.11)
Other	Reference	Reference	Reference	Reference
Level of education				
HS diploma or less	0.83 (0.42–1.63)	<b>0.37 (0.20–0.66)</b>	1.09 (0.51–2.31)	<b>1.90 (1.04–3.46)</b>
Technical/community/some college	0.69 (0.45–1.07)	0.74 (0.52–1.05)	0.73 (0.47–1.14)	<b>1.70 (1.18–2.44)</b>
Bachelor's degree	0.73 (0.47–1.13)	0.87 (0.61–1.25)	0.73 (0.47–1.15)	1.20 (0.83–1.74)
Graduate/medical degree	Reference	Reference	Reference	Reference
Marital status				
Married/domestic partner	1.10 (0.79–1.53)	<b>0.69 (0.52–0.92)</b>	1.04 (0.74–1.47)	<b>1.57 (1.17–2.10)</b>
Other	Reference	Reference	Reference	Reference
Employment status				
Employed (full or part-time)	1.11 (0.75–1.63)	0.94 (0.67–1.31)	<b>1.52 (1.03–2.23)</b>	1.26 (0.90–1.76)
Not employed	Reference	Reference	Reference	Reference
Cancer history				
Age at cancer diagnosis (years)				
15–20	1.64 (0.83–3.21)	<b>1.93 (1.14–3.27)</b>	0.86 (0.45–1.54)	0.82 (0.48–1.41)
21–29	1.27 (0.85–1.88)	<b>1.84 (1.33–2.56)</b>	1.10 (0.74–1.64)	1.17 (0.84–1.64)
30–39	Reference	Reference	Reference	Reference
Type of cancer				
Breast	Reference	Reference	Reference	Reference
Colorectal	1.51 (0.58–3.99)	1.69 (0.76–3.76)	4.04 (0.87–18.84)	1.89 (0.78–4.58)
Leukemia	1.39 (0.49–3.99)	1.21 (0.52–2.78)	0.55 (0.21–1.46)	<b>0.17 (0.07–0.45)</b>
Lymphoma	1.32 (0.72–2.43)	<b>1.83 (1.11–3.00)</b>	1.17 (0.62–2.19)	<b>0.57 (0.34–0.96)</b>
Melanoma	0.83 (0.38–1.82)	<b>0.20 (0.09–0.46)</b>	1.14 (0.48–2.71)	0.86 (0.43–1.74)
Sarcoma	2.69 (0.99–7.35)	1.02 (0.51–2.03)	1.09 (0.46–2.58)	0.49 (0.23–1.00)
Testicular	1.13 (0.57–2.23)	<b>2.34 (1.30–4.19)</b>	1.31 (0.64–2.69)	0.82 (0.45–1.51)
Thyroid	2.01 (0.78–5.17)	0.58 (0.30–1.14)	0.75 (0.34–1.66)	1.27 (0.62–2.62)
Other	1.20 (0.68–2.12)	0.82 (0.52–1.29)	0.83 (0.47–1.48)	<b>0.55 (0.34–0.89)</b>
Time since last treatment				
Less than 5 years	Reference	Reference	Reference	Reference
5 years or more	0.88 (0.60–1.30)	1.27 (0.92–1.76)	0.69 (0.47–1.02)	1.04 (0.75–1.45)
Currently seeing an oncologist	0.82 (0.57–1.18)	<b>1.49 (1.10–2.03)</b>	1.00 (0.69–1.45)	1.10 (0.81–1.51)
Currently seeing a primary care physician	1.03 (0.73–1.45)	1.06 (0.80–1.44)	<b>0.68 (0.47–0.99)</b>	1.26 (0.93–1.71)

<sup>a</sup>Values depicted in bold text are statistically significant at  $p < 0.05$ . CI, confidence interval; SD, standard deviation.