

Supplementary Online Content

Eadie BD, Etminan M, Carleton BC, Maberley DA, Mikelberg FS. Association of repeated intravitreal bevacizumab injections with risk of glaucoma surgery. *JAMA Ophthalmol*. Published online March 16, 2017. doi: 10.1001/jamaophthalmol.2017.0059

eTable. Crude and Adjusted Rate Ratios for Glaucoma Surgery and Total Number of Intravitreal Bevacizumab Injections

This supplementary material has been provided by the authors to give readers additional information about their work.

eTable. Crude and Adjusted Rate Ratios for Glaucoma Surgery and Total Number of Intravitreal Bevacizumab Injections

	Cases^a	Controls^b	Crude Rate Ratio	Adjusted Rate Ratio^c	95% Confidence Intervals
Number of Subjects	74	740			
Number of Injections <=6	41 (55.4)	484 (65.4)	1.00	1.00	Reference
Number of Injections 7-11	18 (24.3)	148 (20.0)	1.60	1.67	0.86-3.23
Number of Injections >=12	15 (20.3)	108 (14.6)	2.09	2.61	1.14-5.98

Percentages are shown in parentheses.

^aCases are defined as individuals identified by glaucoma surgery.

^bControls are matched for age, pre-existing glaucoma, cohort entry date, and duration of follow-up.

^cRate ratios have been adjusted for the variables in table 1.