

Supplementary Data for:

Reconstructing the phylogeny of Blattodea: Robust support for interfamilial relationships and major clades

Zongqing Wang¹, Yan Shi¹, Zhiwei Qiu¹, Yanli Che¹, Nathan Lo^{2*}

¹ College of Plant Protection, Southwest University, Beibei, Chongqing, China

² School of Life and Environmental Sciences, University of Sydney, Sydney, New South Wales, Australia

* Corresponding author

E-mail: nathan.lo@sydney.edu.au

Table S1. Data for new specimens included in this study

Table S2. PCR conditions used for gene amplification (35 cycles after initial denaturing step)

Table S3. Genbank numbers for included sequences. The colours indicate the sources of the sequences.

Fig S1 Bayesian inference (BI) tree derived from combined data 12S rRNA, 16S rRNA, COII, 28S rRNA and H3 genes. Number above branches representing BPP.

Fig S2. *Anaplecta omei*, A. supra-anal plate (male, ventral view); B. subgenital plate and phallomeres (male, dorsal view); C. supra-anal plate (female, ventral view); D. female genitalia (dorsal view). (All photos are original and taken by the authors).

Table S1. Data for new specimens included in this study

Family	Species	Locality	Collectors
Nocticolidae	<i>Nocticola</i> sp. 1 (China)	Zhuji, Zhejiang	Tiexiong Zhao
Corydiidae	<i>Eucorydia purpuralis</i>	Wuyi Mountain, Fujian	Shunhua Gui
	<i>Eupolyphaga sinensis</i>	Xi Mountain, Beijing	Bingqiang Wang
	<i>Eupolyphaga yunnanensis</i>	Weixi, Yunnan	Jianyue Qiu
	<i>Polyphaga plancyi</i>	Zhaocheng, Shandong	Zhong Peng
	<i>Ergaula</i> sp.	Wuzhi Mountain, Hainan	Xinran Li, Zhiwei Qiu
Ectobiidae	<i>Blattella germanica</i>	Shapingba, Chongqing	Yang Li
	<i>Blattella bisignata</i>	Dahei Mountain, Panzhihua, Sichuan	Keliang Wu
	<i>Blattella nipponica</i> 01	Simian Mountain, Jiangjin, Chongqing	Zongqing Wang
	<i>Blattella nipponica</i> 02	Mojiang, Puhe, Yunnan	Zongqing Wang
	<i>Episymphloe hunanensis</i>	Nanling Forest Park, Guangdong	Zaifu Xu
	<i>Episymphloe kunmingi</i>	Liang Mountain, Kunming, Yunnan	Dong Wang
	<i>Episymphloe mamillatus</i> 01	Zixi Mountain, Chuxiong, Yunnan	Dong Wang
	<i>Haplosymphloe aurantiaca</i> 01	Jianfengling Forest Park, Ledong, Hainan	Shunhua Gui, Xinran Li
	<i>Haplosymphloe aurantiaca</i> 03	Wuzhishan, Hainan	Shunhua Gui, Xinran Li
	<i>Hemithyrlocera banvaneuensis</i> 01	Dadugang, Jinghong, Yunnan	Xinran Li, Hongguang Liu
	<i>Hemithyrlocera banvaneuensis</i> 02	Dadugang, Jinghong, Yunnan	Xinran Li
	<i>Hemithyrlocera simulans</i> 02	Dadugang, Jinghong, Yunnan	Xinran Li, Hongguang Liu
	<i>Hemithyrlocera simulans</i> 03	Dadugang, Jinghong, Yunnan	Xinran Li, Hongguang Liu
	<i>Sigmella schenklingi</i> 01	Hejiaping, Changyang, Hebei	Xiaoqiao Wang
	<i>Symphloe evidens</i> 01	Qixianling Forest Park, Baoting, Hainan	Shunhua Gui, Yan Shi
	<i>Symphloe ridleyi</i> 03	Menglun, Xishuangbanna, Yunnan	Xinran Li, Hongguang Liu
	<i>Symphloe striata</i> 01	Tongmu, Wuyi Mountain, Fujian	Shunhua Gui, Yan Shi
	<i>Symphloe torchaceus</i> 01	Diaoluo Mountain, Lingshui, Hainan	Yan Shi
	<i>Lobopterella dimidiatipes</i> 01	Hongshulin Park, Sanya, Hainan	Shunhua Gui
	<i>Anaplectoidea spinea</i> 01	Nabang, Yinjiang, Yunnan	Dong Wang
	<i>Anaplectoidea varia</i> 01	E'mei Mountain, Sichuan	Jinjin Wang
	<i>Allacta ornata</i> 03	Diaoluo Mountain, Lingshui, Hainan	Shunhua Gui, Yan Shi
	<i>Shelfordina volubilis</i> 01	Diaoluo Mountain, Lingshui, Hainan	Shunhua Gui, Yan Shi
	<i>Shelfordina volubilis</i> 02	Diaoluo Mountain, Lingshui, Hainan	Shunhua Gui, Yan Shi
	<i>Sorineuchora nigra</i> 01	Dadugang, Jinghong, Yunnan	Keliang Wu
	<i>Balta valida</i> 01	Dadugang, Jinghong, Yunnan	Xinran Li, Hongguang Liu
	<i>Balta valida</i> 02	Wuzhi Mountain, Hainan	Shunhua Gui, Xinran Li
Blaberidae	<i>Diploptera punctata</i> 02	Menglun, Xishuangbanna, Yunnan	Guo Zheng
	<i>Opisthoplatia orientalis</i> 01	Baiwangling, Changjiang, Hainan	Qikun Bai, Lu Qiu
	<i>Paranauphoeta</i> sp.1 (China)	Limu Mountain, Qiongzong, Hainan	Xinran Li
	<i>Paranauphoeta vicina sinica</i> 01	Xima Town, Yingjiang, Yunnan	Jianyue Qiu
	<i>Pycnoscelus</i> sp.1 (China)	Maogan Village, Baoting, Hainan	Xinran Li, Qikun Bai, Lu Qiu

	<p><i>Panchlora</i> sp.</p> <p><i>Panesthia sinuata</i> 01</p> <p><i>Panesthia sinuata</i> 02</p> <p><i>Panesthia angustipennis cognate</i> 01</p> <p><i>Panesthia angustipennis cognate</i> 02</p> <p><i>Panesthia birmanica</i> 01</p> <p><i>Panesthia birmanica</i> 02</p> <p><i>Salganea raggei</i> 01</p> <p><i>Salganea raggei</i> 02</p> <p><i>Salganea incerta</i> 01</p> <p><i>Salganea incerta</i> 02</p> <p><i>Salganea taiwanensis</i> 01</p> <p><i>Salganea taiwanensis</i> 02</p> <p><i>Perisphaerus</i> sp.1</p> <p><i>Perisphaerus</i> sp.2</p> <p><i>Corydidarum</i> sp.</p> <p><i>Corydidarum</i> sp.</p> <p><i>Pseudophoraspis</i> sp.</p> <p><i>Stictolampra</i> sp.</p> <p><i>Rhabdoblatta</i> sp.</p>	<p>Southwest University, Beibei, Chongqing</p> <p>Menghai, Yunnan</p> <p>Menghai, Yunnan</p> <p>Beibeng, Motuo, Xizang</p> <p>Beibeng, Motuo, Xizang</p> <p>Dadugang, Jinghong, Yunnan</p> <p>Dadugang, Jinghong, Yunnan</p> <p>Wuzhishan, Hainan</p> <p>Jianfengling Forest Park, Ledong, Hainan</p> <p>Wawushan, Hongya, Sichuan</p> <p>Simianshan, Jiangjin, Chongqing</p> <p>Daqiutianbao, Jiulianshan Town, Jiangxi</p> <p>Lianghe Town, Kang County, Gansu</p> <p>Baigougou, Zunyi, Guizhou</p> <p>Diaoluo Mountain, Lingshui, Hainan</p> <p>Bubeng, Mengla, Yunnan</p> <p>Bubeng, Mengla, Yunnan</p> <p>Limu Mountain, Qiongzong, Hainan</p> <p>Diaoluo Mountain, Lingshui, Hainan</p> <p>Limu Mountain, Qiongzong, Hainan</p>	<p>Unknown</p> <p>Jishan Xu, LingXiao Chang</p> <p>Jishan Xu, LingXiao Chang</p> <p>Tao Zou</p> <p>Tao Zou</p> <p>Xinran Li</p> <p>Xinran Li</p> <p>Xinran Li</p> <p>ShunHua Gui</p> <p>Yang Li</p> <p>Hao Xu</p> <p>Tao Zou</p> <p>Jinjin Wang</p> <p>Yuhong Zheng, Xiudan Wang</p> <p>Shunhua Gui, Xinran Li</p> <p>Guo Zheng, Xue Li, Wenyue Zhu</p> <p>Guo Zheng, Xue Li, Wenyue Zhu</p> <p>Xinran Li, Zhiwei Qiu</p> <p>Lu Qiu, Qikun Bai</p> <p>Lu Qiu, Qikun Bai</p>
Blattidae s.s.	<p><i>Homalophilpa arcifera</i> 01</p> <p><i>Homalophilpa kryzhanovskii</i> 01</p> <p><i>Protagonista lugubris</i> 01</p> <p><i>Protagonista lugubris</i> 05</p> <p><i>Melanozosteria</i> sp.</p>	<p>Shangyong Town, Mengla, Yunnan</p> <p>Dadugang, Jinghong, Yunnan</p> <p>Longtan Forest Park, Guiping, Guangxi</p> <p>Wangtianshu, Mengla, Yunnan</p> <p>Limu Mountain, Qiongzong, Hainan</p>	<p>Jianyue Qiu</p> <p>Xinran Li</p> <p>Shunhua Gui, Xinran Li</p> <p>Jianyue Qiu</p> <p>Xinran Li, Zhiwei Qiu</p>
Anaplectidae	<p><i>Anaplecta omei</i> 01</p>	<p>Campus of Southwest University</p>	<p>Jinjin Wang, Keliang Wu</p>
Cryptocercidae	<p><i>Cryptocercus primarius</i></p> <p><i>Cryptocercus</i> sp.</p>	<p>Dacaoping, Pingwu, Mianyang, Sichuan</p> <p>Pudacuo, Shangri-la, Diqing, Yunnan</p>	<p>Zongqing Wang, Shunhua Gui</p> <p>Yan shi, Qikun Bai</p>

Table S2 The PCR conditions used for the genes amplification (35 cycles after initial denaturing)

Genes	Initial denaturing	Denaturation	Annealing	Extension	Finally an extension
12S	95°C/3 min	94°C/30s	49°C/45-60s	72°C/90s	72°C/5 min
16S	94°C/10 min	94°C/45s	48-63°C/45s	72°C/60s	72°C/5 min
28S	94°C/5 min	94°C/30s	55°C/45s	72°C/90s	72°C/7 min
COII	94°C/3 min	94°C/30s	56°C/45s	72°C/90s	72°C/7 min
H3	94°C/1 min	94°C/15s	46°C/15s	72°C/15s	72°C/6 min

Table S3. Genbank numbers for included sequences. The colours indicate the sources of the sequences.

Order	Family	Subfamily	Species	12S	28S	COII	H3	16S
Outgroups								
Ephemeroptera			<i>Ephemera danica</i>	KF855788	KF855809	KF855909	KF855887	KF855860
Dermaptera			<i>Forficula auricularia</i>	KF855790	JN615313	KF855911	GU066905	JN615260
			<i>Labidura riparia</i>	*	AY555539/AY707435	AF140544	AY707435	AY144640
Plecoptera			<i>Cosmioperla australis</i>	EF623307	EF622852	EF623009	EF622577	EF623148
			<i>Perlodes mortoni</i>	KF855796	KF855814	KF855916	KF855892	KF855870
Odonata			<i>Enallagma cyathigerum</i>	KF855787	KF855808	KF855908	KF855886	KF855858
Orthoptera			<i>Omocestus rufipes</i>	KF855795	KF855813	KF855915	KF855891	KF855866
			<i>Gryllus</i>	AY560539	AY521799	U88332	AY521719	JX269093
Mantophasmatodea			<i>Karooophasma biedouwienensis</i>	KF855791	KF855810	KF855912	KF855889	AY318896
			Mantophasmatidae	DQ874066	DQ874231	DQ874300	GU066922	AY318883
Neoptera			<i>Galloisiana yuasai</i>	DQ457209	KC142429	KC142845	DQ457381	JN615261
			<i>Grylloblatta campodeiformes</i>	DQ457227	AY125279	DQ457367	AY125225	DQ457263
Phasmatodea			<i>Timema podura</i>	KF855798	KF855816	KF855918	KF855895	KF855873
			<i>Agathemera crassa</i>	Z93282	AY125326	*	AY125269	JN228847
			<i>Extatosoma tiaratum</i>	AB642680	AY125295	FJ474359	FJ474207	Y07552
			<i>Bacillus rossius</i>	GU001956	AY125320	AF148289	AY125263	GU001956
Embioptera			Oligotomidae	AB639034	AY125274	AB639034	AY125221	EU157039
			<i>Metoligotoma bidens</i>	*	EU157052	EU157066	EU157032	EU157040
Mantodea	Chaeteessidae		<i>Chaeteessa valida</i> Mn217	FJ806061	*	*	FJ806788	FJ806237
	Mantoididae		<i>Mantoida schraderi</i>	EF383155	AY491219	AY491275	AY491333	EF383315
			<i>Mantoida</i> sp. MN110	FJ806015	FJ806576	FJ806904	FJ806740	FJ806190
	Thespidae		<i>Bantia werneri</i>	FJ806017	FJ806578	FJ806906	FJ806742	FJ806192
	Metallyticidae		<i>Metallyticus fallax</i>	EF383237	EF383721	EF384007	EF384136	EF383397
	Thespidae		<i>Hoplocorypha</i> sp. MN190	FJ806050	FJ806616	FJ806941	FJ806777	FJ806226
	Mantidae		<i>Mantis religiosa</i>	U17792	FJ806632	EF363226	AY491327	EF383311
			<i>Sphodromantis viridis</i>	FJ805977	FJ806538	GU064720	GU064761	FJ806154
Ingroups								
Blattodea	Corydiidae	Latindiinae	<i>Latindia</i> sp.	KF855802	KF855822	*	KF855898	*
		Incerta sedis	<i>Paralatinidia</i> sp.	KF855803	KF855823	*	*	KF855868
	Nocticolidae		<i>Nocticola australiensis</i> (Donna Cave)	DQ874070	DQ874234	*	EF203093	KF855864
			<i>Nocticola</i> sp.1 (Cutta Cutta Cave)	KF855794	JN615357	JN615401/EF203093	JN615401/EF203093	JN615302
			<i>Nocticola babindaensis</i>	KF855785	KF855819	*	KF855879	KF855852
			<i>Nocticola</i> sp. 1 (China)	MF286833	MF286962	*	MF287026	*
	Corydiidae		<i>Polyphagoides cantrelli</i>	KF855797	KF855815	KF855917	KF855894	KF855872
		Euthyrrhaphinae	<i>Euthyrrhapha pacifica</i>	DQ874050	DQ874218	KF855910	KF855888	KF855861

	Holocompsinae	<i>Holocompsa</i> sp. 1	DQ874056	DQ874223	KF855922	*	KF855862
	Tiviinae	<i>Tivia</i> sp. 1	DQ874104	DQ874259	KF855919	DQ874021	KF855874
		<i>Polyphaga aegyptiaca</i>	DQ874089	DQ874248	DQ874317	KF855893	KF855871
	Polyphaginae	<i>Ergaula capucina</i>	KF855789	DQ874214	DQ874280	DQ873966	JN615300
		<i>Eupolyphaga yunnanensis</i>	MF286819	MF286951	MF287034	MF287031	MF286886
		<i>Polyphaga plancyi</i>	MF286821	MF286953	*	MF287033	MF286895
		<i>Eupolyphaga sinensis</i>	MF286820	MF286952	MF287035	MF287032	MF286887
		<i>Eucorydia purpuralis</i>	MF286822	MF286954	MF287042	*	MF286888
		<i>Ergaula</i> sp.	MF286823	MF286955	MF287075	MF286996	MF286889
Ectobiidae	Ectobiinae	<i>Ectobius pallidus</i>	DQ874040	DQ874210	DQ874276	DQ873962	*
		<i>Ectobius lapponicus</i>	DQ874039	DQ874209	DQ874275	DQ873961	*
		<i>Ectobius sylvestris</i>	KF372466	KF372441	*	*	KP986292
		<i>Ectobius panzeri</i>	DQ874041	DQ874211	DQ874277	DQ873963	KF855859
	Pseudophyllodromiinae	<i>Shelfordina volubilis</i> 01	MF286777	MF286922	MF287079	MF287023	MF286848
		<i>Shelfordina volubilis</i> 02	MF286778	MF286923	MF287091	MF287024	MF286849
		<i>Allacta ornata</i> 03	MF286776	MF286921	*	MF286969	MF286847
		<i>Sorineuchora nigra</i> 01	MF286783	MF286963	MF287065	MF286992	MF286854
		<i>Balta valida</i> 01	MF286767	MF286898	MF287077	MF286967	MF286836
		<i>Balta valida</i> 02	MF286768	MF286899	MF287078	MF286968	MF286837
Ectobiidae	Blattellinae	<i>Ischnoptera</i> sp.1	DQ874059	DQ874226	DQ874293	DQ873979	*
		<i>Ischnoptera</i> sp.3	DQ874024	DQ874194	DQ874261	DQ873944	KF855863
		<i>Haplosymploce aurantiaca</i> 01	MF286779	MF286924	MF287080	MF287014	MF286850
		<i>Haplosymploce aurantiaca</i> 03	MF286780	MF286925	MF287081	MF287015	MF286851
		<i>Symploce striata</i> 01	MF286792	MF286911	MF287064	MF287008	MF286864
		<i>Symploce evidens</i> 01	MF286770	MF286914	MF287068	MF287006	MF286840
		<i>Symploce evidens</i> 02	MF286771	MF286915	MF287069	MF287007	MF286841
		<i>Blattella nipponica</i> 01	MF286789	MF286905	MF287058	MF286994	MF286858
		<i>Blattella nipponica</i> 02	MF286788	MF286910	MF287063	MF286995	MF286863
		<i>Blattella bisignata</i>	MF286787	MF286909	MF287062	MF286997	MF286862
		<i>Blattella germanica</i>	AY536379	DQ874201	DQ874268	DQ873952	EF363265
		<i>Blattella germanica</i>	MF286781	MF286900	MF287085	MF286993	MF286852
		<i>Symploce torchaceus</i> 01	MF286785	MF286903	MF287056	MF287013	MF286856
		<i>Episymploce hunanensis</i>	MF286784	MF286902	MF287055	MF287009	MF286855
		<i>Episymploce kunmingi</i>	MF286786	MF286904	MF287057	MF287010	MF286857
		<i>Episymploce mamillatus</i> 01	MF286790	MF286906	MF287059	MF287011	MF286859
		<i>Episymploce mamillatus</i> 02	MF286791	MF286907	MF287060	MF287012	MF286860
		<i>Symplocodes ridleyi</i> 03	MF286831	MF286916	*	MF287001	MF286842
		<i>Symplocodes marmorata tsaii</i>	MF286769	MF286913	MF287070	MF287000	MF286839

		<i>Hemithyrsocera banvaneuensis</i> 01	MF286774	MF286919	*	MF287004	MF286845
		<i>Hemithyrsocera banvaneuensis</i> 02	MF286775	MF286920	*	MF287005	MF286846
		<i>Hemithyrsocera simulans</i> 02	MF286772	MF286917	*	MF287002	MF286843
		<i>Hemithyrsocera simulans</i> 03	MF286773	MF286918	*	MF287003	MF286844
		<i>Lobopterella dimidiatipes</i> 01	MF286765	MF286896	MF287087	MF286998	MF286834
		<i>Lobopterella dimidiatipes</i> 02	MF286766	MF286897	MF287088	MF286999	MF286835
		<i>Anaplectoidea varia</i> 01	MF286793	MF286964	MF287066	MF287027	MF286865
		<i>Anaplectoidea spinea</i> 01	MF286794	MF286912	MF287067	MF287028	MF286866
		<i>Sigmella schenklingi</i> 01	MF286806	MF286908	MF287061	MF287016	MF286861
	Pseudophyllodromiinae	<i>Latiblattella</i> sp. 3	DQ874061	*	DQ874295	DQ873981	*
	Nyctiborinae	<i>Paratropes</i> sp. 1	DQ874080	KF855824	DQ874309	DQ873999	KF855869
		<i>Nyctibora</i> sp.1	DQ874072	KF855812	DQ874303	DQ873991	KF855865
Blaberidae	Oxyhaloinae	<i>Nauphoeta cinerea</i>	DQ874068	DQ874233	DQ874301	DQ873988	EF363272
	Blaberinae	<i>Blaptica dubia</i>	DQ874030	DQ874199	DQ874266	DQ873950	JN615274
		<i>Phoetalia pallida</i>	DQ874086	DQ874245	DQ874314	DQ874004	JN615278
	Panchlorinae	<i>Panchlora azteca</i>	DQ874076	DQ874238	DQ874305	DQ873995	KF855867
		<i>Panchlora</i> sp.	*	MF286940	MF287071	MF287022	MF286880
	Panesthiinae	<i>Panesthia sinuata</i> 01	MF286797	MF286928	MF287043	MF286972	MF286869
		<i>Panesthia sinuata</i> 02	MF286798	MF286929	MF287044	MF286973	MF286870
		<i>Panesthia angustipennis cognata</i> 01	MF286799	MF286930	MF287045	MF286974	MF286894
		<i>Panesthia angustipennis cognata</i> 02	MF286832	MF286931	MF287048	MF286975	MF286871
		<i>Panesthia birmanica</i> 01	MF286795	MF286926	MF287046	MF286970	MF286867
		<i>Panesthia birmanica</i> 02	MF286796	MF286927	MF287047	MF286971	MF286868
		<i>Salganea raggei</i> 01	MF286804	MF286936	MF287053	MF286980	MF286876
		<i>Salganea raggei</i> 02	MF286805	MF286937	MF287054	MF286981	MF286877
		<i>Salganea incerta</i> 01	MF286802	MF286933	MF287052	MF286978	MF286873
		<i>Salganea incerta</i> 02	MF286803	MF286934	MF287050	MF286979	MF286875
		<i>Salganea taiwanensis</i> 01	MF286800	MF286932	MF287049	MF286976	MF286872
		<i>Salganea taiwanensis</i> 02	MF286801	MF286934	MF287051	MF286977	MF286874
	Perisphaerinae	<i>Perisphaerus</i> sp.1	MF286815	MF286947	MF287089	MF286982	*
		<i>Corydidarum</i> sp.	MF286817	MF286949	MF287083	MF286984	*
		<i>Corydidarum</i> sp.	MF286818	MF286950	MF287082	MF286985	*
		<i>Perisphaerus</i> sp.2	MF286816	MF286948	*	MF286983	*
	Epilamprinae	<i>Opisthoplatia orientalis</i>	MF286811	MF286943	*	MF286986	MF286883
		<i>Pseudophoraspis</i> sp.	MF286813	MF286945	MF287090	MF286988	*
		<i>Stictolampra</i> sp.	MF286812	MF286944	MF287073	MF286987	MF286884
		<i>Rhabdoblatta</i> sp.	MF286814	MF286946	MF287074	MF286989	MF286885

	Dipterinae	<i>Diploptera punctata</i>	MF286807	MF286938	*	MF286990	MF286878
	Paranauphoetinae	<i>Paranauphoeta</i> sp.1, China	MF286810	MF286942	*	MF287030	MF286882
		<i>Paranauphoeta vicina sinica</i>	MF286809	MF286941	MF287072	MF287029	MF286881
	Pycnoscelinae	<i>Pycnoscelus</i> sp.1, China	MF286808	MF286939	MF287084	MF286991	MF286879
Blattidae s.s.	Duchailiinae	<i>Duchailiua</i> sp.	KF855786	KF855807	KF855907	KF855885	KF855857
	Polyzostorinae	<i>Drymaplaneta cf. semivitta</i>	DQ874038	DQ874208	DQ874274	DQ873960	KF855856
		<i>Eurycotis floridana</i>	DQ874046	JN615351	DQ874283	DQ873968	JN615296
	Blattinae	<i>Deropeltis erythrocephala</i>	DQ874035	DQ874205	DQ874271	DQ873957	KF855855
		<i>Archiblatta hoeveni</i>	DQ874026	DQ874196	DQ874262	DQ873946	KF855851
		<i>Periplaneta australasiae</i>	DQ874081	DQ874242	DQ874310	DQ874000	U17808
		<i>Homalosilpha kryzhanovskii</i> 01	MF286825	*	MF287037	MF287020	MF286890
		<i>Homalosilpha arcifera</i> 01	MF286824	MF286956	MF287036	MF287019	*
		<i>Melanozosteria</i> sp.	MF286828	MF286959	MF287039	MF287021	*
		<i>Protagonista lugubris</i> 01	MF286826	MF286957	MF287038	MF287017	MF286838
		<i>Protagonista lugubris</i> 05	MF286827	MF286958	MF287076	MF287018	MF286891
Lamproblattidae		<i>Lamproblatta albipalpus</i>	KF855792	KF855821	KF855913	*	JN615295
Tryonicidae		<i>Tryonicus parvus</i> (AU)	KF855799	KF855817	KF855920	KF855896	KF855875
		<i>Lauraesilpha</i>	KF855793	KF855811	KF855914	KF855890	EU486045
		<i>Tryonicus vicina</i> (NC)	KF855800	KF855818	KF855921	KF855897	KF855876
Anaplectidae		<i>Anaplecta asema</i>	KF855780	KF855804	KF855901	KF855880	*
		<i>Anaplecta bivittata</i>	KF855781	KF855805	KF855902	KF855881	KF855846
		<i>Anaplecta lateralis</i>	KF855784	KF855806	KF855904	KF855883	KF855849
		<i>Anaplecta decipiens</i>	KF855783	KF855820	KF855899	KF855878	KF855848
		<i>Anaplecta</i> sp. 3	KF855801	*	KF855900	KF855877	KF855850
		<i>Anaplecta omei</i> 01	MF286782	MF286901	MF287086	MF287025	MF286853
		<i>Anaplecta calosoma</i>	KF855782	*	KF855903	KF855882	KF855847
Mastotermitidae	Isoptera	<i>Mastotermes darwiniensis</i>	DQ441730	DQ441950	EU253885	GU066915	EF623172
Termopsidae		<i>Porotermes quadricollis</i>	DQ441794	DQ442010	DQ442222	*	*
		<i>Zootermopsis angusticollis</i>	DQ441841	AY859614	DQ442267	*	U50778
Rhinotermitidae		<i>Rhinotermes marginalis</i>	EU253715	EU253674	EU253890	*	EU253754
Termitidae		<i>Termes hispaniolae</i>	EU253733	EU253691	FJ806886	*	FJ806151
Kalotermitidae		<i>Cryptotermes secundus</i>	DQ441676	DQ441901	DQ442111	*	KF855854
Hodotermitidae		<i>Microhodotermes viator</i>	DQ441739	DQ441959	DQ442169	*	AF262619
Cryptocercidae		<i>Cryptocercus punctulatus</i>	DQ441677	DQ441902	AB005462	DQ873955	U38408
		<i>Cryptocercus relictus</i>	AY631411	*	KF855906	*	AB078597
		<i>Cryptocercus kyebangensis</i>	AF310221	FJ806522	KF855905	KF855884	KF855853
		<i>Cryptocercus primarius</i>	MF286830	MF286960	MF287041	MF286966	MF286893
		<i>Cryptocercus</i> sp.	MF286829	MF286961	MF287040	MF286965	MF286892

Main sequence sources (colour coded):

Sequenced for present study

Djernæs et al. (2015)

Inward et al. (2007a)

Svenson and Whiting (2009)

Djernæs et al. (2012)

Whiting et al. (2003)

Svenson and Whiting (Unpubl.)

Inward et al (2007b)

Legendre et al. (2008)

Legendre et al. (2014)

Legendre et al. (2015)

Terry and Whiting (Unpubl.)

Svenson and Whiting (2004)

Jarvis and Whiting (2006)

Various others

References:

Djernæs, M., Klass, K.-D., Picker, M.P. & Damgaard, J. (2012). Phylogeny of cockroaches (Insecta, Dictyoptera, Blattodea), with placement of aberrant taxa and exploration of out-group sampling. *Systematic Entomology* **37**: 65-83.

Djernæs, M., Klass, K.-D. & Eggleton, P. (2015). Identifying possible sister groups of Cryptocercidae+Isoptera: A combined molecular and morphological phylogeny of Dictyoptera. *Molecular Phylogenetics and Evolution* **84**: 284-303.

Inward, D., Beccaloni, G. & Eggleton, P. (2007a). Death of an order: a comprehensive molecular phylogenetic study confirms that termites are eusocial cockroaches. *Biological Letters* **3**: 331-335.

Inward, D., Vogler, A.P. & Eggleton, P. (2007b). A comprehensive phylogenetic analysis of termites (Isoptera) illuminates key aspects of their evolutionary biology. *Molecular Phylogenetics and Evolution* **44**: 953-967.

Legendre, F., Whiting, M.F., Bordereau, C., Canello, E.M., Evans, T.A. & Grandcolas, P. (2008) The phylogeny of termites (Dictyoptera: Isoptera) based on mitochondrial and nuclear markers: implications for the evolution of the worker and pseudergate castes, and foraging behaviors. *Molecular Phylogenetics and Evolution* **48**: 615-627.

Jarvis, K.J. & Whiting, M.F. (2006) Phylogeny and biogeography of ice crawlers (Insecta: Grylloblattodea) based on six molecular loci: designating conservation status for Grylloblattodea species. *Molecular Phylogenetics and Evolution* **41**: 222-237.

Svenson, G.J. & Whiting, M.F. (2004) Phylogeny of Mantodea based on molecular data: evolution of a charismatic predator. *Systematic Entomology* **29**: 359-370.

Svenson, G.J., Whiting, M.F. (2009). Reconstructing the origins of praying mantises (Dictyoptera, Mantodea): the roles of Gondwanan vicariance and morphological convergence. *Cladistics* **25**: 468-514.

Whiting, M.F., Bradler, S. & Maxwell, T. (2003) Loss and recovery of wings in stick insects. *Nature* **421**, 264–267.

Legendre, F., D'Haese, C.A., Deleporte, P., Pellens, R., Whiting, M.F., Schliep, K. & Grandcolas, P. (2014) The evolution of social behaviour in Blaberid cockroaches with diverse habitats and social systems: phylogenetic analysis of behavioural sequences. *Biological Journal of the Linnean Society* **111**: 58-77.

Legendre, F., Nel, A., Svenson, G.J., Robillard, T., Pellens, R. & Grandcolas, P. (2015) Phylogeny of Dictyoptera: Dating the Origin of Cockroaches, Praying Mantises and Termites with Molecular Data and Controlled Fossil Evidence. *PLoS ONE* **10**: 1-27.

