

S6 Table

Cohort 1							
n	DS	ME-PCR	SensiScreen®*	n	DS	ME-PCR	SensiScreen®
1	WT	WT	WT	51	G13D	G13D	G13D
2	WT	WT	WT	52	WT	WT	WT
3	WT	WT	WT	53	G12D	G12D	G12D
4	WT	WT	WT	54	WT	WT	WT
5	WT	G12C	G12C	55	WT	WT	WT
6	WT	WT	WT	56	G12D	G12D	G12D
7	WT	WT	WT	57	WT	WT	WT
8	WT	WT	WT	58	G12D	G12D	G12D
9	WT	WT	WT	59	WT	WT	WT
10	G12D	G12D	G12D	60	G13D	G13D	G13D
11	WT	WT	WT	61	G12D	G12D	G12D
12	WT	WT	WT	62	WT	WT	WT
13	G12A	G12A	G12A	63	WT	G12C	G12C
14	WT	WT	WT	64	WT	WT	WT
15	WT	WT	WT	65	G13D	G13D	G13D
16	WT	WT	WT	66	WT	WT	WT
17	WT	WT	WT	67	WT	WT	WT
18	WT	G13D	G13D	68	WT	G12C	G12C
19	WT	WT	WT	69	G12V	G12V	G12V
20	WT	WT	WT	70	G12D	G12D	G12D
21	G12V	G12V	G12V	71	WT	WT	WT
22	WT	WT	WT	72	WT	G12V	G12V
23	WT	WT	WT	73	WT	WT	WT
24	WT	WT	WT	74	WT	WT	WT
25	WT	WT	WT	75	WT	WT	WT
26	WT	WT	WT	76	WT	G12C	G12C
27	WT	G12D	G12D	77	WT	WT	WT
28	WT	G12V	G12V	78	WT	WT	WT
29	WT	WT	WT	79	WT	WT	WT
30	G12D	G12D	G12D	80	WT	WT	WT
31	G12V	G12V	G12V	81	WT	WT	WT
32	G12R	G12R	G12R	82	WT	G12V	G12V
33	G12S	G12S	G12S	83	WT	WT	WT
34	WT	WT	WT	84	G12C	G12C	G12C
35	WT	WT	WT	85	G12D	G12D	G12D
36	G12V	G12V	G12V	86	WT	G12S	G12S
37	WT	WT	WT	87	WT	G12A	G12A
38	WT	WT	WT	88	WT	G12V	G12V
39	WT	WT	WT	89	WT	G13D	G13D
40	WT	WT	WT	90	WT	WT	WT
41	WT	WT	WT	91	WT	WT	WT
42	G12D	G12D	G12D	92	G12D	G12D	G12D
43	G12C	G12C	G12C	93	WT	WT	WT
44	G12A	G12A	G12A	94	WT	WT	WT
45	G12V	G12V	G12V	95^	NE	NE	NE
46	WT	WT	WT	96	WT	WT	WT
47	G12V	G12V	G12V	97	WT	G12V	G12V
48	G12D	G12D	G12D	98	WT	WT	WT
49	G12V	G12V	G12V	99	WT	WT	<u>G13D</u>
50	G12D	G12D	G12D	100	WT	G12V	G12V
				n mutated cases	28	43	44