

**Additional table 4:** Reasons for encounter, ICPC-2 chapters. Red urgency level (life threatening). Counts, proportions. Total, minimum and maximum incidence in individual OOH casualty clinics.

ICPC-2 Chapter (RFE)	Proportion of red RFEs			Incidence (per 100 000 person-years)		
	N	%	(95% CI)	All OOH clinics	Min	Max
<b>A – General and unspecified</b>	1 923	34.4	(33.1 to 35.6)	369.5	136	640
<b>K – Circulatory</b>	1 018	18.2	(17.2 to 19.2)	195.6	138	518
<b>R – Respiratory</b>	578	10.3	(9.5 to 11.1)	111.1	57	203
<b>N – Neurological</b>	547	9.8	(9.0 to 10.6)	105.1	52	305
<b>D – Digestive</b>	303	5.4	(4.8 to 6.0)	58.2	22	122
<b>P – Psychological</b>	287	5.1	(4.6 to 5.7)	55.2	30	70
<b>L – Musculoskeletal</b>	190	3.4	(2.9 to 3.9)	36.5	17	73
<b>S – Skin</b>	93	1.7	(1.3 to 2.0)	17.9	5	30
<b>T – Endocrine, metabolic and nutritional</b>	50	0.9	(0.6 to 1.1)	9.6	0	18
<b>W – Pregnancy, childbirth, family</b>	44	0.8	(0.6 to 1.0)	8.5	2	41
<b>F – Eye</b>	27	0.5	(0.3 to 0.7)	5.2	2	30
<b>X – Female genital system and breast</b>	16	0.3	(0.1 to 0.4)	3.1	0	10
<b>Z – Social problems</b>	16	0.3	(0.1 to 0.4)	3.1	0	12
<b>Y – Male genital system</b>	14	0.3	(0.1 to 0.4)	2.7	0	5
<b>B – Blood, lymphatics, spleen</b>	11	0.2	(0.1 to 0.3)	2.1	0	10
<b>U – Urology</b>	11	0.2	(0.1 to 0.3)	2.1	0	6
<b>H – Ear</b>	3	0,1	(0.0 to 0,1)	0,6	0	2
<b>Unknown</b>	461	8,2	(7,5 to 9.0)	88,6	15	204
<b>All red encounters</b>	5 592	100,0		1 075	570	2 163