

Table S1. Further analysis of pregnancy complications, adjusting for socio-demographic factors, previous medical history and relevant pregnancy related factors one at a time

	Model 3a		Model 3b		Model 3c		Model 3d	
	Adjusted OR (95% CI)	P-value	Adjusted OR (95% CI)	P-value	Adjusted OR (95% CI)	P-value	Adjusted OR (95% CI)	P-value
Any gestational hypertensive disorder								
No	1		1		1			
Yes	3.15 (1.76-5.65)	0.0001	2.12 (1.15-3.90)	0.0158	1.8 (0.72-4.53)	0.2103		
Pregnancy induced hypertension								
No	1		1		1			
Yes	3.06 (1.47-6.40)	0.0029	2.76 (1.30-5.85)	0.0083	1.97 (0.63-6.19)	0.2431		
Preeclampsia								
No	1		1		1			
Yes	2.79 (1.15-6.74)	0.0227	1.2 (0.44-3.22)	0.7242	1.44 (0.33-6.27)	0.6277		
Gestational diabetes requiring insulin								
No	1		1		1			
Yes	7.89 (1.64-38.00)	0.01	8.62 (1.76-42.14)	0.0078	3.54 (0.43-29.36)	0.2408		
Diagnosed postpartum haemorrhage								
No	1		1		1		1	
Yes	1.9 (1.23-2.93)¥	0.0038	1.44 (0.91-2.27)¥	0.1198	1.67 (0.87-3.23)¥	0.1247	1.9 (1.23-2.94)¥	0.0038
Gestational age at delivery (weeks)								
Term (37+ weeks)	1		1		1		1	
Iatrogenic preterm (<37 weeks)	4.81 (2.44-9.47)¥	<0.0001	1.93 (0.90-4.15)¥	0.0909	1.66 (0.59-4.67)¥	0.3367	4.57 (2.33-8.96)¥	<0.0001
Spontaneous preterm (<37 weeks)	2.53 (1.16-5.54)¥	0.0198	1.37 (0.58-3.21)¥	0.4684	1.83 (0.60-5.57)¥	0.2901	2.43 (1.12-5.29)¥	0.025

Model 3a - adjusted for socio-demographic factors (Ethnic group, marital status, socio-economic group, body mass index and smoking status) plus previous medical history (previous uterine surgery not including previous caesarean section and previous or preexisting medical conditions where ¥ is shown, or just

Model 3b - adjusted for socio-demographic factors (Ethnic group, marital status, socio-economic group, body mass index and smoking status) plus previous medical history (previous uterine surgery not including previous caesarean section and previous or preexisting medical conditions where ¥ is shown, or just

Model 3c - adjusted for socio-demographic factors (Ethnic group, marital status, socio-economic group, body mass index and smoking status) plus previous medical history (previous uterine surgery not including previous caesarean section and previous or preexisting medical conditions where ¥ is shown, or just

Model 3d - adjusted for socio-demographic factors (Ethnic group, marital status, socio-economic group, body mass index and smoking status) plus previous medical history (previous uterine surgery not including previous caesarean section and previous or preexisting medical conditions where ¥ is shown, or just

Statistically significant values are bolded