


Supplementary Fig. 1. Literature search.
SBE, single-balloon enteroscopy; DBE, double-balloon enteroscopy.



Supplementary Fig. 2. Funnel plot of the included study for the analysis of (A) the diagnostic yield, (B) the total enteroscopy rate, (C) the therapeutic yield and (D) the complication rate of single-balloon enteroscopy compared with that of double-balloon enteroscopy. SE, standard error; RR, risk ratio; RCT, randomized controlled trial.

Supplementary Table 1. Demographics and Outcome Characteristics of the Included Studies

Year, nation	Research design	Instruments			Endoscopist's experience			Diagnostic yield			Total enteroscopy			Therapeutic yield			Complication						
		Indication	DBE		Setting	SBE	DBE		SBE	DBE (control)		SBE	DBE (control)		SBE	DBE (control)		SBE	DBE (control)				
			Total	Event			Total	Event		Total	Event		Total	Event		Total	Event		Total	Event			
Randomized controlled trials																							
Domagk et al. ⁵	Prospective study	Intention to refer	EN-450P5, EN-450T5	SIF-Q180	Multicenter	At least 50 SBE procedures	Extensive experience using DBE	24	65	28	65	3	65	6	65	3	65	6	65	0	65		
Efthymiou et al. ⁷	Prospective study	Any suspected SB disorders	Not mentioned	Not mentioned	Multicenter	Staff: at least 20 SBEs	Staff: at least 200 DBEs	30	53	35	66	-	-	-	16	53	17	66	1	53	1	66	
May et al. ⁴	Prospective study	Any suspected SB disorders	EN450-P5	EN450-P5	Multicenter	Training for 2 mo	At least 50 DBE procedures	21	50	26	50	11	50	33	50	24	50	36	50	2	50	2	50
Takano et al. ⁶	Prospective study	OGB, SB tumor, or IBD	EN-450T5	SIF-Q260	Single center	At least 10 BAE																	
Observational comparison studies																							
Lenz et al. ¹¹	Retrospective analysis	BAE performed during the study period	EN-450P5, EN-450T5	SIF-Q180	Single-center	Great experience of the involved endoscopists	114	298	292	606	12	298	30	606	44	298	88	1,052	2	298	3	1,052	
Pinho et al. ¹²	Retrospective descriptive study	BAE performed during the study period	EN-450P5/20, EN-450T5, EN-580T	SIF-Q180	Multicenter	Not mentioned	Not mentioned	234	351	648	1,054	-	-	-	-	112	351	322	1,054	2	351	14	1,054

DBE, double-balloon enteroscopy; SBE, single-balloon enteroscopy; SB, small bowel; OGIB, obscure gastrointestinal bleeding; BAE, balloon-assisted enteroscopy; IBD, inflammatory bowel disease.