

Supporting Information

Identification of Novel

2-(Benzo[*d*]isoxazol-3-yl)-2-oxo-*N*-phenylacetohydrazonoyl Cyanide

Analogues as Potent EPAC Antagonists

Na Ye,^{a,c,1} Yingmin Zhu,^{b,1} Zhiqing Liu,^a Fang C. Mei,^b Haiying Chen,^a Pingyuan

Wang,^a Xiaodong Cheng,^{b,**} and Jia Zhou^{a,*}



^aChemical Biology Program, Department of Pharmacology and Toxicology, University of Texas Medical Branch, Galveston, Texas 77555, United States



^bDepartment of Integrative Biology and Pharmacology, Texas Therapeutics Institute, The University of Texas Health Science Center, Houston, Texas 77030, United States



^cDepartment of Medicinal Chemistry, College of Pharmaceutical Sciences, Soochow University, Suzhou, Jiangsu 215123, China



Table of Contents

Copies of ¹H and ¹³C NMR spectra page 2-29










NY0402
7.59
7.56
7.55
7.55
7.51
7.51

3.46


2.50

0.00




13

3.14
2.06
2.04
1.07
1.00



NY0402_C
179.11
170.04
161.55

145.82
135.49
132.37
131.93
131.38
129.80
128.23
125.27
121.65
121.00
119.72
113.00
111.19
102.05



13

