SUPPLEMENTAL MATERIAL

Defined Engineered Human Myocardium with Advanced Maturation for Applications in Heart Failure Modelling and Repair

Authors: Malte Tiburcy, MD^{1,2}; James E. Hudson, PhD^{1,2*}; Paul Balfanz^{1,2}; Susanne Schlick, MS^{1,2}; Tim Meyer, PhD^{1,2}; Mei-Ling Chang Liao, PhD^{1,2}; Elif Levent, PhD^{1,2}; Farah Raad, PhD^{1,2}; Sebastian Zeidler, PhD^{1,2,3}; Edgar Wingender, PhD^{2,3}; Johannes Riegler, PhD⁴; Mouer Wang, MD⁴; Joseph D. Gold, PhD^{4,5}; Izhak Kehat, MD PhD⁶; Erich Wettwer, PhD^{1,7}; Ursula Ravens, MD PhD⁷; Pieterjan Dierickx, PhD⁸; Linda W. van Laake, MD PhD⁸; Marie Jose Goumans, PhD⁹; Sara Khadjeh, PhD¹⁰; Karl Toischer, MD¹⁰; Gerd Hasenfuss, MD¹⁰; Larry A. Couture, PhD¹¹; Andreas Unger, PhD¹²; Wolfgang A. Linke, PhD^{2,10,12}; Toshiyuki Araki, PhD¹³; Benjamin Neel, MD PhD¹³; Gordon Keller, PhD¹⁴; Lior Gepstein, MD PhD⁶; Joseph C. Wu, MD PhD^{4,5}; Wolfram-Hubertus Zimmermann, MD^{1,2}

Affiliations: ¹Institute of Pharmacology and Toxicology, University Medical Center Goettingen, Goettingen, Germany. ²German Center for Cardiovascular Research (DZHK), partner site Goettingen, Goettingen, Germany. ³Institute of Bioinformatics, University Medical Center Goettingen, Goettingen, Germany. ⁴Stanford Cardiovascular Institute and ⁵Department of Radiology, Molecular Imaging Program, Stanford University School of Medicine, Stanford, CA, USA. ⁶The Sohnis Laboratory for Cardiac Electrophysiology and Regenerative Medicine, Technion-Israel Institute of Technology, Haifa, Israel. ⁷Institute of Pharmacology and Toxicology, Technical University Dresden, Dresden, Germany. ⁸University Medical Center Utrecht and Hubrecht Institute, Utrecht, The Netherlands. ⁹Leiden University Medical Center, Leiden, The Netherlands. ¹⁰Clinic for Cardiology and Pneumology, University Medical Center Goettingen, Goettingen, Germany. 11 Center for Applied Technology, Beckman Research Institute, City of Hope, Duarte, CA, USA. ¹²Department of Cardiovascular Physiology, Institute of Physiology, Ruhr University Bochum, Bochum, Germany. ¹³New Laura and Isaac Perlmutter Cancer Center at New York University Langone, New York. 14McEwen Centre for Regenerative Medicine, Toronto, Canada.

*Present address: Laboratory for Cardiac Regeneration, School of Biomedical Sciences, The University of Queensland, Australia

Corresponding author:

Wolfram-Hubertus Zimmermann, M.D. Institute of Pharmacology and Toxicology University Medical Center Goettingen Georg-August-University Robert-Koch-Str. 40 37075 Goettingen Germany

Tel: +49-551-39-5781; Fax: +49-551-39-5699 Email: w.zimmermann@med.uni-goettingen.de

Supplemental Methods Supplemental Tables 1-5 Supplemental Figures 1-11 Supplemental References Supplemental Video Legends

Supplemental methods

EHM - Starting Protocol. First, a suspension of differentiated single cells was prepared: (1) EBs were digested with collagenase B (Roche, 1 mg/ml; H9.2), collagenase I (Sigma-Aldrich, 2 mg/ml) and/or trypsin/EDTA (Life Technologies, 0.25%/1 mmol/l; HES3, HES3-ENVY, HES2, hiPS-BJ) as described elsewhere¹⁻⁶; (2) monolayers (hES2-RFP, hIPS-G1) were digested with Accutase (Millipore), 0.0125% Trypsin (Life Technologies), and 20 μg/ml DNAse (Calbiochem) for 10-15 mins at room temperature; and (3) human fibroblasts were dispersed using TrypLE (Life Technologies). Fibroblast culture was in DMEM with 4.5 g/l glucose, 15% fetal bovine serum, 100 U/ml penicillin, and 100 μg/ml streptomycin (all Life Technologies). Where indicated fibroblast were transduced with a lentivirus (pGIPZ, Addgene) for stable expression of GFP under the control of a ubiquitously active CMV promotor.

Freshly dispersed cells were counted using the electrical current exclusion method (CASY, Roche) before proceeding with EHM construction, using a modification of our original engineered heart tissue protocol⁷. Briefly, EHMs (reconstitution volume: 500 μl) were prepared by pipetting a mixture containing freshly dispersed ESC-derivatives (1x10⁴-15x10⁶ cells in Iscove-Medium with 20% fetal bovine serum, 1% non-essential amino acids, 2 mmol/l glutamine, 100 μmol/l β-mercaptoethanol, 100 U/ml penicillin, and 100 μg/ml streptomycin) with or without addition of fibroblasts as indicated, pH-neutralized collagen type I from rat tails (0.4 mg/EHM), MatrigelTM (10% v/v; Becton Dickenson), and concentrated serum-containing culture medium (2x DMEM, 20% horse serum, 4% chick embryo extract, 200 U/ml penicillin, and 200 μg/ml streptomycin) in circular molds

(inner/outer diameter: 2/4 mm; height: 5 mm - <u>Starting Protocol</u>, **Table 1**). EHM condensed quickly within the casting molds and were transferred onto static or dynamic stretch devices (110% of slack length)⁸⁻¹⁰ on culture day 3. Medium was exchanged every other day.

Definition of the EHM reconstitution and culture protocol towards cGMP. Initially, cells were reconstituted in a mixture of pH-neutralized medical grade bovine collagen (LLC Collagen Solutions, 0.4 mg/EHM), concentrated serum-containing culture medium (2x DMEM, 40% fetal calf serum, 200 U/ml penicillin, and 200 μ g/ml streptomycin) and cultured in Iscove-Medium with 20% fetal calf serum, 1% non-essential amino acids, 2 mmol/l glutamine, 300 μ mol/l ascorbic acid, 100 μ mol/l β -mercaptoethanol, 100 U/ml penicillin, and 100 μ g/ml streptomycin (Matrix Protocol, **Table 1**).

To generate defined, serum-free EHM, cells were reconstituted in a mixture of pH-neutralized medical grade bovine collagen (LLC Collagen Solutions, 0.4 mg/EHM), concentrated serum-free medium (2x RPMI, 8% B27 without insulin, 200 U/ml penicillin, and 200 μg/ml streptomycin) and cultured in Iscove-Medium with 4% B27 without insulin, 1% non-essential amino acids, 2 mmol/l glutamine, 300 μmol/l ascorbic acid, 100 ng/ml IGF1 (AF-100-11), 10 ng/ml FGF-2 (AF-100-18B), 5 ng/ml VEGF₁₆₅ (AF-100-20), 5 ng/ml TGF-β1 (AF-100-21C;mandatory during culture days 0-3), 100 U/ml penicillin, and 100 μg/ml streptomycin (Serum-free Protocol, **Table 1**). All growth factors were purchased from Peprotech as "animal-free recombinant human growth factors". Where indicated full B27 (Life Technologies, A1486701) was compared to B27 without antioxidants (Life Technologies, #10889038) and B27 without insulin (Life Technologies, #0050129SA).

Action potential recordings. We recorded spontaneous action potentials (APs) from individual cardiomyocytes in EHMs via conventional intracellular glass microelectrodes filled with 2.5 mol/l KCl in thermostatted (37°C) and pH-controlled (pH 7.4 under 5% O_2 and 95%

CO₂) extracellular solution (mmol/l: 126.7 NaCl, 5.4 KCl, 1.8 CaCl₂, 1.05 MgCl₂, 22 NaHCO₃, 0.42 NaH₂PO₄, 11 glucose).

Flow cytometry. Single cell suspensions were analysed either alive or fixed in 70% ice cold ethanol or 4% formaldehyde (Histofix, Roth). For live cell analysis, cells were incubated for 10 min in Sytox Red Dead Cell Stain (Life Technologies, 5 nmol/L) to exclude dead cells and Hoechst-3342 (Life Technologies, 10 μg/ml) to analyse nuclear DNA content and exclude cell doublets. The following gating strategy was applied: (1) gating of cells based on forward scatter area (FSC-A) and sideward scatter area (SSC-A), (2) gating of live cells (Sytox Red negative), (3) gating of single cells (based on DNA signal width), (4) gating of RFP-positive cells (cardiomyocytes), and (5) assessment of cardiomyocyte size based on median SSC-A or median RFP fluorescence intensity. Cardiomyocyte size measurements by flow cytometry were validated against morphometric measurements of cell area in microscopic images of identical samples using ImageJ software (Supplementary Figure 9).

Fixed cells were stained with Hoechst-3342 (Life Technologies, $10~\mu g/ml$) to analyse nuclear DNA content and to exclude cell doublets.

The following flow cytometry parameters were established for the factorial screen (Supplementary Figure 3): (1) cell viability (100% minus percentage of cells in the sub-G1 DNA fraction), (2) cardiomyocyte and non-myocyte percentage (actinin-positive and -negative cells, respectively), (3) cardiomyocyte median actinin fluorescence intensity (MFI, as a quantitative surrogate for cardiomyocyte sarcomere content), (4) cardiomyocyte, and (5) non-myocyte size (based on median SSC-A). Refer to Supplementary Table 2 for details on antibodies utilized in this study. Cells were run on a LSRII SORP Cytometer (BD Biosciences) and analysed using DIVA or Cyflogic software. At least 10,000 events were analysed per sample.

Immunofluorescence staining. EHM-derived cells or 2D monolayer cardiomyocytes were fixed in 4% formaldehyde (Histofix, Roth). After 3 washes with PBS, cells were incubated with primary antibodies in PBS, 5% goat serum (Thermo Scientific), 1% bovine serum albumin, 0.5% Triton-X (both Sigma-Aldrich) for 2 hours at room temperature or overnight at 4°C. The antibodies used in this study are summarized in **Supplementary Table 2**. After several washes, appropriate secondary antibodies and Hoechst-3342 (Life Technologies, 10 µg/ml) to detect nuclear DNA were added for 1 hour at room temperature. Where indicated Alexa Fluor coupled phalloidin (Thermo Scientific) to stain f-actin was added (1:60 dilution). Immunostainings were imaged using a Zeiss LSM710 confocal microscope¹¹. For sarcomere length measurements individual cardiomyocytes were semi-automatically analyzed using a custom-made Matlab (version 2014b) script. Briefly, individual actinin-stained sarcomeres were interactively traced using impoly command. Intensity values of the resulting pixel trace were smoothed (5 pixel moving average) and Z-bands were identified by the findpeaks command with a manually adjustable MinPeakProminence Parameter (default 50 for 8 bit images). Pixel X and Y indices were scaled to their respective physical length and converted to positions along the trace line by cumulatively summing the norms of vectors connecting neighboring pixel.

Supplemental Tables

Supplementary Table 1

PSC line	Cardiomyocyte differentiation	Input cells/500 µl E	EHM Contractions (defined areas / whole construct)	Experimental data
H9.2	Spontaneous, EB; Kehat et al. ²	10,000	local: 2-3 days after casting / whole: not observed	n.a.
H9.2		250,000	local: 2-3 days after casting / whole: not observed	n.a.
HES3-ENVY	Spontaneous, EB; ESI ¹	10,000	local: 2 days after casting / whole: not observed	n.a.
HES3-ENVY		100,000	local: 2 days after casting / whole: not observed	n.a.
HES3-ENVY		250,000	local: 1-2 days after casting / whole: not observed	n.a.
HES3-ENVY		1.5x10 ⁶	local: 1 day after casting / whole: 3 days after casting	Figure 2f
HES3-ENVY		15x10 ⁶	local: 1 day after casting / whole: 3 days after casting	n.a.
HES3	Spontaneous, EB; ESI ¹	1.5x10 ⁶	local: 1 day after casting / whole: 3 days after casting	n.a.
HES2	Directed, EB; Yang et al. ⁵	1.5x10 ⁶	local: 1 day after casting / whole: 3 days after casting	Figure 1b Suppl. Fig. 1f, 3d
HES2-RFP	Directed, monolayer; refer to method	s 1.5x10 ⁶	local: 1 day after casting / whole: 3 days after casting	Figure 1a-e, 2c,f, 3a-f, 4a-g Suppl. Fig. 1a-f, 2a-d, 3, 4a 5, 6, 7, 8, 9b, 10
hiPS-G1	Directed, monolayer; refer to method	s 1.5x10 ⁶	local: 1 day after casting / whole: 3 days after casting	Figure 1f, 2a-e, 3a,b Suppl. Fig. 4b,c, 5, 7b, 9a,b
H7	Directed, EB; Riegler et al. 6	1.5x10 ⁶	local: 1 day after casting / whole: 3 days after casting	Figure 1f, 5b-g Suppl. Figure 1f, 10
hiPS-BJ	Directed, EB, Yang et al. ⁵	1.5x10 ⁶	local: 1 day after casting / whole: 3 days after casting	Figure 1b
iCell [®] CM	CDI-undisclosed	1.5x10 ⁶	local: 1 day after casting / whole: 3 days after casting	Figure 1f, 3a,b Suppl. Video 2

Supplementary Table 1: Overview of EHM generation from various pluripotent stem cell lines. n.a.: not applicable, EB: embryoid body differentiation protocol

Supplementary Table 2

Primary Antibodies	Dilution	Vendor	Order Nr./ Clone
Sarcomeric α-actinin	1:1000-4000	Sigma-Aldrich	A7811
CD31 (Pecam1)	1:100	Abcam	ab28364
Human Anti-Integrin β1 (CD29)	1:200	Millipore	MAB1965
Human β Myosin heavy chain	1:100	Dev. Studies Hybridoma Bank	A4.951
β Myosin heavy chain	1:500	Dev. Studies Hybridoma Bank	MF20
Human cardiac Troponin T	1:200	Abcam	ab45932
MLC2V	1:500	Synaptic Systems	310003
MLC2A	1:500	Synaptic Systems	56F5
Myomesin-1	1:500	Proteintech	20360-1-AP
N-cadherin (CDH2)	1:50	Sigma-Aldrich	HPA058574
Ki67	1:100	Thermo Scientific	SP6
Secondary Antibodies	Dilution	Vendor	Order Nr.
Goat anti mouse Alexa Fluor 488	1:1000	Thermo Scientific	A-11001
Goat anti mouse Alexa Fluor 633	1:1000	Thermo Scientific	A-21052
Goat anti rabbit Alexa Fluor 633	1:1000	Thermo Scientific	A-21070
Goat anti rabbit Alexa Fluor 546	1:1000	Thermo Scientific	A-11010

Supplementary Table 2: Overview of primary and secondary antibodies

Supplementary Table 3: Cardiomyocyte transcriptome

Gene Symbol	Embryonic cardiomyocytes RPKM	Rank	Fetal Heart RPKM	Rank	Adult Heart RPKM	Rank
MYL7	16361,38	1	9101,30	1	566,72	30
TNNT2	5660,97	2	5983,81	2	5411,26	2
NPPA	3082,65	3	474,08	21	20,00	265
MYL4	2393,09	4	1248,75	8	60,04	142
POPDC2	2314,59	5	2016,64	5	1155,05	18
PLN	2009,90	6	842,31	13	886,30	22
RGS5	1969,40	7	625,01	15	1607,16	11
ANKRD1	1923,96	8	257,27	44	671,88	26
MYL3	1816,20	9	1633,33	6	1688,51	10
FABP3	1585,57	10	994,91	10	1260,77	15
ENO3	1427,43	11	504,95	20	1130,04	19
ACTC1	1324,64	12	1195,42	9	1353,81	14
MYL2	1264,78	13	754,32	14	4607,74	3
DMD	1235,66	14	2043,98	4	2030,08	8
COL4A5	1100,94	15	275,27	41	46,48	171
MYH7	835,00	16	2533,40	3	6175,99	1
CSRP3	688,62	17	309,49	34	511,22	31
NPPB	683,10	18	17,56	305	26,28	234
HSPB7	655,45	19	573,42	18	1188,17	16
CGNL1	639,91	20	524,56	19	173,74	62
CCDC141	575,53	21	910,89	12	390,40	38
SMPX	554,44	22	237,39	46	187,07	59
NPNT	498,38	23	459,41	24	7,67	397
PDK1	491,20	24	467,19	23	78,33	114
MYOCD	483,98	25	594,64	16	226,24	56
IGFBP2	447,11	26	119,56	79	70,69	119
THBS4	413,05	27	138,25	74	308,39	45
NEBL	374,05	28	275,68	40	344,30	42
СКМ	369,60	29	443,76	25	1048,87	20
TNNI3	364,60	30	441,83	27	1694,21	9
TTN	362,14	31	917,23	11	1507,67	12
MYH6	342,66	32	48,72	161	246,49	50
YPEL2	336,44	33	188,34	60	162,78	66
LAPTM4B	314,51	34	138,02	75	61,08	139
MYBPC3	288,67	35	467,56	22	823,87	23
COL15A1	285,00	36	1275,76	7	896,22	21
MLIP	283,44	37	257,64	43	451,71	34
TNNI1	282,25	38	172,27	65	7,76	396
C7	279,36	39	89,24	101	47,91	164
SPINT2	278,17	40	35,57	199	11,56	337
TECRL	270,33	41	208,48	53	398,22	37
APOA1	266,33	42	4,58	520	30,89	212
SH3BGR	253,18	43	163,18	67	69,22	124

APOE	247,27	44	14,83	331	10,64	347
ACTN2	244,16	45	311,96	33	585,17	29
CPE	235,06	46	63,61	137	67,32	125
DES	225,84	47	368,58	29	3582,77	5
NREP	220,12	48	267,10	42	6,23	440
MYOZ2	219,75	49	123,07	77	288,10	46
MDK	211,09	50	216,22	52	1,44	701
LDB3	209,64	51	592,56	17	708,59	25
CRIP2	198,67	52	216,36	51	240,89	53
VCAM1	192,47	53	31,91	218	5,88	447
APOBEC2	183,71	54	120,20	78	114,52	83
IGF2	183,17	55	81,03	110	17,30	285
SMYD1	179,38	56	190,82	57	108,57	86
MB	178,19	57	338,22	32	3935,68	4
ATP1B1	176,58	58	111,40	85	109,36	85
CRYAB	167,14	59	299,07	35	1356,53	13
EEF1A2	163,59	60	193,86	56	374,60	40
MYOM1	162,53	61	351,96	31	379,57	39
PPP1R9A	154,28	62	352,17	30	200,43	58
CHD7	153,08	63	287,88	37	145,24	70
MLF1	148,57	64	216,44	50	87,82	100
FZD3	143,28	65	84,50	106	21,78	254
GPR22	142,67	66	292,76	36	96,27	95
HSPB3	138,05	67	198,24	55	114,77	82
CNN1	134,83	68	60,26	138	107,67	87
KRT8	133,29	69	23,28	264	12,26	330
SLC25A4	130,57	70	88,87	102	243,91	52
ACTA1	127,98	71	6,17	471	3251,70	6
CKMT2	127,66	72	157,95	69	479,49	33
TMEM71	126,37	73	287,57	38	91,01	98
PROX1	122,15	74	243,57	45	157,24	67
HAND2	121,52	75	171,09	66	64,04	132
SLC8A1 LMOD2	119,35 115,44	76 77	218,76 58,19	49 142	93,51 253,56	96 48
SNTA1	112,27	78	93,32	96	61,19	138
HOOK1	111,61	79	36,37	196	20,36	261
ITGB1BP2	108,97	80	58,13	144	31,58	209
NCAM1	107,50	81	157,35	70	168,72	64
PLCL2	104,18	82	200,50	54	98,02	91
BMP5	101,44	83	64,21	133	2,10	630
EPHA4	100,69	84	17,99	303	19,06	272
BVES	99,74	85	85,28	104	28,43	222
HRC	99,35	86	67,72	126	320,85	43
UNC45B	96,94	87	104,97	88	59,75	143
PRKCH	96,64	88	72,92	122	46,95	168
GUCY1A3	96,63	89	80,72	111	38,94	186
ALDOC	96,58	90	118,45	80	96,41	93

RAPGEF4	93,68	91	82,37	109	38,73	187
CASQ2	92,57	92	221,88	48	423,11	35
PKP2	91,55	93	80,47	112	118,92	77
CPVL	89,22	94	31,47	220	43,53	178
GCNT2	87,87	95	139,39	73	67,02	126
XPO4	87,30	96	63,68	135	16,30	289
TRIM63	86,95	97	103,35	89	72,27	118
SORBS2	86,57	98	395,76	28	261,56	47
EDNRA	84,49	99	67,51	127	21,16	256
PPP1R14C	82,68	100	59,38	140	30,81	213
STOX2	82,23	101	189,87	59	129,03	72
SERPINA5	82,14	102	0,55	725	2,38	611
PTP4A3	81,41	103	98,44	90	169,25	63
AK4	80,96	104	84,78	105	117,92	79
ABLIM1	79,99	105	109,04	87	253,18	49
ANK2	79,14	106	158,12	68	123,04	76
RBM24	79,06	107	183,20	62	64,63	131
PPP1R13B	79,05	108	174,49	63	117,75	80
HEPH	78,29	109	34,17	207	6,37	436
LRRC17	77,05	110	14,80	332	1,07	765
CORIN	76,98	111	111,14	86	26,47	233
ADPRHL1	74,96	112	93,86	94	118,51	78
PPP1R12B	73,46	113	173,23	64	146,24	69
FITM1	72,84	114	38,22	188	24,72	240
PPARGC1A	72,36	115	89,28	100	77,39	115
ILDR2	72,00	116	64,77	132	28,39	223
TCAP	71,70	117	34,34	205	720,26	24
SIPA1L2	71,11	118	80,41	113	45,25	175
FIGN	70,60	119	154,16	71	47,61	165
SERPINI1	69,93	120	11,94	369	11,24	341
FREM1	69,70	121	115,32	83	7,64	400
C1orf105	68,10	122	3,79	542	3,16	559
DTNA	66,99	123	53,10	150	102,19	90
ASB2	66,88	124	44,72	174	55,38	149
RYR2	66,65	125	189,96	58	487,71	32
LRRC10	66,31	126	58,14	143	20,29	263
PPM1K	66,09	127	26,52	243	81,30	108
CYP2J2	65,34	128	32,48	214	44,30	176
AGL	65,05	129	49,83	158	28,07	227
COL21A1	64,68	130	117,92	81	22,82	247
KLHL31	64,50	131	48,89	160	309,59	44
CHN2	64,17	132	65,20	130	55,22	150
AQP1	62,87	133	33,85	210	57,38	147
COL14A1	62,61	134	45,12	173	15,11	303
NKX2-5	62,33	135	50,30	157	46,71	170
RIMKLA	61,99	136	50,40	156	45,93	172
FAM134B	61,89	137	64,02	134	130,78	71

HIF3A	61,72	138	285,54	39	86,64	101
MMP15	61,66	139	43,48	177	22,80	248
TBX20	59,65	140	183,83	61	36,83	194
FNDC5	58,02	141	51,66	153	163,29	65
TSPAN18	57,37	142	96,54	91	103,93	89
RRAD	56,71	143	94,14	93	62,84	136
RNF207	55,59	144	225,81	47	50,05	159
MYO18B	55,21	145	93,10	97	85,51	102
XIRP1	55,17	146	77,97	116	244,86	51
TRDN	55,14	147	26,03	249	58,39	145
NDRG2	54,36	148	45,37	171	78,79	113
DLK1	53,79	149	93,32	95	14,92	304
DMKN	52,30	150	38,01	190	5,44	459
GREB1	51,94	151	82,53	108	28,35	224
MYLK3	51,37	152	47,66	164	60,48	141
IFI44L	50,65	153	2,77	578	82,32	106
TMEM178A	50,59	154	48,21	163	4,73	481
RRAGD	48,74	155	27,00	240	30,18	218
ITGA9	47,43	156	88,79	103	97,14	92
MTUS1	47,18	157	65,37	129	79,37	110
CASQ1	46,92	158	5,40	492	24,06	245
FILIP1	46,57	159	58,98	141	63,19	134
LRRC39	46,42	160	56,69	146	47,99	163
PDGFD	45,48	161	20,51	283	9,86	358
B4GALNT4	45,34	162	8,87	415	1,77	657
CCDC69	44,84	163	26,48	245	39,60	185
PYGM	44,39	164	25,38	252	56,47	148
JPH2	43,84	165	44,67	175	40,86	180
CORO6	43,74	166	92,27	98	29,40	219
PCDH7	42,92	167	73,32	121	37,36	193
GATA4	42,92	168	49,26	159	37,46	192
ISYNA1	42,49	169	30,67	224	8,85	370
NAP1L3	41,63	170	9,96	399	2,95	569
MTTP	41,20	171	0,64	721	7,10	413
LLGL2	40,13	172	25,77	251	5,78	449
RAB3IP	38,59	173	43,87	176	16,13	292
PRSS42	38,44	174	127,77	76	52,35	155
SLC47A1	37,87	175	13,96	345	15,15	302
ST6GAL1	37,17	176	24,33	257	24,30	243
AGT	36,99	177	18,42	300	33,79	199
TMEM176B	36,90	178	23,03	267	22,23	251
VTN	36,81	179	0,95	693	16,25	290
RNASE1	36,71	180	20,48	284	37,57	191
SPINK5	36,31	181	2,71	582	4,89	477
RBM38	36,17	182	32,14	216	15,96	294
RCAN2	35,76	183	23,40	263	124,38	74
S1PR1	35,55	184	29,14	230	20,32	262

EPB41L3	35,41	185	36,54	195	3,21	554
KCNQ1	35,22	186	45,87	170	48,09	162
FAM84B	35,16	187	34,41	204	2,77	589
TPD52L1	34,79	188	9,77	403	47,07	167
RAB9B	34,75	189	16,01	316	13,46	321
CFI	34,63	190	2,56	588	8,16	386
B4GALNT3	34,26	191	70,13	124	13,57	319
DENND5B	34,24	192	27,71	238	16,23	291
RAMP2	34,11	193	141,11	72	82,86	105
MST1	33,98	194	11,96	368	3,35	547
ERBB3	33,90	195	29,16	229	13,79	314
RCSD1	33,85	196	57,10	145	17,58	282
GCA	33,81	197	20,57	282	6,92	417
PGM5	33,76	198	55,84	148	92,21	97
RAMP1	33,74	199	43,09	179	75,32	116
ARHGAP42	33,32	200	18,18	302	4,41	495
COLEC11	33,31	201	42,52	182	5,02	475
LPL	33,31	202	442,26	26	2467,43	7
BST2	33,17	203	0,67	719	12,09	331
DUSP27	32,85	204	26,76	242	85,29	104
SLAIN1	32,27	205	21,80	275	12,64	329
APOB	31,62	206	0,74	713	3,54	538
IGSF3	31,10	207	14,19	341	4,88	479
BMP7	31,09	208	28,98	231	2,32	618
PRRG3	30,47	209	115,96	82	14,36	309
CTNNA3	30,31	210	46,35	169	31,90	205
FAM189A2	30,25	211	63,62	136	11,90	333
EDA	30,16	212	29,91	228	15,41	299
CMYA5	30,16	213	47,52	165	653,71	27
PLEKHA7	29,75	214	96,34	92	20,18	264
COL4A6	29,60	215	5,66	487	3,94	524
CDKN1C	29,57	216	14,46	337	11,27	340
TRIM24	29,48	217	20,77	281	3,96	522
SMTNL2	29,41	218	2,60	586	8,27	384
TRIM54	29,36	219	28,13	234	73,33	117
ITGA7	29,25	220	38,04	189	123,29	75
ALPK3	29,00	221	52,28	152	50,64	158
PARM1	28,98	222	41,23	184	31,67	207
FAM78A	28,80	223	21,17	278	8,89	369
PTPRD	28,73	224	28,83	232	3,58	533
TMOD1	28,67	225	33,28	213	34,33	197
CLGN	28,46	226	25,90	250	32,71	202
GAB1	28,07	227	69,20	125	19,52	266
NAALAD2	27,76	228	47,50	166	5,57	454
SLC4A3	27,63	229	83,16	107	96,31	94
ADCY5	27,49	230	42,78	180	40,37	182
BCL2L11	27,42	231	46,41	168	19,32	269

SYNPO2L	27,35	232	24,54	255	70,34	122
МҮН7В	27,19	233	80,09	115	37,68	190
ABCB4	27,12	234	65,19	131	31,62	208
PROM1	26,88	235	23,06	266	22,75	249
TSTD1	26,42	236	26,24	247	3,48	541
CADPS	26,14	237	12,89	354	8,76	373
VSNL1	26,13	238	10,27	391	14,14	311
BCAM	25,85	239	51,64	154	25,35	238
GARNL3	25,34	240	76,22	119	64,97	129
TMEM133	25,34	241	12,63	356	2,88	577
VASH1	25,28	242	12,25	363	4,07	515
KCNH2	25,04	243	34,22	206	25,83	237
RBM20	24,99	244	72,17	123	50,91	156
ADHFE1	24,98	245	80,23	114	61,48	137
DSG2	24,30	246	15,97	317	14,11	312
RAB3C	24,16	247	2,08	615	1,32	720
FRAS1	23,79	248	48,36	162	4,39	496
CSRNP3	23,58	249	25,05	253	12,04	332
ADAMTS9	23,47	250	30,22	227	22,29	250
DOK7	23,27	251	33,37	212	34,53	196
ACOT11	23,21	252	77,92	117	40,30	183
RASL11B	22,36	253	10,47	387	2,11	629
UNC13D	22,29	254	10,91	381	9,26	365
DUSP26	21,86	255	9,12	410	18,25	278
STAT4	21,77	256	27,98	235	1,48	696
MED12L	21,76	257	23,80	260	7,83	391
FAM160A1	21,62	258	19,05	297	63,57	133
GATM	21,61	259	8,85	418	8,61	375
CACNB2	21,37	260	56,67	147	26,52	231
CIB2	21,35	261	10,88	382	2,93	571
NIPSNAP3B	21,18	262	17,21	310	24,12	244
TTC39A	21,07	263	2,61	585	9,04	368
ICA1	21,03	264	23,45	262	26,18	236
SRL	20,85	265	77,04	118	128,90	73
SGCA	20,65	266	46,83	167	70,15	123
ATRNL1	20,45	267	4,54	522	9,88	357
FAM81A	20,39	268	42,34	183	4,04	516
COX6A2	20,19	269	60,10	139	347,99	41
HOPX	20,14	270	7,97	432	5,36	464
PDE4D	19,90	271	16,83	314	18,41	276
EGLN3	19,77	272	19,90	292	52,90	151
PRKAA2	19,61	273	30,31	226	60,97	140
MAN1C1	19,50	274	8,17	426	6,49	428
SCN5A	19,49	275	36,04	197	57,61	146
ZNRF2	19,47	276	10,39	390	5,65	452
SLC1A3	19,41	277	33,84	211	26,26	235
CLIC5	19,19	278	18,90	299	107,56	88

FGF12	19,02	279	112,31	84	50,73	157
CADM4	18,85	280	7,01	449	3,01	567
LAD1	18,81	281	2,19	608	4,17	510
RASSF4	18,74	282	15,60	321	15,23	301
CMTM5	18,60	283	5,25	501	6,47	429
TMEM56	18,60	284	12,38	360	14,88	306
OBSCN	18,24	285	43,34	178	79,35	111
EPHA7	18,16	286	19,97	291	3,37	546
PPP1R1C	18,07	287	12,39	359	52,53	154
OSBP2	18,00	288	12,03	366	5,84	448
PLCXD3	17,92	289	53,01	151	26,51	232
CAND2	17,87	290	12,07	365	20,66	260
GJA3	17,71	291	24,67	254	9,92	356
INPP5J	17,51	292	9,56	405	32,03	204
AKAP6	17,44	293	34,14	208	45,79	173
MURC	17,42	294	18,42	301	19,35	268
PRICKLE1	17,32	295	14,93	330	3,99	521
SPHKAP	17,27	296	51,55	155	38,07	189
RASSF5	17,13	297	14,66	335	7,37	406
PPP1R1A	16,83	298	21,88	274	10,57	348
FAM184A	16,82	299	9,70	404	1,79	653
SLC38A3	16,74	300	7,19	446	6,45	430
HTRA3	16,72	301	15,32	323	24,38	242
PLCB2	16,62	302	32,20	215	15,89	296
FXYD6	16,54	303	35,44	200	5,54	456
PPFIA4	16,42	304	31,61	219	8,51	377
ITIH3	16,35	305	1,44	657	2,33	617
ANO5	16,31	306	20,28	287	30,25	217
ACSM3	16,11	307	15,49	322	18,09	279
EFNA1	15,92	308	11,25	375	10,29	353
F5	15,87	309	10,15	397	14,42	308
SLC40A1	15,84	310	23,72	261	13,65	315
SHC2	15,79	311	11,10	378	6,43	434
PPM1L	15,76	312	35,63	198	70,66	120
MTSS1	15,73	313	33,96	209	10,90	345
ZNF711	15,71	314	21,99	273	1,44	700
GPRIN3	15,66	315	38,23	187	7,31	408
SLC2A4	15,65	316	15,11	328	47,17	166
VSTM2L	15,57	317	7,41	443	1,49	693
SSTR2	15,46	318	5,74	484	5,39	462
KLHL3	15,44	319	17,69	304	7,66	398
CXADR	15,38	320	12,26	362	10,06	354
GPX3	15,16	321	7,90	435	175,17	61
RASL10B	15,13	322	4,26	528	4,16	511
CAMK2B	15,09	323	14,74	333	44,30	177
PPP1R3A	15,05	324	5,25	500	58,72	144
SLC7A2	14,76	325	4,66	516	13,65	316

HEY2	14,66	326	31,94	217	11,67	335
HHATL	14,61	327	26,49	244	237,29	54
DYSF	14,23	328	10,03	398	24,40	241
TMEM176A	14,22	329	9,81	402	10,45	350
METTL7A	13,93	330	5,91	479	5,12	472
ESRRG	13,81	331	28,18	233	14,35	310
ERBB4	13,78	332	37,56	192	3,49	539
WNK2	13,68	333	90,80	99	79,09	112
PLBD1	13,66	334	14,28	339	7,78	393
COLQ	13,65	335	12,29	361	2,70	595
FRMD4B	13,65	336	37,82	191	4,12	512
FBXO40	13,63	337	31,13	222	79,87	109
TNNT1	13,55	338	14,70	334	40,78	181
SELP	13,51	339	1,38	663	2,28	619
COL9A3	13,40	340	17,12	313	4,41	493
MTUS2	13,38	341	54,74	149	18,49	275
PTGES3L	13,28	342	11,14	377	5,08	473
HEY1	13,05	343	4,19	532	4,88	480
GRIA4	12,89	344	2,82	574	1,37	712
FTCD	12,87	345	5,03	506	2,07	632
TXLNB	12,79	346	22,18	271	31,75	206
TESC	12,72	347	13,41	351	33,68	200
TMEM38A	12,69	348	6,35	464	11,44	338
DERL3	12,56	349	14,08	343	2,59	597
EPHX2	12,35	350	8,85	417	8,68	374
FSD2	12,18	351	21,09	279	13,29	323
NGFR	11,85	352	2,90	568	7,45	405
GUCY1B3	11,83	353	19,87	293	14,78	307
SORCS1	11,82	354	2,96	565	1,33	717
RXRG	11,81	355	1,53	649	3,42	544
SPSB4	11,73	356	11,33	374	1,85	646
SLC16A12	11,54	357	8,68	419	2,37	614
KCNJ5	11,52	358	8,11	427	6,38	435
SPON1	11,45	359	11,08	379	4,47	491
PPARGC1B	11,34	360	26,12	248	40,20	184
CHRNA3	11,30	361	2,35	600	2,82	584
RASGRP3	11,24	362	26,76	241	19,41	267
KIAA1324L	11,23	363	2,36	599	1,61	676
JPH1	11,12	364	10,85	383	7,00	415
ACVR2B	11,11	365	8,39	423	3,13	560
EPB41L4A	11,09	366	37,55	193	9,93	355
AMT	11,07	367	12,03	367	6,77	421
HRASLS	11,02	368	5,33	493	2,26	621
IRX4	10,90	369	16,74	315	4,11	513
KLHL30	10,88	370	7,83	437	5,95	444
ADSSL1	10,84	371	23,92	259	38,20	188
RBPMS2	10,69	372	20,16	288	31,53	211

GAS7							
REEP1 RCOR2 10.14 376 6.62 459 11.39 705 CA3 10.01 377 2.09 614 9.66 624 APLNR 9.96 378 379 11.61 372 9.16 9.96 APLNR 9.98 379 11.61 372 9.16 9.90 11.91 379 11.61 372 9.16 9.90 11.91 11.61 9.93 379 11.61 372 9.16 9.80 189 189 181 182 182 182 182 183 181 182 183 181 183 181 183 181 183 181 183 181 183 181 183 181 183 181 183 181 183 183	GAS7	10,29	373	13,90	347	13,52	320
RCOR2 CA3 10.01 1377 2,09 614 9,36 36,36 36A APINNR 9,98 378 378 379 11,61 372 9,18 366 INHA 9,92 390 2,00 619 4,04 611 40,36 6682 ATPIB2 9,80 381 16,82 463 22,02 252 ATPIB2 9,80 382 353,31 201 7,51 403 TET1 9,78 383 17,16 312 1,54 686 FDE9A 9,76 384 0,08 769 FDE9A 9,56 385 8,86 413 4,27 503 SLOO2B1 9,50 386 15,24 325 SHBGRILZ 9,34 387 RNF144A 9,13 388 11,64 371 7,31 407 TPDG2 9,11 389 5,04 564 5811 9,07 391 17,21 309 22,40 270 5,89 446 ASB11 9,07 391 17,21 309 27,29 228 SEPP1 9,04 392 5,71 485 10,30 395 6,71 485 10,30 395 10,37 733 1,28 727 HCN4 8,93 395 0,37 733 1,28 727 HCN4 8,93 395 0,37 733 1,28 727 FSPANIZ 8,88 397 7,93 433 3,40 545 FGF18 8,86 398 2,20 20 20 20 20 20 20 20 20 20 20 20 20 2	ENPEP						
CA3							
APLINR 9,96 378 36,72 194 17,41 283 FHIT 9,93 379 11,61 372 9,18 366 INHA 9,92 380 2,00 619 4,04 517 WBSCR17 9,89 361 6,82 453 22,02 252 ATP182 9,80 382 35,31 201 7,51 403 TET1 9,76 384 0,08 769 1,77 656 ISSF1 9,76 384 0,08 769 1,77 656 PDE9A 9,56 385 8,86 413 4,27 503 SLCO2B1 9,50 366 15,24 325 61,61 107 FNF144A 9,13 388 11,64 371 7,31 407 FDD52 9,11 389 5,04 564 2,90 574 ASB11 9,07 391 17,21 309 27,29 228 SEPP1 9,04 392 5,71 495 10,30 352 CREBS 8,97 393 40,32 185 20,97 258 EVENT 9,09 366 52,50 269 422,21 36 CREBS 8,97 393 40,32 185 20,97 258 EVENT 9,09 366 22,50 269 422,21 36 CP 8,83 395 0,37 733 1,28 727 MYOM2 8,90 366 22,50 269 422,21 36 ESAM 8,58 396 396 22,50 269 422,21 36 ESAM 8,58 402 45,26 172 65,67 128 RNF165 8,56 403 20,02 290 18,01 280 CRESS 8,57 400 270 280 11,20 280 CRESS 8,56 403 20,02 290 18,01 280 CRESS 8,58 402 45,26 172 65,67 128 RNF165 8,56 403 20,02 290 18,01 280 CRESS 8,56 403 20,06 22,88 272 19,31 270 CRESS 8,56 403 20,16 289 7,13 411 CRESS 8,56 403 20,16 20,16 20,16 20,16 20,16 20 CRESS 8,56 400 400 400 400 400 40		10,14	376		459		
FHIT 9,93 379 11,61 372 9,18 366 INHA 9,92 380 2,00 619 4,04 6177 WISCRIT 9,89 361 6,82 453 22,02 252 ATP182 9,80 381 6,82 453 22,02 17,51 403 TET1 9,78 383 17,16 312 1,54 686 1GSF1 9,76 384 0,08 769 11,77 656 PDE9A 9,66 385 8,96 413 4,27 603 SLCOZ81 9,50 386 15,24 325 81,61 107 SH38GRL2 9,34 387 3,73 545 2,78 587 KNF144A 9,13 388 11,64 371 7,31 407 TPDS2 9,11 389 5,04 504 2,90 574 FBM22 9,00 390 22,40 270 5,89 446 ASBH1 9,07 391 17,21 309 27,29 228 SEPP1 9,04 392 5,71 485 10,30 352 CREB5 8,97 393 40,32 185 20,97 228 KNFN 44 40,2 CP 8,83 395 0,37 733 1,28 727 MYONZ 8,90 396 22,50 269 422,21 36 NEURLZ 8,88 397 7,33 433 3,128 727 MYONZ 8,80 396 22,50 269 422,21 36 NEURLZ 8,88 397 7,33 433 3,24 25 SI3,23 325	CA3		377		614	9,36	
INHA	APLNR	9,96	378	36,72	194	17,41	283
WBSCR17	FHIT	9,93	379	11,61	372	9,18	366
ATP1B2 9,80 382 35,31 201 7,51 403 TET1 9,76 383 17,16 312 1,54 686 IGSF1 9,76 384 17,16 312 1,54 686 PDE9A 9,56 385 8,96 413 4,27 650 SLCO2B1 9,50 386 15,24 325 81,61 107 SHBGRIL2 9,34 387 3,73 645 2,78 687 RNF144A 9,13 388 11,64 371 7,31 407 TPD52 9,11 389 5,04 604 2,90 674 FBXL22 9,09 390 22,40 270 5,99 446 ASB11 9,07 391 17,21 309 27,29 288 SEPP1 9,04 392 5,71 485 10,30 352 CREB5 8,97 393 40,32 185 20,97 258 HCM 8,93 395 0,37 733 1,28 727 MYOM2 8,90 396 22,50 269 422,21 36 NEURL2 8,88 397 7,93 443 3,40 646 FGF18 8,86 398 24,34 256 13,23 325 REF18 8,86 399 20,02 290 18,01 220 ADCY1 8,78 400 22,08 272 19,31 270 CG 8,66 401 5,26 499 115,06 81 ESAM 8,58 402 45,26 172 65,67 128 RNF16S 8,56 403 20,16 289 7,13 412 USP2 8,53 404 13,33 346 27,07 229 KIAA0895 8,50 405 6,89 450 1,32 713 TNFSF10 8,37 406 2,11 612 15,94 296 CTIO121 8,36 407 0,35 735 6,75 423 CNTM4 8,32 408 31,30 221 3,62 5,74 TNGG 8,29 409 412 30,56 225 29,28 220 CNTM4 8,32 408 31,30 221 3,62 5,75 CNTM4 8,32 408 31,30 321 444 227 6,80 CNTM4 8,32 408 31,30 321 444 227 6,80 CNTM4 8,32 408 31,30 321 444 3,30 5,68 CNTM4 8,32 408 31,30 321 444 3,30 5,68 CNTM4 8,32 408 414 414 414 414 414 414 414 414 414 41	INHA	9,92	380	2,00	619	4,04	517
TET1 9,78 383 17,16 312 1,64 686 1GSF1 9,76 384 0,08 769 1,77 656 PDE9A 9,56 385 8,08 413 4,27 563 SILCOZB1 9,50 386 15,24 325 81,61 107 SH3BGRL2 9,34 387 3,73 545 2,78 587 RNF144A 9,13 388 11,64 371 7,31 407 TPD52 9,11 389 30 22,40 270 5,99 446 ASB11 9,07 391 17,21 309 27,29 228 SEPP1 9,04 392 5,71 485 10,30 352 CREB5 8,97 393 394 8,57 422 4,44 492 CP 8,93 395 22,50 269 422,21 36 RUMOM2 8,90 396 22,50 269 422,21 36 RUMOM2 8,86 396 24,34 256 13,23 325 TSPAN12 8,86 396 24,34 256 13,23 325 TSPAN12 8,86 396 24,34 256 13,23 325 TSPAN12 8,86 396 400 22,08 272 19,31 270 CR CR SAM 8,58 400 45,26 409 115,06 81 ESAM 8,58 402 45,26 409 115,06 81 ESAM 8,58 402 45,26 409 115,06 81 ESAM 8,58 402 45,26 172 65,67 128 RNF165 8,56 403 20,16 229 7,13 412 USP2 8,59 406 407 0,35 735 735 6,75 423 CNTN4 8,32 408 31,30 221 3,62 575 423 CNTN4 8,32 408 31,30 221 3,62 575 423 CNTN4 8,32 408 31,30 221 3,62 532 CNTN4 8,32 408 53,00 405 54	WBSCR17	9,89	381	6,82	453	22,02	252
DISSF1	ATP1B2	9,80	382	35,31	201	7,51	403
PDE9A 9,56 386 8,96 413 4,27 503 SLCO2B1 9,50 386 15,24 325 81,61 107 SH3BGRL2 9,34 387 3,73 545 2,78 567 RNF144A 9,13 388 11,64 371 7,31 407 TPD52 9,11 389 5,04 504 2,90 574 FBXL22 9,99 390 22,40 270 5,89 446 ASB11 9,07 391 17,21 309 27,29 226 REPS 8,97 393 40,32 185 20,97 256 HCN4 8,93 394 8,57 422 4,44 402 CP 8,83 396 0,37 733 1,28 727 RDFN12 8,80 NEURL2 8,88 397 7,93 433 3,40 545 FGF18 8,86 398 24,34 256 13,23 325 TSPAN12 8,86 399 20,02 290 18,01 280 RNF165 8,66 401 5,26 409 115,06 81 ESAM 8,58 402 45,26 172 65,67 128 RNF165 8,66 401 5,26 409 115,06 81 ESAM 8,58 402 45,26 172 65,67 128 RNF165 8,56 403 20,16 299 7,13 412 270 CRTN14 8,32 406 21,11 612 15,94 295 CNTN4 8,32 406 31,30 22,11 612 15,94 22,25 22,26 230 240 270 290 18,01 280 CNTN4 8,78 400 22,08 272 19,31 270 CRR RNF165 8,56 403 20,16 20,97 22,98 272 19,31 270 CRR RNF165 8,56 403 20,16 20,97 22,98 272 19,31 270 CRR RNF165 8,56 403 20,16 20,97 20,97 20,90 20,90 20,90 20,90 20,90 20,90 20,90 20,90 20,90 20,90 20,90 20,90 20,90 20,90 20,90 20,90 20,90 20,90 20,90 20,90 20,90 20,90 20,90 20,90 20,90 20,90 20,90 20,90 20,90 20,90 20,90 20,90 20,90 20,90 20,90 20,90 20,90 20,90 20,90 20,90 20,90 20,90 20,90 20,90 20,90 20,90 20,90 20,90 20,90 20,90 20,90 20,90 20,90 20,90 20,90 20,90 20,90 20,90 20,90 20,90 20,90 20,90 20,90 20,90 20,90 20,90 20,90 20,90 20,90 20,90 20,90 20,90 20,90 20,90 20,90 20,90 20,90 20,90 20,90 20,90 20,90 20,90 20,90 20,90 20,90 20,90 20,90 20,90 20,90 20,90 20,90 20,90 20,90 20,90 20,90 20,90 20,90 20,90 20,90 20,90 20,90 20,90 20,90 20,90 20,90 20,90 20,90 20,90 20,90 20,90 20,90 20,90 20,90 20,90 20,90 20,90 20,90 20,90 20,90 20,90 20,90 20,90 20,90 20,90 20,90 20,90 20,90 20,90 20,90 20,90 20,90 20,90 20,90 20,90 20,90 20,90 20,90 20,90 20,90 20,90 20,90 20,90 20,90 20,90 20,90 20,90 20,90 20,90 20,90 20,90 20,90 20,90 20,90 20,90 20,90 20,90 20,90 20,90 20,90 20,90 20,90 20,90 20,90 20,90 20,90 20,90 20,90 20,90 20,90 20,90 20,90 20,90 20,90 20,90 20,90 20,90 20,90 20,90 20,90 20,90 20,90 20,90 20,90 20,90 20,90 20,90 20,90	TET1	9,78	383	17,16	312	1,54	686
SLCOZB1 9,50 386 15,24 325 81,61 107 SH3BGRL2 9,34 387 3,73 545 2,78 587 RNF144A 9,13 388 11,64 371 7,31 407 FDS2 9,111 389 5,04 504 2,90 574 FBXL22 9,09 390 22,40 270 5,89 446 ASB11 9,07 391 17,21 309 27,29 228 SEPP1 9,04 392 5,71 485 10,30 352 CREBS 8,97 393 40,32 185 20,97 258 HCN4 8,93 394 8,57 422 4,44 492 CP 8,93 395 0,37 733 1,28 727 MYOM2 8,90 396 22,50 269 422,21 36 NEURL2 8,86 398 24,34 256 13,23	IGSF1	9,76	384	0,08	769	1,77	656
SH3BGRL2 9,34 387 3,73 545 2,78 567 RNF144A 9,13 388 11,64 371 7,31 407 TPD52 9,11 389 5,04 504 2,90 574 FBXL22 9,09 390 22,40 270 5,89 446 ASBH1 9,07 391 17,21 309 27,29 228 SEPP1 9,04 392 5,71 485 10,30 352 CREB5 8,97 393 40,32 185 20,97 258 HCN4 8,93 394 8,57 422 4,44 492 CP 8,83 395 0,37 733 1,28 727 MYOM2 8,90 396 22,50 269 422,21 36 NEURL2 8,88 397 7,93 433 3,40 546 FGF18 8,66 399 20,02 290 16,01 <	PDE9A	9,56	385	8,96	413	4,27	503
RNF144A 9,13 388 11,64 371 7,31 407 TPD52 9,11 389 5,04 504 2,90 574 FBXL22 9,09 390 22,40 270 5,89 446 ASB11 9,07 391 17,21 309 27,29 228 SEPP1 9,04 392 5,71 485 10,30 352 CREB5 8,97 393 40,32 185 20,97 256 HCN4 8,93 394 8,57 422 4,44 492 CP 8,93 395 0,37 733 1,28 727 MYOM2 8,90 396 22,50 269 422,21 36 FGF18 8,88 397 7,93 433 3,40 545 FGF18 8,86 399 20,02 269 18,01 280 ADCY1 8,78 400 22,08 272 19,31 270 C6 8,66 401 5,26 499 115,06 81 ESAM 8,58 402 45,26 172 65,67 128 RNF165 8,56 403 20,16 289 7,13 412 USP2 8,53 404 13,93 346 27,07 229 KIAA0895 8,50 405 6,89 450 1,32 719 KIAA0895 8,50 406 2,11 612 CTIOTIZI 8,36 407 0,35 735 735 6,75 423 CNTN4 8,32 408 31,30 221 3,62 532 CNTN4 8,36 407 0,35 735 6,75 423 CNTN4 8,32 408 31,30 221 3,62 532 CNTN4 8,36 407 0,35 735 6,75 423 CNTN4 8,32 408 31,30 221 3,62 532 CNTN4 8,36 407 0,35 735 6,75 423 CNTN4 8,32 408 31,30 221 3,62 532 CNTN4 8,36 407 0,35 735 6,75 423 CNTN4 8,32 408 31,30 221 3,62 532 CNTN4 8,36 407 0,35 735 6,75 423 CNTN4 8,32 408 31,30 221 3,62 532 CNTN4 8,36 407 0,35 735 6,75 423 CNTN4 8,32 408 31,30 221 3,62 532 CNTN4 8,36 407 0,35 735 6,75 423 CNTN4 8,32 408 31,30 221 3,62 532 CNTN4 8,36 407 0,35 735 6,75 423 CNTN4 8,32 408 31,30 221 3,62 532 CNTN4 8,36 407 0,35 735 6,75 423 CNTN4 8,36 407 0,36 735 735 6,75 423 CNTN4 8,36 407 0,35 735 735 6,75 423 CNTN4 8,36 407 0,35 735 735 735 735 735 735 735 735 735 7	SLCO2B1	9,50	386	15,24	325	81,61	107
FPD52 9,11 389 5,04 504 2,90 574 FBXL22 9,09 390 22,40 270 5,89 446 ASB11 9,07 391 17,21 309 27,29 228 SEPP1 9,04 392 5,71 485 10,30 362 CREBS 8,97 393 40,32 185 20,97 268 HCN4 8,93 394 8,57 422 4,44 492 CP 8,93 395 0,37 733 1,28 727 MYOM2 8,90 396 22,50 269 422,21 36 NEURL2 8,88 397 7,93 433 3,40 545 FGF18 8,86 399 20,02 290 18,01 280 ADCY1 8,78 400 22,08 272 19,31 270 C6 8,66 401 5,26 499 115,06 81	SH3BGRL2	9,34	387	3,73	545	2,78	587
FBXL22 9,09 390 22,40 270 5,89 446 ASB11 9,07 391 17,21 309 27,29 228 SEPP1 9,04 392 5,71 485 10,30 352 CREB5 8,97 393 40,32 185 20,97 258 HCN4 8,93 394 8,57 422 4,44 492 CP 8,93 395 0,37 733 1,28 727 MYOM2 8,90 396 22,50 269 422,21 36 NEURL2 8,88 397 7,93 433 3,40 545 FGF18 8,86 398 24,34 256 13,23 325 TSPAN12 8,86 399 20,02 290 18,01 280 ADCY1 8,78 400 22,08 272 19,31 270 C6 8,66 401 5,26 499 115,06 81 ESAM 8,58 402 45,26 172 65,67 128 RNF165 8,56 403 20,16 289 7,13 412 USP2 8,53 404 13,93 346 27,07 229 KIAOA095 8,50 405 6,89 450 1,32 719 TNFSF10 8,37 406 2,11 612 15,94 295 C11or/21 8,36 407 0,35 735 6,75 423 CMTNA 8,32 408 31,30 221 3,62 532 TMC6 8,29 409 15,20 326 6,36 437 PAIP2B 8,09 411 12,47 358 5,49 467 PCDHB5 8,18 411 0,66 720 1,25 734 PAIP2B 8,09 412 30,56 225 29,28 220 GADD45G 8,07 413 2,87 570 21,81 253 ADD2 8,05 414 21,24 277 1,49 692 CCL21 8,03 415 7,26 448 2,82 583 PRKCZ 7,75 418 7,02 448 2,82 583	RNF144A	9,13	388	11,64	371	7,31	407
ASB11 9,07 391 17,21 309 27,29 228 SEPP1 9,04 392 5,71 485 10,30 352 CREBS 8,97 393 40,32 185 20,97 258 HCN4 8,93 394 8,57 422 4,44 492 CP 8,93 395 0,37 733 1,28 727 MYOM2 8,90 396 22,50 269 422,21 36 NEURL2 8,88 397 7,93 433 3,40 545 FGF18 8,86 398 24,34 256 13,23 325 TSPAN12 8,86 399 20,02 290 18,01 280 ADCY1 8,78 400 22,08 272 19,31 270 C6 8,66 401 5,26 499 115,06 81 ESAM 8,58 402 45,26 172 65,67 128 RNF165 8,56 403 20,16 289 7,13 412 USP2 8,53 404 13,93 346 27,07 229 KIAA0895 8,50 405 6,89 450 1,32 719 TMFSF10 8,37 406 2,11 612 15,94 295 C110f21 8,36 407 0,35 735 6,75 423 CNTN4 8,32 408 31,30 221 3,62 532 TMC6 8,29 409 15,20 326 6,36 437 MARK1 8,26 410 12,47 358 5,49 457 PCDHB5 8,18 411 0,66 720 1,25 734 PAIP2B 8,09 412 30,56 225 29,28 220 GADD45G 8,07 413 2,87 570 21,81 253 ADD2 8,05 414 21,24 277 1,49 692 CCCL21 8,03 415 7,26 448 2,82 583	TPD52	9,11	389	5,04	504	2,90	574
SEPP1 9,04 392 5,71 485 10,30 352 CREB5 8,97 393 40,32 185 20,97 258 HCN4 8,93 394 8,57 422 4,44 492 CP 8,93 395 0,37 733 1,28 727 MYOM2 8,90 396 22,50 269 422,21 36 NEURL2 8,88 397 7,93 433 3,40 545 FGF18 8,86 398 24,34 256 13,23 325 TSPAN12 8,86 399 20,02 290 18,01 280 ADCY1 8,78 400 22,08 272 19,31 270 C6 8,66 401 5,26 499 115,06 81 ESAM 8,58 402 45,26 172 65,67 128 RNF165 8,56 403 20,16 289 7,13	FBXL22	9,09	390	22,40	270	5,89	446
CREBS 8,97 393 40,32 185 20,97 258 HCN4 8,93 394 8,57 422 4,44 492 CP 8,93 395 0,37 733 1,28 727 MYOM2 8,90 396 22,50 269 422,21 36 NEURL2 8,88 397 7,93 433 3,40 545 FGF18 8,86 398 24,34 256 13,23 325 TSPAN12 8,86 399 20,02 290 18,01 280 ADCY1 8,78 400 22,08 272 19,31 270 C6 8,66 401 5,26 499 115,06 81 ESAM 8,58 402 45,26 172 65,67 128 RNF165 8,56 403 20,16 289 7,13 412 USP2 8,53 404 13,93 346 27,07 229 KIAA0895 8,50 405 6,89 450 1,32 719 TNFSF10 8,37 406 2,11 612 15,94 295 C11or/21 8,36 407 0,35 735 6,75 423 CNTN4 8,32 408 31,30 221 3,62 532 TMC6 8,29 409 15,20 326 6,36 437 MARK1 8,26 410 12,47 358 5,49 457 PCDHB5 8,18 411 0,66 720 1,25 734 PAIP2B 8,09 412 30,56 225 29,28 220 GADD45G 8,07 413 2,87 570 21,81 253 CNCL21 8,03 415 7,26 444 2,27 620 PTH1R 7,93 416 5,01 507 3,32 548 CCDC3 7,75 417 8,93 414 3,00 568 PRKCZ 7,75 418 7,02 448 2,82 583	ASB11	9,07	391	17,21	309	27,29	228
HCN4 8,93 394 8,57 422 4,44 492 CP 8,93 395 0,37 733 1,28 727 MYOM2 8,90 396 22,50 269 422,21 36 NEURL2 8,88 397 7,93 433 3,40 545 FGF18 8,86 398 24,34 256 13,23 325 TSPAN12 8,86 399 20,02 290 18,01 280 ADCY1 8,78 400 22,08 272 19,31 270 C6 8,66 401 5,26 499 115,06 81 ESAM 8,58 402 45,26 172 65,67 128 RNF165 8,56 403 20,16 289 7,13 412 USP2 8,53 404 13,93 346 27,07 229 KIAA0895 8,50 405 6,89 450 1,32 719 TNFSF10 8,37 406 2,11 612 15,94 295 CNTN4 8,32 408 31,30 221 3,62 532 TMC6 8,29 409 15,20 326 6,36 437 MARK1 8,26 410 12,47 358 5,49 457 PCDHBS 8,18 411 0,66 720 1,25 734 PAIP2B 8,09 412 30,56 225 29,28 220 GADD45G 8,07 413 2,87 570 21,81 253 ADD2 8,05 414 21,24 277 1,49 692 CCL21 8,03 416 5,01 507 3,32 549 CCDC3 7,75 417 8,93 414 3,00 568 PRKCZ 7,75 417 8,93 414 3,00 568	SEPP1	9,04	392	5,71	485	10,30	352
CP 8,93 395 0,37 733 1,28 727 MYOM2 8,90 396 22,50 269 422,21 36 NEURL2 8,88 397 7,93 433 3,40 545 FGF18 8,86 398 24,34 256 13,23 325 TSPAN12 8,86 399 20,02 290 18,01 280 ADCY1 8,78 400 22,08 272 19,31 270 C6 8,66 401 5,26 499 115,06 81 ESAM 8,58 402 45,26 172 65,67 128 RNF165 8,56 403 20,16 289 7,13 412 USP2 8,53 404 13,93 346 27,07 229 KIAA0895 8,50 405 6,89 450 1,32 719 TNFSF10 8,37 406 2,11 612 15,94	CREB5	8,97	393	40,32	185	20,97	258
MYOM2 8,90 396 22,50 269 422,21 36 NEURL2 8,88 397 7,93 433 3,40 545 FGF18 8,86 398 24,34 256 13,23 325 TSPAN12 8,86 399 20,02 290 18,01 280 ADCY1 8,78 400 22,08 272 19,31 270 C6 8,66 401 5,26 499 115,06 81 ESAM 8,58 402 45,26 172 65,67 128 RNF165 8,56 403 20,16 289 7,13 412 USP2 8,53 404 13,93 346 27,07 229 KIAA0895 8,50 405 6,89 450 1,32 719 TNFSF10 8,37 406 2,11 612 15,94 295 C11orf21 8,36 407 0,35 735 6,75	HCN4	8,93	394	8,57	422	4,44	492
NEURL2	СР	8,93	395	0,37	733	1,28	727
FGF18 8,86 398 24,34 256 13,23 325 TSPAN12 8,86 399 20,02 290 18,01 280 ADCY1 8,78 400 22,08 272 19,31 270 C6 8,66 401 5,26 499 115,06 81 ESAM 8,58 402 45,26 172 65,67 128 RNF165 8,56 403 20,16 289 7,13 412 USP2 8,53 404 13,93 346 27,07 229 KIAA0895 8,50 405 6,89 450 1,32 719 TNFSF10 8,37 406 2,11 612 15,94 295 C11orl21 8,36 407 0,35 735 6,75 423 CNTN4 8,32 408 31,30 221 3,62 532 TMC6 8,29 409 15,20 326 6,36	MYOM2	8,90	396	22,50	269	422,21	36
TSPAN12 8,86 399 20,02 290 18,01 280 ADCY1 8,78 400 22,08 272 19,31 270 C6 8,66 401 5,26 499 115,06 81 ESAM 8,58 402 45,26 172 65,67 128 RNF165 8,56 403 20,16 289 7,13 412 USP2 8,53 404 13,93 346 27,07 229 KIAA0895 8,50 405 6,89 450 1,32 719 TNFSF10 8,37 406 2,11 612 15,94 295 C11orl21 8,36 407 0,35 735 6,75 423 CNTN4 8,32 408 31,30 221 3,62 532 TMC6 8,29 409 15,20 326 6,36 437 MARK1 8,26 410 12,47 358 5,49	NEURL2	8,88	397	7,93	433	3,40	545
ADCY1 8,78 400 22,08 272 19,31 270 C6 8,66 401 5,26 499 115,06 81 ESAM 8,58 402 45,26 172 65,67 128 RNF165 8,56 403 20,16 289 7,13 412 USP2 8,53 404 13,93 346 27,07 229 KIAA0895 8,50 405 6,89 450 1,32 719 TNFSF10 8,37 406 2,11 612 15,94 295 C110f21 8,36 407 0,35 735 6,75 423 CNTN4 8,32 408 31,30 221 3,62 532 TMC6 8,29 409 15,20 326 6,36 437 MARK1 8,26 410 12,47 358 5,49 457 PCDHB5 8,18 411 0,66 720 1,25 734 PAIP2B 8,09 412 30,56 225 29,28 220 GADD45G 8,07 413 2,87 570 21,81 253 ADD2 8,05 414 21,24 277 1,49 692 CCL21 8,03 415 7,26 444 2,27 620 PTH1R 7,93 416 5,01 507 3,32 549 CCDC3 7,75 418 7,02 448 2,82 583	FGF18	8,86	398	24,34	256	13,23	325
C6 8,66 401 5,26 499 115,06 81 ESAM 8,58 402 45,26 172 65,67 128 RNF165 8,56 403 20,16 289 7,13 412 USP2 8,53 404 13,93 346 27,07 229 KIAA0895 8,50 405 6,89 450 1,32 719 TNFSF10 8,37 406 2,11 612 15,94 295 C11orf21 8,36 407 0,35 735 6,75 423 CNTN4 8,32 408 31,30 221 3,62 532 TMC6 8,29 409 15,20 326 6,36 437 MARK1 8,26 410 12,47 358 5,49 457 PCDHB5 8,18 411 0,66 720 1,25 734 PAIP2B 8,09 412 30,56 225 29,28 220 GADD45G 8,07 413 2,87 570 21,81	TSPAN12	8,86	399	20,02	290	18,01	280
ESAM 8,58 402 45,26 172 65,67 128 RNF165 8,56 403 20,16 289 7,13 412 USP2 8,53 404 13,93 346 27,07 229 KIAA0895 8,50 405 6,89 450 1,32 719 TNFSF10 8,37 406 2,11 612 15,94 295 C11orf21 8,36 407 0,35 735 6,75 423 CNTN4 8,32 408 31,30 221 3,62 532 TMC6 8,29 409 15,20 326 6,36 437 MARK1 8,26 410 12,47 358 5,49 457 PCDHB5 8,18 411 0,66 720 1,25 734 PAIP2B 8,09 412 30,56 225 29,28 220 GADD45G 8,07 413 2,87 570 21,81 253 ADD2 8,05 414 21,24 277 1,49	ADCY1	8,78	400	22,08	272	19,31	270
RNF165 8,56 403 20,16 289 7,13 412 USP2 8,53 404 13,93 346 27,07 229 KIAA0895 8,50 405 6,89 450 1,32 719 TNFSF10 8,37 406 2,11 612 15,94 295 C11orf21 8,36 407 0,35 735 6,75 423 CNTN4 8,32 408 31,30 221 3,62 532 TMC6 8,29 409 15,20 326 6,36 437 MARK1 8,26 410 12,47 358 5,49 457 PCDHB5 8,18 411 0,66 720 1,25 734 PAIP2B 8,09 412 30,56 225 29,28 220 GADD45G 8,07 413 2,87 570 21,81 253 ADD2 8,05 414 21,24 277 1,49 692 CCL21 8,03 415 7,26 444 2,27 620 PTH1R 7,93 416 5,01 507 3,32 549 CCDC3 7,75 417 8,93 414 3,00 568 PRKCZ 7,75 418 7,02 448 2,82 583	C6	8,66	401	5,26	499	115,06	81
USP2 8,53 404 13,93 346 27,07 229 KIAA0895 8,50 405 6,89 450 1,32 719 TNFSF10 8,37 406 2,11 612 15,94 295 C11orf21 8,36 407 0,35 735 6,75 423 CNTN4 8,32 408 31,30 221 3,62 532 TMC6 8,29 409 15,20 326 6,36 437 MARK1 8,26 410 12,47 358 5,49 457 PCDHB5 8,18 411 0,66 720 1,25 734 PAIP2B 8,09 412 30,56 225 29,28 220 GADD45G 8,07 413 2,87 570 21,81 253 ADD2 8,05 414 21,24 277 1,49 692 CCL21 8,03 415 7,26 444 2,27 620 PTH1R 7,93 416 5,01 507 3,32	ESAM	8,58	402	45,26	172	65,67	128
KIAA0895 8,50 405 6,89 450 1,32 719 TNFSF10 8,37 406 2,11 612 15,94 295 C11orf21 8,36 407 0,35 735 6,75 423 CNTN4 8,32 408 31,30 221 3,62 532 TMC6 8,29 409 15,20 326 6,36 437 MARK1 8,26 410 12,47 358 5,49 457 PCDHB5 8,18 411 0,66 720 1,25 734 PAIP2B 8,09 412 30,56 225 29,28 220 GADD45G 8,07 413 2,87 570 21,81 253 ADD2 8,05 414 21,24 277 1,49 692 CCL21 8,03 415 7,26 444 2,27 620 PTH1R 7,93 416 5,01 507 3,32 549 CCDC3 7,75 418 7,02 448 2,82	RNF165	8,56	403	20,16	289	7,13	412
TNFSF10	USP2	8,53	404	13,93	346	27,07	229
C11orf21 8,36 407 0,35 735 6,75 423 CNTN4 8,32 408 31,30 221 3,62 532 TMC6 8,29 409 15,20 326 6,36 437 MARK1 8,26 410 12,47 358 5,49 457 PCDHB5 8,18 411 0,66 720 1,25 734 PAIP2B 8,09 412 30,56 225 29,28 220 GADD45G 8,07 413 2,87 570 21,81 253 ADD2 8,05 414 21,24 277 1,49 692 CCL21 8,03 415 7,26 444 2,27 620 PTH1R 7,93 416 5,01 507 3,32 549 CCDC3 7,75 417 8,93 414 3,00 568 PRKCZ 7,75 418 7,02 448 2,82 583	KIAA0895	8,50	405	6,89	450	1,32	719
CNTN4 8,32 408 31,30 221 3,62 532 TMC6 8,29 409 15,20 326 6,36 437 MARK1 8,26 410 12,47 358 5,49 457 PCDHB5 8,18 411 0,66 720 1,25 734 PAIP2B 8,09 412 30,56 225 29,28 220 GADD45G 8,07 413 2,87 570 21,81 253 ADD2 8,05 414 21,24 277 1,49 692 CCL21 8,03 415 7,26 444 2,27 620 PTH1R 7,93 416 5,01 507 3,32 549 CCDC3 7,75 417 8,93 414 3,00 568 PRKCZ 7,75 418 7,02 448 2,82 583	TNFSF10	8,37	406	2,11	612	15,94	295
TMC6 8,29 409 15,20 326 6,36 437 MARK1 8,26 410 12,47 358 5,49 457 PCDHB5 8,18 411 0,66 720 1,25 734 PAIP2B 8,09 412 30,56 225 29,28 220 GADD45G 8,07 413 2,87 570 21,81 253 ADD2 8,05 414 21,24 277 1,49 692 CCL21 8,03 415 7,26 444 2,27 620 PTH1R 7,93 416 5,01 507 3,32 549 CCDC3 7,75 417 8,93 414 3,00 568 PRKCZ 7,75 418 7,02 448 2,82 583	C11orf21	8,36	407	0,35	735	6,75	423
MARK1 8,26 410 12,47 358 5,49 457 PCDHB5 8,18 411 0,66 720 1,25 734 PAIP2B 8,09 412 30,56 225 29,28 220 GADD45G 8,07 413 2,87 570 21,81 253 ADD2 8,05 414 21,24 277 1,49 692 CCL21 8,03 415 7,26 444 2,27 620 PTH1R 7,93 416 5,01 507 3,32 549 CCDC3 7,75 417 8,93 414 3,00 568 PRKCZ 7,75 418 7,02 448 2,82 583	CNTN4	8,32	408	31,30	221	3,62	532
PCDHB5 8,18 411 0,66 720 1,25 734 PAIP2B 8,09 412 30,56 225 29,28 220 GADD45G 8,07 413 2,87 570 21,81 253 ADD2 8,05 414 21,24 277 1,49 692 CCL21 8,03 415 7,26 444 2,27 620 PTH1R 7,93 416 5,01 507 3,32 549 CCDC3 7,75 417 8,93 414 3,00 568 PRKCZ 7,75 418 7,02 448 2,82 583	TMC6	8,29	409	15,20	326	6,36	437
PAIP2B 8,09 412 30,56 225 29,28 220 GADD45G 8,07 413 2,87 570 21,81 253 ADD2 8,05 414 21,24 277 1,49 692 CCL21 8,03 415 7,26 444 2,27 620 PTH1R 7,93 416 5,01 507 3,32 549 CCDC3 7,75 417 8,93 414 3,00 568 PRKCZ 7,75 418 7,02 448 2,82 583	MARK1	8,26	410	12,47	358	5,49	457
GADD45G 8,07 413 2,87 570 21,81 253 ADD2 8,05 414 21,24 277 1,49 692 CCL21 8,03 415 7,26 444 2,27 620 PTH1R 7,93 416 5,01 507 3,32 549 CCDC3 7,75 417 8,93 414 3,00 568 PRKCZ 7,75 418 7,02 448 2,82 583	PCDHB5	8,18	411	0,66	720	1,25	734
ADD2 8,05 414 21,24 277 1,49 692 CCL21 8,03 415 7,26 444 2,27 620 PTH1R 7,93 416 5,01 507 3,32 549 CCDC3 7,75 417 8,93 414 3,00 568 PRKCZ 7,75 418 7,02 448 2,82 583	PAIP2B	8,09	412	30,56	225	29,28	220
CCL21 8,03 415 7,26 444 2,27 620 PTH1R 7,93 416 5,01 507 3,32 549 CCDC3 7,75 417 8,93 414 3,00 568 PRKCZ 7,75 418 7,02 448 2,82 583	GADD45G	8,07	413	2,87	570	21,81	253
PTH1R 7,93 416 5,01 507 3,32 549 CCDC3 7,75 417 8,93 414 3,00 568 PRKCZ 7,75 418 7,02 448 2,82 583	ADD2	8,05	414	21,24	277	1,49	692
CCDC3 7,75 417 8,93 414 3,00 568 PRKCZ 7,75 418 7,02 448 2,82 583	CCL21	8,03	415	7,26	444	2,27	620
PRKCZ 7,75 418 7,02 448 2,82 583	PTH1R	7,93	416	5,01	507	3,32	549
	CCDC3	7,75	417	8,93	414	3,00	568
NRAP 7,74 419 19,84 294 607,96 28	PRKCZ	7,75	418	7,02	448	2,82	583
	NRAP	7,74	419	19,84	294	607,96	28

ATP1A3	7,74	420	34,92	203	85,41	103
TGFB3	7,73	421	9,20	408	10,99	344
ARHGAP26	7,70	422	17,52	308	15,54	298
SLC29A2	7,42	423	10,84	384	4,88	478
CAMK2A	7,27	424	7,93	434	3,68	530
RBFOX1	7,21	425	26,38	246	30,62	214
SPATA25	7,11	426	10,67	386	3,87	525
PTGER3	7,05	427	6,30	467	2,02	636
MAPK4	6,97	428	0,87	701	13,40	322
GCOM1	6,95	429	21,44	276	16,79	288
C10orf35	6,94	430	1,40	659	1,13	755
ITM2A	6,94	431	17,54	306	18,70	273
SHE	6,84	432	42,78	181	65,72	127
AMY2B	6,82	433	12,62	357	6,98	416
ADORA1	6,81	434	2,91	567	2,44	604
NT5M	6,77	435	9,07	412	2,81	585
GKAP1	6,73	436	12,81	355	7,46	404
LRRTM3	6,73	437	19,00	298	5,72	451
ATP1A2	6,73	438	6,43	462	149,03	68
HAND1	6,67	439	8,07	430	6,51	426
ACACB	6,64	440	30,87	223	32,85	201
FAM13C	6,60	441	6,87	452	2,91	573
CPNE5	6,57	442	5,27	496	26,85	230
SLC44A5	6,52	443	1,60	642	1,21	741
SLC5A1	6,44	444	27,72	237	30,46	216
IGSF9B	6,34	445	75,23	120	52,64	153
ASXL3	6,30	446	17,53	307	3,29	550
L3MBTL4	6,28	447	8,26	424	1,76	658
CELSR1	6,28	448	15,27	324	4,09	514
RELN	6,26	449	2,82	573	1,72	662
RASGRP2	6,15	450	4,52	523	5,28	465
EGF	6,15	451	4,03	537	6,45	431
ELOVL2	6,04	452	2,00	620	2,38	610
TYRP1	6,00	453	0,43	731	70,35	121
ADAM11	5,98	454	24,14	258	2,17	626
SPTB	5,96	455	14,47	336	28,35	225
COL23A1	5,70	456	4,10	534	8,11	388
MPPED2	5,66	457	15,81	319	2,47	602
TNNI3K	5,62	458	15,90	318	7,65	399
AIF1L	5,62	459	14,24	340	6,51	427
B3GNT7	5,62	460	3,32	556	1,35	715
RALYL	5,59	461	0,78	709	4,03	518
DSC2	5,54	462	5,78	481	5,43	460
MPP7	5,54	463	6,00	474	4,17	509
NEB	5,45	464	0,88	700	7,61	401
AUTS2	5,37	465	13,41	352	2,90	575
ACE2	5,35	466	12,21	364	8,44	381

RAB6B	5,33	467	3,44	555	9,66	361
BCO2	5,32	468	15,61	320	30,51	215
ABCG1	5,26	469	7,12	447	7,09	414
EFHC2	5,23	470	6,88	451	8,47	378
WNT11	5,18	471	4,09	535	1,89	644
ZNF853	5,18	472	5,28	495	4,25	505
SORBS1	5,13	473	38,62	186	209,93	57
SFMBT2	5,01	474	3,72	546	4,26	504
XIRP2	4,94	475	5,96	476	1165,62	17
CXXC4	4,92	476	4,23	531	1,81	651
PDE3B	4,91	477	9,08	411	4,30	501
PIP5K1B	4,87	478	20,38	285	23,77	246
TMEM179	4,86	479	6,05	472	2,71	592
NAP1L2	4,85	480	0,13	762	3,03	566
LGI2	4,83	481	2,66	583	1,46	699
TRIL	4,83	482	7,62	439	1,14	752
ARHGAP4	4,74	483	9,51	406	3,81	527
NTRK1	4,68	484	0,83	706	4,23	507
FAM222A	4,67	485	1,22	673	2,43	606
MGAT3	4,60	486	0,85	705	1,75	660
C14orf180	4,56	487	13,20	353	20,73	259
ART3	4,55	488	10,45	389	111,21	84
ST6GALNAC3	4,53	489	2,37	598	1,06	768
PTPRE	4,53	490	2,25	604	9,14	367
SYTL1	4,49	491	2,51	591	1,84	647
DYNC1I1	4,49	492	0,17	754	11,04	343
NUP210	4,46	493	8,18	425	1,04	770
KCNA4	4,44	494	9,16	409	3,56	536
SOBP	4,41	495	10,23	396	6,77	420
LDHD	4,41	496	10,26	392	28,74	221
CASZ1	4,34	497	11,51	373	6,44	432
DUSP13	4,21	498	0,33	741	8,77	371
BCL11A	4,19	499	11,77	370	3,54	537
LGI4	4,15	500	2,20	607	2,86	578
CDK18	4,15	501	23,06	265	64,75	130
TMEM88	4,13	502	10,69	385	6,86	418
PRKCB	4,05	503	2,90	569	1,36	713
COBL	3,99	504	22,74	268	21,50	255
MOG	3,93	505	1,83	627	2,21	625
CPEB3	3,87	506	6,82	454	5,26	466
TSHZ2	3,71	507	1,64	637	1,21	739
RIC3	3,69	508	0,88	699	5,37	463
NRK	3,69	509	15,14	327	1,71	663
ZMAT1	3,69	510	10,26	394	9,71	360
VAV3	3,65	511	2,40	597	1,29	725
SLC30A3	3,65	512	5,77	482	2,15	627
RASGEF1B	3,61	513	5,51	490	2,66	596

NMNAT3	3,60	514	4,14	533	3,17	558
PTPN6	3,59	515	4,63	518	4,99	476
KIF26A	3,58	516	3,94	539	3,35	548
PARK2	3,58	517	3,01	563	8,16	387
AFAP1L2	3,56	518	4,70	515	2,37	613
MERTK	3,53	519	5,67	486	4,18	508
LMOD3	3,42	520	13,61	350	46,82	169
MPZL2	3,42	521	0,67	717	3,42	543
CACNA1H	3,40	522	1,15	680	1,94	640
SKIDA1	3,40	523	3,53	551	1,18	744
ATG9B	3,35	524	6,22	470	2,01	637
TMEM74B	3,34	525	1,84	626	2,40	608
ELMO1	3,29	526	13,68	348	9,44	363
VANGL2	3,26	527	3,86	541	1,39	708
MCF2L	3,25	528	7,59	440	10,89	346
PLEKHH1	3,25	529	3,49	553	1,71	664
C10orf71	3,24	530	13,66	349	35,80	195
S100A8	3,24	531	1,45	654	5,77	450
PNMT	3,22	532	3,57	549	2,52	598
KBTBD11	3,16	533	4,78	514	3,17	557
RALGPS1	3,16	534	8,67	420	4,69	484
SAMSN1	3,14	535	1,52	651	1,31	721
MGAT4A	3,12	536	2,98	564	5,21	469
PCDHB15	3,08	537	1,57	645	3,23	552
MYADML2	3,08	538	1,44	656	1,54	685
PRDM16	3,05	539	15,03	329	6,06	443
NR0B2	3,05	540	0,14	760	2,07	631
EPHA3	3,02	541	5,93	478	4,37	498
SCARF1	2,99	542	7,51	441	5,04	474
CTNND2	2,99	543	5,27	498	6,31	438
RAB17	2,92	544	1,55	648	1,37	711
SYT17	2,91	545	10,46	388	2,72	590
XK	2,91	546	2,58	587	3,85	526
ABRA	2,89	547	1,69	635	48,97	161
SPN	2,81	548	10,26	393	1,32	718
SLC16A10	2,80	549	6,70	457	4,27	502
SLC35F1	2,74	550	2,01	618	3,05	564
PRSS45	2,74	551	4,97	508	3,44	542
ADAMTS8	2,73	552	8,86	416	1,70	669
CES1	2,73	553	4,05	536	7,29	410
KCNJ4	2,73	554	5,30	494	8,42	382
HMGCS2	2,72	555	0,07	771	3,57	535
CA2	2,70	556	1,98	622	4,63	486
PCDHB14	2,67	557	1,40	660	1,83	648
KIAA1958	2,66	558	3,07	562	1,47	697
HRH2	2,66	559	19,66	295	12,78	328
SPINK7	2,63	560	27,18	239	5,46	458

PACRG	2,61	561	6,32	466	4,51	489
FAM110C	2,59	562	0,67	718	1,15	750
ESRRB	2,58	563	4,62	519	6,60	424
CA14	2,57	564	9,84	401	3,22	553
APOBEC4	2,54	565	6,00	473	2,37	615
ARHGAP44	2,54	566	5,96	475	3,20	556
HFM1	2,53	567	10,24	395	4,02	519
MYH11	2,42	568	4,24	530	17,33	284
RAP1GAP	2,41	569	1,73	632	1,24	735
PCDHB12	2,41	570	2,03	616	1,55	684
EBF4	2,40	571	3,12	560	1,39	706
WT1	2,40	572	3,31	557	1,88	645
JAG2	2,39	573	1,72	633	4,02	520
HPR	2,38	574	3,45	554	15,29	300
RGS16	2,38	575	1,12	681	2,47	603
P2RY1	2,35	576	1,77	630	1,48	694
ST8SIA6	2,35	577	11,16	376	10,51	349
SEMA6B	2,31	578	1,60	641	4,23	506
NTN1	2,28	579	2,25	602	6,14	441
MAOB	2,23	580	20,33	286	45,57	174
ELF3	2,22	581	0,16	757	1,07	767
SULT1C4	2,22	582	8,61	421	1,59	679
CPNE4	2,19	583	1,61	640	8,45	379
SEMA5B	2,19	584	27,84	236	8,45	380
NINJ2	2,17	585	9,94	400	2,80	586
ABLIM2	2,15	586	1,07	684	6,56	425
VWA7	2,13	587	1,98	623	4,53	488
HP	2,13	588	0,62	722	1,42	703
GABRB1	2,12	589	6,35	465	11,67	334
KCNJ11	2,09	590	1,60	643	2,72	591
DNAJC5G	2,08	591	6,64	458	2,26	622
NFATC2	2,06	592	2,47	593	1,52	691
GNG7	2,04	593	6,75	455	8,20	385
SEC14L5	2,02	594	5,27	497	3,09	563
CLYBL	2,00	595	1,88	625	1,46	698
ZNF385B	1,98	596	0,76	711	1,19	742
P2RY14	1,95	597	0,85	703	1,71	665
PIK3AP1	1,94	598	0,85	704	1,78	655
CXCR4	1,93	599	7,20	445	1,15	751
TMC8	1,93	600	4,26	529	5,21	468
SUSD4	1,93	601	1,24	670	1,81	652
CRIP3	1,92	602	6,27	468	31,57	210
YBX2	1,91	603	4,51	524	2,40	609
KCNJ12	1,89	604	1,32	667	3,12	561
FAM155B	1,84	605	0,11	766	3,80	528
RTN4RL1	1,83	606	1,37	664	1,38	710
RD3L	1,80	607	2,81	575	8,76	372

FAMILTOD 1,78							
DHRS7C	FAM110D	1,79	608	1,00	689	4,32	499
MSIO 1, 168	FXYD1	1,78	609	1,21	676	1,08	761
SLCOSA1 1,67 612 0,25 747 9,44 362 ADRAZB 1,66 613 0,93 695 1,70 666 GRIM 1,60 615 2,21 606 12,83 327 EDNIRB 1,58 616 7,83 488 8,33 383 SLC26A3 1,57 617 2,03 617 4,41 498 VIP 1,51 618 0,95 692 1,01 776 ZBTB16 1,49 619 5,94 477 34,14 198 UGTZB4 1,46 622 0,09 768 14,91 306 FPHACTR3 1,46 621 4,47 525 1,07 766 YPEL1 1,46 622 6,24 499 1,26 731 FAMIOTA 1,46 622 6,24 499 1,26 731 FAMIOTA 1,46 622 7,88 496 3,57 534 CSF3R 1,45 624 7,88 496 3,57 534 CSF3R 1,45 625 0,33 738 1,39 709 THSD7A 1,43 626 4,27 527 1,01 776 CSF3R 1,43 627 1,82 638 1,85 673 FDK4 1,42 628 17,19 311 185,18 60 PACSINI 1,41 629 0,29 744 2,07 633 FMCTL11B 1,41 630 2,49 592 1,28 729 VWC2 1,40 631 2,54 590 3,73 529 HLA-DRB1 1,38 633 1,24 671 1,40 704 PRSS46 1,36 634 0,33 739 1,14 764 FMCTL1 18 1,41 630 2,49 592 1,28 729 VWC2 1,40 631 2,54 590 3,73 529 HLA-DRB1 1,39 632 1,62 639 28,18 226 CHOH 1,38 633 1,24 671 1,40 704 PRSS46 1,36 634 0,33 739 1,14 764 FMCTL1 18 1,41 630 2,49 592 2,18 222 VWC2 1,40 631 2,54 590 3,73 529 HLA-DRB1 1,39 632 1,62 639 28,18 226 CHOH 1,38 633 1,24 671 1,40 704 PRSS46 1,36 634 0,33 739 1,14 764 FMCTL 1,19 1,39 632 1,62 639 28,18 226 CHOH 1,38 633 1,24 671 1,40 704 PRSS46 1,36 635 3,95 598 2,82 582 FMCMOSC 1,36 636 634 0,33 739 1,14 764 FMCTL 1,29 641 0,17 753 1,26 732 TREMI 1,27 641 0,17 753 1,31 1 313 TREMI 1,27 641 0,47 728 1,31 1 313 TREMI 1,27 651 645 1,52 650 2,33 616 TL2 1,20 646 1,52 650 698 0,33 698 TM M	DHRS7C	1,71	610	6,39	463	9,74	359
ADRA2B	MSI1	1,69	611	2,45	595	1,03	774
SCN2B	SLCO5A1	1,67	612	0,25	747	9,44	362
GRM1 1,60 615 2,21 606 12,83 327 EDNIRB 1,58 616 7,63 438 8,33 383 SLC26A9 1,57 617 617 617 617 617 VIP 1,51 618 0,95 662 1,01 776 ZBTB16 1,49 619 5,94 477 34,14 198 UGT2E4 1,46 620 0,09 768 14,91 305 PHACTRS 1,46 621 0,09 768 14,91 305 PHACTRS 1,46 622 6,24 469 1,26 731 FAMIOTA 1,46 622 6,24 469 1,26 731 FAMIOTA 1,46 623 0,69 716 21,09 267 DLG2 1,45 624 7,88 436 3,19 709 THSDTA 1,43 626 427 527 1,01 776 PDK4 1,43 626 427 527 1,01 776 PDK4 1,42 628 17,19 311 185,16 60 PACSINI 1,41 629 0,29 744 2,07 633 METTL11B 1,41 630 2,49 592 1,28 729 VWC2 1,40 631 2,54 590 3,73 529 HLADRB1 1,39 632 1,62 639 26,18 2,26 CHOH 1,38 63 1,24 671 1,40 704 PRSS46 1,36 636 634 0,33 739 1,14 754 FGF9 1,36 635 3,95 538 2,82 582 MYO5C 1,36 636 634 0,33 739 611 1,40 764 PRSS46 1,36 636 634 0,33 739 1,14 754 FGF9 1,36 635 3,95 538 2,82 582 MYO5C 1,36 636 636 3,49 552 1,10 768 TMENT4 1,32 639 4,86 512 2,24 623 MYO5C 1,36 636 636 3,49 552 1,10 768 TMENT4 1,32 639 4,86 512 2,24 623 MYO5C 1,36 636 636 3,49 652 1,10 768 TMENT4 1,32 639 4,86 512 2,24 623 MYO5C 1,36 636 636 3,49 652 1,10 768 TMENT4 1,32 639 4,86 512 2,24 623 MYO5C 1,36 636 636 3,49 652 1,10 768 TMENT4 1,32 639 4,86 512 2,24 623 MYO5C 1,36 636 636 3,49 652 1,10 768 TMENT4 1,32 639 4,86 512 2,24 623 MYO5C 1,36 636 636 636 512 2,24 623 MYO5C 1,36 636 636 636 512 2,24 623 MYO5C 1,36 636 636 636 512 2,24 623 MYO5C 1,36 636 636 637 6,70 7,15 1,15 7,49 TMENT4 1,22 638 0,70 7,15 1,15 7,49 TMENT4 1,25 644 1,21 675 2,22 660 2,33 616 TMENT4 1,25 644 1,21 675 2,22 640 670 TMENT4 1,26 642 0,76 770 1,26 733 TRR01 1,25 644 1,21 675 2,22 650 2,33 616 TMETT124 1,26 649 0,46 729 2,84 580 WF 1,17 650 2,103 2,80 69,86 99 TMEM139 1,17 651 4,65 5,17 1,04 772 TMEM139 1,17 651 4,65 5,17 1,04 772 TMEM139 1,17 651 4,65 5,77 4,63 1,33 39 SYT2 1,17 651 4,65 5,77 4,63 1,33 39	ADRA2B	1,66	613	0,93	695	1,70	666
EDNRB 1,58 616 7,83 438 8,33 383 SLC2RA9 1,177 617 2,03 617 4,41 494 VIP 1,51 618 10,95 692 1,10 776 USTB16 1,49 619 5,94 477 34,14 198 USTB16 1,49 619 5,94 477 34,14 198 USTB16 1,46 620 0,09 788 14,91 306 PHACTR3 1,46 621 4,47 525 1,07 766 YPEL1 1,46 622 6,24 469 1,26 731 FAM107A 1,46 623 0,89 716 21,09 257 DLG2 1,45 624 7,88 436 3,57 534 CSF3R 1,45 625 0,33 738 1,39 709 THSD7A 1,43 626 4,27 527 1,01 775 ISF5 1,43 627 1,62 633 1,65 673 PDK4 1,42 628 17,19 311 BS,18 60 PACSIN1 1,41 629 0,29 744 2,07 633 METL11B 1,41 630 2,49 592 1,28 729 VWC2 1,40 631 2,54 590 32 1,82 639 28,18 226 CHDH 1,38 633 1,24 671 1,40 704 PRSS46 1,36 634 0,33 739 1,14 754 FGF9 1,36 636 3,49 552 1,10 759 TMEM74 1,34 637 2,84 571 1,28 728 CDF1 1,32 639 2,85 539 2,85 539 2,85 539 2,85 539 2,85 539 2,85 539 2,85 539 2,85 539 2,85 539 2,85 539 2,85 539 2,85 539 2,85 539 2,85 539 2,85 539 2,85 539 2,85 539 2,85 539 2,85 539 2,85 539 2,85 539 2,85 539 2,85 539 2,85 539 2,85 539 2,85 539 2,85 539 2,85 539 2,85 539 2,85 539 2,85 539 2,85 539 2,85 539 2,85 539 2,85 539 2,85 539 2,85 539 2,85 539 2,85 539 2,85 539 2,85 539 2,85 539 2,85 539 2,85 539 2,85 539 2,85 539 2,85 539 2,85 539 2,85 539 2,85 539 2,85 539 2,85 539 2,85 539 2,85 539 2,85 539 2,85 539 2,85 539 2,85 539 2,85 539 2,85 539 2,85 539 2,85 539 2,85 539 2,85 539 2,85 539 2,85 539 2,85 539 2,85 539 2,85 539 2,85 539 2,85 539 2,85 539 2,85 539 2,85 539 2,85 539 2,85 539 2,85 539 2,85 539 2,85 539 2,85 539 2,85 539 2,85 539 2,85 539 2,85 539 2,85 539 2,85 539 2,85 539 2,85 539 2,85 539 2,85 539 2,85 539 2,85 539 2,85 539 2,85 539 2,85 539 2,85 539 2,85 539 2,85 539 2,85 539 2,85 539 2,85 539 2,85 539 2,85 539 2,85 539 2,85 539 2,85 539 2,85 539 2,85 539 2,85 539 2,85 539 2,85 539 2,85 539 2,85 539 2,85 539 2,85 539 2,85 539 2,85 539 2,85 539 2,85 539 2,85 539 2,85 539 2,85 539 2,85 539 2,85 539 2,85 539 2,85 539 2,85 539 2,85 539 2,85 539 2,85 539 2,85 539 2,85 539 2,85 539 2,85 539 2,85 539 2,85 539 2,85 539 2,85 539 2,85 539 2,85 539 2,85 539 2,85 539 2,85 539 2,85 539 2,85 539 2,85 5	SCN2B	1,66	614	2,17	609	2,95	570
SLC26A9	GRM1	1,60	615	2,21	606	12,83	327
VIP 1.51 618 0.95 692 1.01 776 ZBTB16 1.49 619 5.94 477 34,14 198 UGT2B4 1.46 620 0.09 768 14,91 305 PHACTR3 1.46 621 4.47 625 1.07 766 YPEL1 1.46 622 6.24 469 1.26 731 FAM107A 1.46 623 0.69 716 21.09 257 DLG2 1.45 624 7.88 436 3.57 534 CSF3R 1.43 626 4.27 527 1.01 775 IGSF5 1.43 627 1.62 638 1.65 673 PDK4 1.42 628 17.19 311 185,18 60 METTL11B 1.41 630 2.49 592 1.28 729 VWC2 1.40 631 2.54 590 3.73 52	EDNRB	1,58	616	7,83	438	8,33	383
ZBTB16 1,49 619 5,94 477 34,14 198 UGT2B4 1,46 620 0.09 768 14,91 305 PHACTR3 1,46 621 0.09 768 14,91 305 YPEL1 1,46 622 6,24 469 1,26 731 FAM107A 1,46 623 0.69 716 21,09 257 DLG2 1,45 625 0.33 738 1,39 709 CSF3R 1,43 626 4.27 527 1.01 775 IGSF5 1,43 627 1,62 638 1,65 673 PDK4 1,42 628 17,19 311 185,18 60 PACSINI 1,41 630 2,49 592 1,28 729 WC2 1,40 631 2,54 690 3,73 529 HLADB1 1,38 632 1,62 639 2,818 <td< td=""><td>SLC26A9</td><td>1,57</td><td>617</td><td>2,03</td><td>617</td><td>4,41</td><td>494</td></td<>	SLC26A9	1,57	617	2,03	617	4,41	494
UGT2B4	VIP	1,51	618	0,95	692	1,01	776
PHACTR3 1,46 621 4,47 525 1,07 766 PEL1 1,46 622 6,24 4,69 1,26 731 FAM107A 1,46 623 0,69 716 21,09 257 CSF3R 1,45 624 7,88 436 3,57 534 CSF3R 1,45 625 0,33 788 1,39 709 THSD7A 1,43 626 4,27 527 1,01 775 IGSF5 1,43 627 1,62 638 1,65 673 PDK4 1,42 628 17,19 311 185,18 60 PACSINI 1,41 629 0,29 744 2,07 633 METTL11B 1,41 630 2,49 592 1,28 729 HLA-DRB1 1,39 632 1,62 639 1,24 671 1,40 704 PRSS46 1,36 633 1,24 671 1,40 704 PRSS46 1,36 634 0,33 739 1,14 754 FGF9 1,36 636 33 1,24 671 1,40 704 PRSS46 1,36 634 0,33 739 1,14 754 FGF9 1,36 636 3,49 552 1,10 759 TMEM74 1,34 637 2,84 571 1,28 728 TMEM74 1,32 638 2,25 639 4,86 512 2,24 623 1PB1 1,29 640 1,39 661 1,30 723 TREM1 1,27 641 0,17 753 1,26 733 TPRG1 1,25 644 1,21 675 2,42 607 CHCDL2 1,23 645 642 0,76 710 1,26 733 TPRG1 1,25 644 1,21 675 2,42 607 CHCDL2 1,23 645 642 0,76 710 1,26 733 TPRG1 1,22 646 1,52 650 2,33 616 666 GPD1 1,18 649 0,46 729 2,84 580 VWF 1,17 660 691 1,17 661 1,466 517 1,04 772 PLING 1,17 661 1,18 33 339 SYT2 1,101 1,33 339 SYT2	ZBTB16	1,49	619	5,94	477	34,14	198
YPEL1 1,46 622 6,24 469 1,26 731 FAMIOTA 1,46 623 0,69 716 21,09 257 DLG2 1,45 624 7,88 436 3,57 534 CSF3R 1,45 625 0,33 738 1,39 709 THSD7A 1,43 626 4,27 527 1,01 776 IGSF5 1,43 627 1,62 638 1,65 673 PDK4 1,42 628 17,19 311 185,18 60 PACSIN1 1,41 629 0,29 744 2,07 633 METLT1B 1,41 630 2,49 592 1,28 729 VWC2 1,40 631 2,54 590 3,73 528 HLADRIB 1,38 632 1,62 639 28,18 226 CHDH 1,38 633 1,24 671 1,40 70	UGT2B4	1,46	620	0,09	768	14,91	305
FAM107A 1,46 623 0,69 716 21,09 257 DLG2 1,45 624 7,88 436 3,57 534 CSF3R 1,45 625 0,33 738 1,39 709 THSD7A 1,43 626 4,27 527 1,01 775 IGSF5 1,43 627 1,62 638 1,65 673 PDK4 1,42 628 17,19 311 185,18 60 PACSIN1 1,41 629 0,29 744 2,07 633 METITL11B 1,41 630 2,49 592 1,28 729 VWC2 1,40 631 2,54 590 3,73 522 CHDH 1,38 633 1,24 671 1,40 704 PRSS46 1,36 634 0,33 739 1,14 754 FGF9 1,36 636 636 3,49 552 1,10	PHACTR3	1,46	621	4,47	525	1,07	766
DLG2 1,45 624 7,88 436 3,57 534 CSF3R 1,45 625 0,33 738 1,39 709 THSD7A 1,43 626 4,27 527 1,01 776 IGSF5 1,43 627 1,62 638 1,65 673 PDK4 1,42 628 17,19 311 185,18 60 PACSINI 1,41 629 0,29 744 2,07 633 METIL11B 1,41 630 2,49 592 1,28 729 VWC2 1,40 631 2,54 590 3,73 528 HLA-DRB1 1,39 632 1,62 639 28,18 226 CHDH 1,38 633 1,24 671 1,40 704 PRSS46 1,36 634 0,33 739 1,14 754 FGF9 1,36 636 634 0,33 739 1,14 754 FGF9 1,36 636 635 3,95 538 2,82 582 MWO5C 1,36 636 636 3,49 552 1,10 758 TMEMT4 1,34 637 2,84 571 1,28 728 C20r71 1,32 638 2,25 603 5,42 461 EPN3 1,32 639 4,86 512 2,24 623 UPB1 1,29 640 1,39 661 1,30 723 TREMI 1,27 641 0,17 753 1,26 732 TREMI 1,25 643 0,70 715 1,15 749 GATA3 1,25 644 1,21 675 2,42 607 CHDL2 1,23 645 0,47 728 13,91 313 TREG 1,22 646 1,52 650 2,33 616 TLL2 1,20 647 2,81 576 2,37 612 FAMATE 1,19 648 2,55 589 1,70 668 GPD1 1,18 649 0,46 729 2,84 580 VWF 1,17 650 21,03 280 69,66 99 TMEMI39 1,17 651 4,65 517 1,04 772 PLINS 1,17 652 6,72 456 11,33 339 SYT2 1,171 651 4,65 517 1,04 772 PLINS 1,17 652 6,72 456 11,33 339 SYT2 1,17 651 4,65 517 1,04 772 PLINS 1,17 652 6,72 456 11,33 339 SYT2	YPEL1	1,46	622	6,24	469	1,26	731
CSF3R 1,45 625 0,33 738 1,39 708 THSD7A 1,43 626 4,27 527 1,01 775 IGSF5 1,43 627 1,62 638 1,65 673 PDK4 1,42 628 17,19 311 185,18 60 PACSIN1 1,41 629 0,29 744 2,07 633 METTL11B 1,41 630 2,49 592 1,28 729 VWC2 1,40 631 2,54 590 3,73 529 HLA-DRB1 1,39 632 1,62 639 28,18 226 CHDH 1,38 633 1,24 671 1,40 704 PRSS46 1,36 634 0,33 739 1,14 754 FGF9 1,36 635 3,95 538 2,82 582 MYO5C 1,36 636 3,49 552 1,10 759 TMEM74 1,34 637 2,84 571 1,28 728 C20f71 1,32 638 2,25 603 5,42 461 EPN3 1,32 639 4,86 512 2,24 623 UPB1 1,29 640 1,39 661 1,30 723 TREM1 1,27 641 0,17 753 1,26 732 METTL24 1,26 642 0,76 710 1,26 733 TPRG1 1,25 643 0,70 715 1,15 749 GATA3 1,25 644 1,21 675 2,42 607 CHRDL2 1,23 645 0,47 728 13,91 311 TRERG 1,22 646 1,52 650 2,33 616 TLL2 1,20 647 2,81 576 2,37 612 FAM47E 1,19 648 2,55 589 1,70 668 GPD1 1,18 649 0,46 729 2,84 580 CVWF 1,17 650 21,03 280 89,66 99 SYT2 1,117 651 4,65 6172 4,65 11,38 339 SYT2 1,117 652 6,72 456 11,38 339	FAM107A	1,46	623	0,69	716	21,09	257
THSD7A	DLG2	1,45	624	7,88	436	3,57	534
IGSF5	CSF3R	1,45	625	0,33	738	1,39	709
PDK4 1,42 628 17,19 311 185,18 60 PACSIN1 1,41 629 0,29 744 2,07 633 METTL11B 1,41 630 2,49 592 1,28 729 VWC2 1,40 631 2,54 590 3,73 529 HLA-DRB1 1,39 632 1,62 639 28,18 226 CHDH 1,38 633 1,24 671 1,40 704 PRSS46 1,36 634 0,33 739 1,14 754 FGF9 1,36 635 3,95 538 2,82 582 MYO5C 1,36 636 3,49 552 1,10 759 TMEM74 1,34 637 2,84 571 1,28 728 C2off71 1,32 638 2,25 603 5,42 461 EFN3 1,32 639 4,86 512 2,24 623 UPB1 1,29 640 1,39 661 1,30 723 TREM1 1,27 641 0,17 753 1,26 733 TREM1 1,26 642 0,76 710 1,26 733 TPRG1 1,25 644 0,17 753 1,26 733 TPRG1 1,25 644 1,21 675 2,42 607 CHRDL2 1,23 645 0,47 728 13,91 313 RERG 1,22 646 1,52 650 2,33 616 TLL2 1,20 647 2,81 576 2,37 612 FAM4FE 1,19 648 2,55 589 1,70 668 GPD1 1,18 649 0,46 729 2,84 580 VWF 1,17 650 21,03 280 89,66 99 TMEM139 1,17 651 4,65 517 1,04 772 PLIN5 1,17 652 6,72 456 11,38 339 SYT2 1,17 653 4,93 511 1,43 702	THSD7A	1,43	626	4,27	527	1,01	775
PACSIN1 1,41 629 0,29 744 2,07 633 METTL11B 1,41 630 2,49 592 1,28 729 VWC2 1,40 631 2,54 590 3,73 529 HLA-DRB1 1,39 632 1,62 639 28,18 226 CHDH 1,38 633 1,24 671 1,40 704 PRSS46 1,36 634 0,33 739 1,14 754 FGF9 1,36 635 3,95 538 2,82 582 MYO5C 1,36 636 3,49 552 1,10 759 TMEM74 1,34 637 2,84 571 1,28 728 C2orf71 1,32 638 2,25 603 5,42 461 EPN3 1,32 639 4,86 512 2,24 623 UPB1 1,29 640 1,39 661 1,30 723 TREM1 1,27 641 0,17 753 1,26 733 TREM1 1,27 641 0,17 753 1,26 733 TRRG1 1,25 643 0,70 715 1,15 749 GATA3 1,25 644 1,21 675 2,42 607 CHRDL2 1,23 645 0,47 728 13,91 313 RERG 1,22 646 1,52 650 2,33 616 TLL2 1,20 647 2,81 576 2,37 612 FAM47E 1,19 648 2,55 589 1,70 688 GPD1 1,18 649 0,46 729 2,84 580 TMEM139 1,17 651 4,65 517 1,04 772 PLIN5 1,17 651 4,65 517 1,04 772 PLIN5 1,17 651 4,65 517 1,04 772 PLIN5 1,17 652 6,72 456 11,38 339 SYT2 1,17 651 4,65 517 1,04 772	IGSF5	1,43	627	1,62	638	1,65	673
METTL11B	PDK4	1,42	628	17,19	311	185,18	60
VWC2	PACSIN1	1,41	629	0,29	744	2,07	633
HILA-DRB1 1,39 632 1,62 639 28,18 226 CHDH 1,38 633 1,24 671 1,40 704 PRSS46 1,36 634 0,33 739 1,14 754 FGF9 1,36 635 3,95 538 2,82 582 MYO5C 1,36 636 3,49 552 1,10 759 TMEM74 1,34 637 2,84 571 1,28 728 C2off1 1,32 638 2,25 603 5,42 461 EPN3 1,32 639 4,86 512 2,24 623 UPB1 1,29 640 1,39 661 1,30 723 TREM1 1,27 641 0,17 753 1,26 732 METTL24 1,26 642 0,76 710 1,26 732 METTL24 1,25 644 1,21 675 2,42 607 CHRDL2 1,23 645 0,47 725 1,15 749 GATA3 1,25 646 1,52 650 2,33 616 TILL2 1,20 647 2,81 576 2,37 612 FAM47E 1,19 648 2,55 589 1,70 668 GPD1 1,18 649 0,46 729 2,84 580 VWF 1,17 650 21,03 280 89,66 99 TMEM139 1,17 651 4,65 517 1,04 772 PLIN5 1,17 652 6,72 456 11,38 339 SYT2 1,17 653 4,93 511 1,43 702	METTL11B	1,41	630	2,49	592	1,28	729
CHDH 1,38 633 1,24 671 1,40 704 PRSS46 1,36 634 0,33 739 1,14 754 FGF9 1,36 635 3,95 538 2,82 582 MYO5C 1,36 636 3,49 552 1,10 759 TMEM74 1,34 637 2,84 571 1,28 728 C2orf71 1,32 638 2,25 603 5,42 461 EPN3 1,32 639 4,86 512 2,24 623 UPB1 1,29 640 1,39 661 1,30 723 TREM1 1,27 641 0,17 753 1,26 732 METTL24 1,26 642 0,76 710 1,26 733 TPRG1 1,25 643 0,70 715 1,15 749 GATA3 1,25 644 1,21 675 2,42 607 CHRDL2 1,23 645 0,47 728 13,91 313 RERG 1,22 646 1,52 650 2,33 616 TLL2 1,20 647 2,81 576 2,37 612 FAM47E 1,19 648 2,55 589 1,70 668 GPD1 1,18 649 0,46 729 2,84 580 VWF 1,17 650 21,03 280 89,66 99 TMEM139 1,17 651 4,65 517 1,04 772 PLIN5 1,17 652 6,72 456 11,38 339 SYT2 1,17 653 4,93 511 1,43 702	VWC2	1,40	631	2,54	590	3,73	529
PRSS46	HLA-DRB1	1,39	632	1,62	639	28,18	226
FGF9 1,36 635 3,95 538 2,82 582 MYO5C 1,36 636 3,49 552 1,10 759 TMEM74 1,34 637 2,84 571 1,28 728 C2orf71 1,32 638 2,25 603 5,42 461 EPN3 1,32 639 4,86 512 2,24 623 UPB1 1,29 640 1,39 661 1,30 723 TREM1 1,27 641 0,17 753 1,26 732 METTL24 1,26 642 0,76 710 1,26 733 TPRG1 1,25 643 0,70 715 1,15 749 GATA3 1,25 644 1,21 675 2,42 607 CHRDL2 1,23 645 0,47 728 13,91 313 RERG 1,22 646 1,52 650 2,33 616	CHDH	1,38	633	1,24	671	1,40	704
MYO5C 1,36 636 3,49 552 1,10 759 TMEM74 1,34 637 2,84 571 1,28 728 C2orf71 1,32 638 2,25 603 5,42 461 EPN3 1,32 639 4,86 512 2,24 623 UPB1 1,29 640 1,39 661 1,30 723 TREM1 1,27 641 0,17 753 1,26 732 METTL24 1,26 642 0,76 710 1,26 732 METTL24 1,26 642 0,76 710 1,26 733 TPRG1 1,25 643 0,70 715 1,15 749 GATA3 1,25 644 1,21 675 2,42 607 CHRDL2 1,23 645 0,47 728 13,91 313 RERG 1,22 646 1,52 650 2,33 616 </td <td>PRSS46</td> <td>1,36</td> <td>634</td> <td>0,33</td> <td>739</td> <td>1,14</td> <td>754</td>	PRSS46	1,36	634	0,33	739	1,14	754
TMEM74 1,34 637 2,84 571 1,28 728 C2orf71 1,32 638 2,25 603 5,42 461 EPN3 1,32 639 4,86 512 2,24 623 UPB1 1,29 640 1,39 661 1,30 723 TREM1 1,27 641 0,17 753 1,26 732 METTL24 1,26 642 0,76 710 1,26 733 TPRG1 1,25 643 0,70 715 1,15 749 GATA3 1,25 644 1,21 675 2,42 607 CHRDL2 1,23 645 0,47 728 13,91 313 RERG 1,22 646 1,52 650 2,33 616 TLL2 1,20 647 2,81 576 2,37 612 FAM47E 1,19 648 2,55 589 1,70 668 GPD1 1,18 649 0,46 729 2,84 580	FGF9	1,36	635	3,95	538	2,82	582
C2off71 1,32 638 2,25 603 5,42 461 EPN3 1,32 639 4,86 512 2,24 623 UPB1 1,29 640 1,39 661 1,30 723 TREM1 1,27 641 0,17 753 1,26 732 METTL24 1,26 642 0,76 710 1,26 733 TPRG1 1,25 643 0,70 715 1,15 749 GATA3 1,25 644 1,21 675 2,42 607 CHRDL2 1,23 645 0,47 728 13,91 313 RERG 1,22 646 1,52 650 2,33 616 TLL2 1,20 647 2,81 576 2,37 612 FAM47E 1,19 648 2,55 589 1,70 668 GPD1 1,18 649 0,46 729 2,84 580 VWF 1,17 651 4,65 517 1,04 772	MYO5C	1,36	636	3,49	552	1,10	759
EPN3 1,32 639 4,86 512 2,24 623 UPB1 1,29 640 1,39 661 1,30 723 TREM1 1,27 641 0,17 753 1,26 732 METTL24 1,26 642 0,76 710 1,26 733 TPRG1 1,25 643 0,70 715 1,15 749 GATA3 1,25 644 1,21 675 2,42 607 CHRDL2 1,23 645 0,47 728 13,91 313 RERG 1,22 646 1,52 650 2,33 616 TLL2 1,20 647 2,81 576 2,37 612 FAM47E 1,19 648 2,55 589 1,70 668 GPD1 1,18 649 0,46 729 2,84 580 VWF 1,17 650 21,03 280 89,66 99 TMEM139 1,17 651 4,65 517 1,04 772	TMEM74	1,34	637	2,84	571	1,28	728
UPB1 1,29 640 1,39 661 1,30 723 TREM1 1,27 641 0,17 753 1,26 732 METTL24 1,26 642 0,76 710 1,26 733 TPRG1 1,25 643 0,70 715 1,15 749 GATA3 1,25 644 1,21 675 2,42 607 CHRDL2 1,23 645 0,47 728 13,91 313 RERG 1,22 646 1,52 650 2,33 616 TLL2 1,20 647 2,81 576 2,37 612 FAM47E 1,19 648 2,55 589 1,70 668 GPD1 1,18 649 0,46 729 2,84 580 VWF 1,17 650 21,03 280 89,66 99 TMEM139 1,17 651 4,65 517 1,04 772 PLIN5 1,17 652 6,72 456 11,38 339	C2orf71	1,32	638	2,25	603	5,42	461
TREM1 1,27 641 0,17 753 1,26 732 METTL24 1,26 642 0,76 710 1,26 733 TPRG1 1,25 643 0,70 715 1,15 749 GATA3 1,25 644 1,21 675 2,42 607 CHRDL2 1,23 645 0,47 728 13,91 313 RERG 1,22 646 1,52 650 2,33 616 TLL2 1,20 647 2,81 576 2,37 612 FAM47E 1,19 648 2,55 589 1,70 668 GPD1 1,18 649 0,46 729 2,84 580 VWF 1,17 650 21,03 280 89,66 99 TMEM139 1,17 651 4,65 517 1,04 772 PLIN5 1,17 652 6,72 456 11,38 339 SYT2 1,17 653 4,93 511 1,43 702	EPN3	1,32	639	4,86	512	2,24	623
METTL24 1,26 642 0,76 710 1,26 733 TPRG1 1,25 643 0,70 715 1,15 749 GATA3 1,25 644 1,21 675 2,42 607 CHRDL2 1,23 645 0,47 728 13,91 313 RERG 1,22 646 1,52 650 2,33 616 TLL2 1,20 647 2,81 576 2,37 612 FAM47E 1,19 648 2,55 589 1,70 668 GPD1 1,18 649 0,46 729 2,84 580 VWF 1,17 650 21,03 280 89,66 99 TMEM139 1,17 651 4,65 517 1,04 772 PLIN5 1,17 652 6,72 456 11,38 339 SYT2 1,17 653 4,93 511 1,43 702	UPB1	1,29	640	1,39	661	1,30	723
TPRG1 1,25 643 0,70 715 1,15 749 GATA3 1,25 644 1,21 675 2,42 607 CHRDL2 1,23 645 0,47 728 13,91 313 RERG 1,22 646 1,52 650 2,33 616 TLL2 1,20 647 2,81 576 2,37 612 FAM47E 1,19 648 2,55 589 1,70 668 GPD1 1,18 649 0,46 729 2,84 580 VWF 1,17 650 21,03 280 89,66 99 TMEM139 1,17 651 4,65 517 1,04 772 PLIN5 1,17 652 6,72 456 11,38 339 SYT2 1,17 653 4,93 511 1,43 702	TREM1	1,27	641	0,17	753	1,26	732
GATA3 1,25 644 1,21 675 2,42 607 CHRDL2 1,23 645 0,47 728 13,91 313 RERG 1,22 646 1,52 650 2,33 616 TLL2 1,20 647 2,81 576 2,37 612 FAM47E 1,19 648 2,55 589 1,70 668 GPD1 1,18 649 0,46 729 2,84 580 VWF 1,17 650 21,03 280 89,66 99 TMEM139 1,17 651 4,65 517 1,04 772 PLIN5 1,17 652 6,72 456 11,38 339 SYT2 1,17 653 4,93 511 1,43 702	METTL24	1,26	642	0,76	710	1,26	733
CHRDL2 1,23 645 0,47 728 13,91 313 RERG 1,22 646 1,52 650 2,33 616 TLL2 1,20 647 2,81 576 2,37 612 FAM47E 1,19 648 2,55 589 1,70 668 GPD1 1,18 649 0,46 729 2,84 580 VWF 1,17 650 21,03 280 89,66 99 TMEM139 1,17 651 4,65 517 1,04 772 PLIN5 1,17 652 6,72 456 11,38 339 SYT2 1,17 653 4,93 511 1,43 702	TPRG1	1,25	643	0,70	715	1,15	749
RERG 1,22 646 1,52 650 2,33 616 TLL2 1,20 647 2,81 576 2,37 612 FAM47E 1,19 648 2,55 589 1,70 668 GPD1 1,18 649 0,46 729 2,84 580 VWF 1,17 650 21,03 280 89,66 99 TMEM139 1,17 651 4,65 517 1,04 772 PLIN5 1,17 652 6,72 456 11,38 339 SYT2 1,17 653 4,93 511 1,43 702	GATA3	1,25	644	1,21	675	2,42	607
TLL2 1,20 647 2,81 576 2,37 612 FAM47E 1,19 648 2,55 589 1,70 668 GPD1 1,18 649 0,46 729 2,84 580 VWF 1,17 650 21,03 280 89,66 99 TMEM139 1,17 651 4,65 517 1,04 772 PLIN5 1,17 652 6,72 456 11,38 339 SYT2 1,17 653 4,93 511 1,43 702	CHRDL2	1,23	645	0,47	728	13,91	313
FAM47E 1,19 648 2,55 589 1,70 668 GPD1 1,18 649 0,46 729 2,84 580 VWF 1,17 650 21,03 280 89,66 99 TMEM139 1,17 651 4,65 517 1,04 772 PLIN5 1,17 652 6,72 456 11,38 339 SYT2 1,17 653 4,93 511 1,43 702	RERG	1,22	646	1,52	650	2,33	616
GPD1 1,18 649 0,46 729 2,84 580 VWF 1,17 650 21,03 280 89,66 99 TMEM139 1,17 651 4,65 517 1,04 772 PLIN5 1,17 652 6,72 456 11,38 339 SYT2 1,17 653 4,93 511 1,43 702	TLL2	1,20	647	2,81	576	2,37	612
VWF 1,17 650 21,03 280 89,66 99 TMEM139 1,17 651 4,65 517 1,04 772 PLIN5 1,17 652 6,72 456 11,38 339 SYT2 1,17 653 4,93 511 1,43 702	FAM47E	1,19	648	2,55	589	1,70	668
TMEM139 1,17 651 4,65 517 1,04 772 PLIN5 1,17 652 6,72 456 11,38 339 SYT2 1,17 653 4,93 511 1,43 702	GPD1	1,18	649	0,46	729	2,84	580
PLIN5 1,17 652 6,72 456 11,38 339 SYT2 1,17 653 4,93 511 1,43 702	VWF	1,17	650	21,03	280	89,66	99
SYT2 1,17 653 4,93 511 1,43 702	TMEM139	1,17	651	4,65	517	1,04	772
	PLIN5	1,17	652	6,72	456	11,38	339
RGS1 1,16 654 0,45 730 3,21 555	SYT2	1,17	653	4,93	511	1,43	702
	RGS1	1,16	654	0,45	730	3,21	555

VIPR2	1,16	655	5,52	489	4,70	482
KLHL38	1,15	656	5,77	483	18,57	274
HTR4	1,12	657	3,87	540	2,52	600
BCL6B	1,11	658	7,98	431	4,68	485
ST8SIA5	1,09	659	0,52	727	1,27	730
RNF43	1,09	660	2,82	572	1,74	661
FAM151A	1,07	661	3,74	544	2,71	594
SPOCK2	1,07	662	2,72	580	2,71	593
SLC38A8	1,03	663	0,04	775	1,13	756
ZDHHC15	1,02	664	1,55	647	1,17	745
MEP1B	1,02	665	6,45	461	2,93	572
CYYR1	1,00	666	4,79	513	11,24	342
QRFPR	0,99	667	2,72	581	1,07	763
PLXDC1	0,98	668	1,73	631	6,78	419
MYH14	0,98	669	1,22	672	19,09	271
DUSP8	0,98	670	1,01	687	4,30	500
PZP	0,94	671	3,75	543	1,39	707
CEACAM1	0,93	672	3,22	558	1,94	641
MAEL	0,91	673	2,17	610	1,69	670
SRGAP3	0,90	674	0,71	714	2,90	576
GABRP	0,89	675	3,67	547	1,17	747
SLC6A13	0,88	676	2,44	596	1,92	642
C1orf168	0,88	677	0,86	702	4,69	483
PDE1B	0,87	678	0,97	690	1,28	726
DAND5	0,86	679	0,75	712	2,84	579
RGS6	0,85	680	8,08	428	17,07	286
ST6GALNAC1	0,82	681	0,29	745	1,36	714
SLC15A2	0,80	682	1,15	679	1,65	674
MYOM3	0,74	683	0,94	694	226,28	55
IFNK	0,74	684	0,91	697	1,21	738
IRX6	0,74	685	0,17	755	5,56	455
SERPINA3	0,72	686	0,07	772	5,15	471
ENAM	0,72	687	1,08	683	2,22	624
SLC22A7	0,71	688	0,97	691	3,04	565
SEMA3G	0,69	689	2,00	621	5,16	470
PCP4	0,67	690	0,90	698	1,55	683
POF1B	0,66	691	1,58	644	2,43	605
GRIK5	0,65	692	0,33	737	1,15	748
RASD2	0,64	693	5,56	488	1,48	695
RNASE6	0,64	694	5,86	480	1,53	689
ABCC8	0,64	695	0,61	723	8,59	376
LRMP	0,64	696	2,10	613	1,97	639
HEYL	0,63	697	4,31	526	10,33	351
NRXN1	0,61	698	0,93	696	1,54	687
CA8	0,60	699	1,22	674	2,51	601
MS4A6A	0,59	700	2,47	594	7,59	402
GLT1D1	0,58	701	0,15	759	1,04	771

HFE2							
CPT1B 0,57 704 2,76 579 1,05 769 PLA1A 0,56 705 0,25 748 1,23 736 CILP 0,55 706 0,25 748 1,23 736 CILP 0,55 707 708 6,25 584 5,22 487 CILP 0,55 708 14,30 338 63,00 136 CIMAPS 0,55 708 14,30 338 63,00 136 LSP1 0,55 709 14,47 653 7,84 390 ASB10 0,54 710 1,39 662 6,29 4,39 KSTB013 0,49 711 1,12 682 1,82 648 FINDRS 0,47 712 8,21 407 2,83 591 RORB 0,47 713 0,21 762 1,12 767 KCNT1 0,46 714 10,0 688 1,21 760 CYSLTR2 0,44 716 35,00 22 751 48,17 180 ARHGEF15 0,44 717 4,54 521 7,62 392 CYSLTR2 0,44 717 4,54 521 7,62 392 CYSLTR2 0,44 718 3,15 559 1,08 762 COLI9A1 0,43 719 5,07 603 2,04 634 ITK 0,42 720 0,23 749 1,59 678 ALOXS 0,411 721 1,04 686 1,70 667 PAORB 0,40 722 0,32 749 1,59 678 ALOXS 0,41 721 1,04 686 1,70 667 FNNT3 0,40 723 19,16 296 16,05 293 TNNT3 0,40 723 19,16 296 16,05 293 TNNT3 0,40 723 19,16 296 16,05 293 TNNT3 0,40 725 0,61 724 1,17 746 ASB12 0,39 726 0,03 777 1,15 699 KCNIP1 0,38 727 750 0,61 724 1,17 748 ASB12 0,39 726 0,03 777 1,15 699 KCNIP1 0,38 727 729 2,23 601 7,20 409 PRIMA1 0,37 730 1,17 678 1,22 737 SV2B 0,37 729 2,33 601 7,29 409 PRIMA1 0,37 730 1,17 678 1,22 737 SV2B 0,37 730 1,17 678 1,22 737 KNT1 0,29 738 4,99 739 1,49 7509 13,24 3,24 ASB4 0,33 732 10,02 380 6,75 422 TKTL1 0,32 733 1,78 629 2,00 635 FREX2 0,30 735 736 1,39 344 1,19 661 FREX2 0,30 737 730 1,17 678 1,22 737 KNT1 0,28 739 1,38 629 2,00 635 FRIMAP4 0,29 736 6,55 460 4,38 497 FRIMA1 0,37 730 1,17 678 1,22 737 KNT1 0,38 732 10,02 380 6,75 422 TKTL1 0,32 733 1,78 629 2,00 635 FREX2 0,30 734 739 1,39 344 1,19 661 FREX2 0,29 737 1,68 636 3,60 4,38 497 FRIMA1 0,37 730 1,17 678 1,22 737 FRIMA1 0,32 733 1,38 629 2,00 635 FRIMAP4 0,29 736 6,55 460 4,38 497 FRIMAP5 0,29 737 1,68 636 1,53 666 1,53 668 FREX2 0,30 737 730 1,17 678 1,22 737 FRIMAS 0,27 734 1,02 737 734 1,19 664 FREX2 0,30 737 738 1,39 344 1,19 661 FREX2 0,30 737 738 1,39 344 1,19 661 FREX2 0,30 737 741 0,22 750 1,19 79 664 FREX2 0,30 737 741 0,22 750 1,19 79 664 FREX2 0,30 737 741 0,22 750 1,19 79 664 FREX2 0,30 737 742 0,33 740 1,29 79 664 FREX2 0,30 737 741 0,22 750 1,19 79	HFE2	0,57	702	0,12	763	13,65	317
PLA1A OLP OLF	TSPAN7	0,57	703	1,30	668	2,52	599
CILP 0.55 706 2.85 684 5.22 467 CUCYCC 0.56 707 1.96 624 1.82 660 CUCYCC 0.55 708 14.20 338 63.09 135 LSP1 0.55 709 1.47 653 7.84 390 ASB10 0.54 710 1.39 662 6.29 439 KBTBD13 0.49 711 1.12 682 1.82 660 PLVAP 0.47 712 8.21 407 2.83 681 RORB 0.47 713 0.21 752 1.12 757 KCNT1 0.46 714 1.00 688 1.21 740 PEBPA 0.45 715 0.22 751 49.17 160 ARHGEF15 0.44 716 35.00 202 52.80 152 CYSLTR2 0.44 717 4.54 521 7.82 392 CVSLTR2 0.44 718 3.15 559 1.08 762 COL19A1 0.43 719 5.07 503 2.04 634 ITK 0.42 720 0.23 749 1.59 678 ALOXS 0.41 721 1.04 685 1.70 667 PAQR9 0.40 722 0.32 742 7.77 395 TNNT3 0.40 723 19.16 299 11.05 293 STAB1 0.40 723 19.16 299 11.05 293 STAB1 0.40 724 5.99 491 15.82 293 CLECTA 0.40 725 0.61 724 1.17 746 ASB12 0.39 726 0.03 777 1.75 669 CLECTA 0.40 727 29 2.33 601 7.29 409 PRIMAT 0.37 730 1.17 678 3.11 662 CSTBTPC 0.38 728 729 2.33 601 7.29 409 PRIMAT 0.37 730 1.17 678 3.11 662 CSTBTPC 0.38 728 729 2.33 601 7.29 409 PRIMAT 0.37 730 1.17 678 3.11 622 636 GLECTA 0.30 735 730 1.17 678 3.11 662 CSTBTPC 0.38 728 729 2.33 601 7.29 409 PRIMAT 0.37 730 1.17 678 3.11 662 CSTBTPC 0.38 729 2.33 601 7.29 409 PRIMAT 0.37 730 1.17 678 3.11 662 CSTBTPC 0.38 729 2.33 601 7.29 409 PRIMAT 0.37 730 1.17 678 3.11 662 CSTBTPC 0.38 729 2.33 601 7.29 409 PRIMAT 0.39 735 665 731 4.97 509 13.24 324 ASB4 0.33 732 739 1.17 678 6.59 ASB4 0.33 732 739 1.17 678 6.59 ASB4 0.33 732 739 1.17 678 6.59 ASB4 0.33 732 739 1.17 678 6.50 ASB4 0.33 739 1.17 678 6.50 ASB4 0.33 739 1.17 678 6.50 ASB4 0.33 739 1.17 678 6.50 AS	CPT1B	0,57	704	2,76	579	1,05	769
GUCY2C 0.55 707 1,96 624 1,82 660 601MAP5 0.55 708 14,30 338 63,09 135 14,50 338 63,09 135 14,50 338 63,09 135 14,50 338 63,09 135 14,50 338 63,09 135 14,50 338 63,09 135 14,50 338 63,09 135 14,50 338 14,50 338 63,09 135 14,50 338 14,50 338 14,50 338 14,50 338 14,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,50 34,	PLA1A	0,56	705	0,25	748	1,23	736
GIMAPS LSP1 0.55 708 14,30 338 63,09 135 LSP1 0.55 709 1,47 653 7,84 390 ASB10 0.54 4710 1,39 662 6,29 439 KBTBD13 0,49 711 1,12 682 1,82 649 PLVAP 0.47 713 0,21 752 KCNT1 0,46 714 1,00 688 1,21 740 PEBP4 0,45 715 0,44 716 35,00 202 751 48,17 160 ARHGEF15 0,44 716 35,00 202 62,80 634 FXD2 FXVD2 0,44 718 3,15 559 1,08 762 ALOX5 0,411 721 1,04 685 1,70 667 PAGR9 0,40 722 0,23 749 1,59 678 ALOX5 1,41 0,40 723 19,16 296 11,50 297 CLECTA 0,40 724 0,40 725 0,61 724 0,43 737 746 ASB12 0,40 725 0,61 724 0,40 725 0,61 724 0,40 725 0,61 724 0,63 737 746 ASB12 0,38 727 5,04 74 5,05 738 1,03 773 SVZB 0,37 729 0,38 728 0,33 730 1,17 73 SMOC2 0,35 731 1,97 730 1,76 768 1,03 773 SMOC2 0,35 731 1,97 730 1,17 768 1,22 737 730 1,17 768 1,22 737 SMOC2 0,35 731 1,39 344 1,59 681 1,70 681 1,70 681 1,70 682 1,70 687 1,70 686 1,70 687 1,70 687 1,70 687 1,70 687 1,70 687 1,70 687 1,70 687 1,70 687 1,70 687 1,70 687 1,70 687 1,70 687 1,70 687 1,70 687 1,70 687 1,70 687 1,70 687 1,70 687 1,70 687 1,70 687 1,70 687 1,70 687 1,70 687 1,70 687 1,70 687 1,70 687 1,70 687 1,70 687 1,70 687 1,70 687 1,70 687 1,70 687 1,70 687 1,70 687 1,70 687 1,70 687 1,70 687 1,70 687 1,70 687 1,70 687 1,70 687 1,70 687 1,70 687 1,70 687 1,70 687 1,70 687 1,70 687 1,70 687 1,70 687 1,70 687 1,70 687 1,70 687 1,70 687 1,70 687 1,70 687 1,70 687 1,70 687 1,70 687 1,70 687 1,70 687 1,70 687 1,70 687 1,70 687 1,70 687 1,70 687 1,70 687 1,70 687 1,70 687 1,70 687 1,70 687 1,70 687 1,70 687 1,70 687 1,70 687 1,70 687 1,70 687 1,70 687 1,70 687 1,70 687 1,70 687 1,70 687 1,70 687 1,70 687 1,70 687 1,70 687 1,70 687 1,70 687 1,70 687 1,70 687 1,70 687 1,70 687 1,70 687 1,70 687 1,70 687 1,70 687 1,70 687 1,70 687 1,70 687 1,70 687 1,70 687 1,70 687 1,70 687 1,70 687 1,70 687 1,70 687 1,70 687 1,70 687 1,70 687 1,70 687 1,70 687 1,70 687 1,70 687 1,70 687 1,70 687 1,70 687 1,70 687 1,70 687 1,70 687 1,70 687 1,70 687 1,70 687 1,70 687 1,70 687 1,70 687 1,70 687 1,70 687 1,70 687 1,70 687 1,70 687 1,70 687 1,70 687 1,70 687 1,70 687 1,70 687 1,70 687 1,70 687 1,70 68	CILP	0,55	706	2,65	584	5,22	467
LSPI 0,55 709 1,47 653 7,84 390 ASB10 0,54 710 1,39 652 6,29 439 KBTBD13 0,49 711 1,12 682 6,29 PLVAP 0,47 712 9,21 407 2,83 681 RORB 0,47 713 0,21 752 1,12 757 KCNT1 0,46 714 1,00 688 1,21 740 PEBP4 0,45 715 0,22 751 49,17 160 ARHGEF15 0,44 716 35,00 202 52,80 152 CYSLTR2 0,44 717 4,64 521 7,82 392 EXYDZ 0,44 718 3,15 599 1,08 762 COL19A1 0,43 719 5,07 633 2,04 634 LITK 0,42 720 0,23 749 1,59 678 ALOXS 0,41 721 1,04 685 1,70 667 PAGR9 0,40 722 0,32 742 7,77 395 TNNT3 0,40 723 19,16 296 16,05 293 STAB1 0,40 722 0,32 742 7,77 395 STAB1 0,40 723 19,16 296 16,05 293 STAB1 0,40 724 5,49 491 15,82 297 CLEC7A 0,40 725 0,61 724 1,17 7,66 ASB12 0,39 726 0,03 777 1,75 659 KCNIPI 0,38 727 5,04 505 3,11 562 ZBTBTC 0,38 728 0,35 736 1,03 773 SWC2 0,35 731 4,97 5,99 13,24 3,24 SKB4 0,33 732 19,99 344 1,59 681 PRIMA1 0,37 730 1,17 678 1,22 737 SWC2 0,35 731 4,97 5,99 13,24 3,24 TKTL1 0,32 733 1,78 629 2,02 635 GLPIR 0,30 734 13,99 344 1,59 681 PREX 0,30 734 13,99 344 1,59 681 PREX 0,30 734 13,99 344 1,59 681 PREX 0,30 735 3,53 550 7,14 411 NPR1 0,29 736 6,55 460 4,33 497 LYZ 0,29 738 739 1,68 636 3,62 531 GIMAPH 0,27 741 0,22 750 1,59 651 LPARS 0,27 741 0,22 750 1,59 651 LPARS 0,27 743 0,39 732 1,68 6,09 442 ADRBI 0,27 744 0,37 734 1,79 684 ADRBI 0,20 746 748 442 7,98 389 ADRBI 0,20 747 748 0,39 752 1,89 389 ADRBI 0,27 744 0,37 734 1,80 684 ADRBI 0,27 744 0,37 734 1,80 684 ADRBI 0,20 746 748 442 0,39 379 732 1,83 39 732 1,83 39 732 1,83 39 732 1,83 39 732 1,83 39 732 1,83 39 732 1,83 39 732 1,83 39 732 1,83 39 732	GUCY2C	0,55	707	1,96	624	1,82	650
ASB10 0,54 710 1,39 662 6,29 439 KBTBD13 0,49 711 1,12 682 1,82 649 PLVAP 0,47 712 9,21 407 722 1,12 757 KCNT1 0,46 714 1,10 688 1,21 740 PEBP4 0,45 715 0,22 751 48,17 160 ARHOEFTS 0,44 716 35,00 202 52,80 152 CVSLTR2 0,44 716 35,00 202 52,80 152 CVSLTR2 0,44 717 4,54 521 7,82 392 FXVD2 0,44 718 3,15 559 1,08 762 COL19A1 0,43 719 5,07 503 2,04 534 11K 0,42 720 0,23 749 1,59 678 ALOX5 0,41 721 1,04 685 1,70 667 ALOX5 0,40 723 1,916 2,96 1,98 2,93 CLEC7A 0,40 723 1,916 2,96 1,96 2,93 CLEC7A 0,40 723 1,916 2,96 1,96 2,93 CLEC7A 0,40 724 5,49 491 15,82 2,87 CLEC7A 0,40 725 0,61 724 1,17 746 ASB12 0,39 726 0,03 777 1,75 6,99 CLEC7A 0,38 727 0,38 728 0,35 736 1,03 773 SV2B 0,37 729 2,33 601 7,29 409 PRIMA1 0,37 73 730 1,17 678 1,22 737 SV2B 0,37 730 730 1,17 678 1,22 737 SV2B 0,33 732 10,92 3,80 6,75 422 TKTL1 0,22 733 1,78 629 CQ2 6,35 TML1 0,29 738 1,35 665 1,53 688 CABRA4 0,28 738 1,35 665 1,53 688 CABRA4 0,28 739 1,35 665 1,53 688 CABRA4 0,	GIMAP5	0,55	708	14,30	338	63,09	135
KBTBD13	LSP1	0,55	709	1,47	653	7,84	390
PLVAP RORB 0,47 713 0,21 715 0,21 752 1,12 757 KCNT1 0,46 714 1,00 688 1,21 740 PEBP4 0,45 715 0,22 751 49,17 160 ARHGEF15 0,44 716 35,00 202 52,80 152 CYSLTR2 0,44 717 4,54 521 7,82 392 CYSLTR2 0,44 718 3,15 559 1,08 762 COL19A1 0,43 719 5,07 503 2,04 683 1,70 667 PAQR9 0,40 722 1,04 721 1,04 685 1,70 667 PAQR9 0,40 722 1,14 685 1,70 667 PARN9 0,40 723 19,16 296 16,05 293 STAB1 0,40 724 5,49 491 15,82 297 CLEC7A 0,40 725 0,61 726 0,03 777 1,75 659 KCNIP1 0,38 727 5,04 5,69 6,103 773 SV2B 0,37 729 2,33 601 7,29 409 PRIMA1 0,37 730 1,17 678 1,22 737 SMOC2 0,35 731 4,97 5,90 13,24 3,24 3,24 3,35 1,89 1,99 1,90 1,90 1,90 1,90 1,90 1,17 6,18 1,19 6,19 1,19 6,19 1,19 6,19 1,19 6,19 1,19 6,19 1,19 1	ASB10	0,54	710	1,39	662	6,29	439
RORB	KBTBD13	0,49	711	1,12	682	1,82	649
KCNT1	PLVAP	0,47	712	9,21	407	2,83	581
PEBP4 0,45 715 0,22 751 49,17 160 ARHGEF15 0,44 716 35,00 202 52,80 152 CYSLTR2 0,44 717 4,54 521 7,82 392 EXYD2 0,44 718 3,15 559 1,08 762 COL19A1 0,43 719 5,07 503 2,04 634 ITK 0,42 720 0,23 749 1,59 678 ALOX5 0,41 721 1,04 695 1,70 667 PAQR9 0,40 722 0,32 742 7,77 395 STAB1 0,40 723 19,16 296 16,05 293 STAB1 0,40 724 5,49 491 15,82 297 CLEC7A 0,40 725 0,61 724 1,17 746 ASB12 0,39 726 0,03 777 1,75 659 CKONIP1 0,38 727 5,04 5,05 3,11 562 ZBTB7C 0,38 728 0,35 736 1,03 773 SV2B 0,37 729 2,33 601 7,29 409 PRIMA1 0,37 730 1,17 678 1,22 737 SMOC2 0,35 731 4,97 509 13,24 324 SKTL1 0,32 733 1,78 629 2,02 635 GLPIR 0,30 734 13,99 344 1,59 681 CREX 0,29 737 1,88 629 2,02 635 GLPIR 0,30 736 6,55 460 4,38 491 LYZ 0,29 737 1,88 636 3,62 531 CIMAP4 0,29 738 4,93 510 11,60 336 TMENZ5 0,26 744 0,22 779 CLPAS 0,26 744 0,28 740 1,29 724 ADPT 0,27 737 1,88 636 3,62 531 CIMAP4 0,29 738 4,93 510 11,60 336 TMENZ5 0,28 739 1,35 665 1,53 688 GABRA4 0,28 740 3,65 548 6,09 442 LYZ 0,29 737 1,18 636 5,66 1,53 688 GABRA4 0,28 740 3,65 548 6,09 442 LYZ 0,29 737 1,18 636 5,66 1,53 688 GABRA4 0,28 740 3,65 548 6,09 442 LYZ 0,29 737 1,18 636 5,66 1,53 688 GABRA4 0,28 740 3,65 548 6,09 442 LYZ 0,29 737 1,18 636 5,66 1,53 688 GABRA4 0,28 740 3,65 548 6,09 442 LYZ 0,29 737 1,18 636 5,66 1,53 688 GABRA4 0,28 740 3,65 548 6,09 442 LYZ 0,29 737 1,18 636 5,66 1,53 688 GABRA4 0,28 740 3,65 548 6,09 442 LYZ 0,29 737 1,18 636 5,66 1,53 688 GABRA4 0,28 740 3,65 548 6,09 442 LYZ 0,29 737 1,18 636 5,66 1,53 688 GABRA4 0,28 740 3,65 548 6,09 442 LYZ 0,29 737 1,18 636 5,56 5,52 453 SH2D3C 0,20 746 746 748 542 7,98 889 GRM8 0,20 746 748 542 7,98 889 GRM8 0,20 747 0,10 767 1,60 677	RORB	0,47	713	0,21	752	1,12	757
ARHGEF15 0,44 716 35,00 202 52,80 152 CYSLTR2 0,44 717 4,54 521 7,82 392 FXYD2 0,44 718 3,15 559 1,08 762 CXSLTR2 7,04 719 5,07 503 2,04 634 ITK 0,42 720 0,23 749 1,59 673 ALOX5 0,41 721 1,04 685 1,70 667 PAGR9 0,40 722 0,32 742 7,77 395 STAB1 0,40 724 5,49 491 15,52 293 STAB1 0,40 724 5,49 491 15,52 297 CLEC7A 0,40 725 0,61 724 1,17 746 ASB12 0,39 726 0,03 777 1,75 659 KCNIP1 0,38 727 5,04 505 3,11 662 EBTBYC 0,38 728 0,35 736 1,03 777 SV2B 0,37 729 2,33 601 7,29 409 PRIMA1 0,37 730 1,17 678 1,22 737 SMOC2 0,35 731 4,97 509 13,24 324 TKTL1 0,32 733 1,78 629 2,02 635 GLPIR 0,30 734 13,99 344 1,59 681 PREX2 0,30 735 3,53 550 7,14 411 NPR1 0,29 736 6,55 460 4,38 497 LYZ 0,29 737 1,88 636 3,62 531 GIMAP4 0,29 736 6,55 548 6,09 442 LYZ 0,29 737 1,88 636 3,62 531 GIMAP4 0,29 736 6,55 548 6,09 442 LYZ 0,29 737 1,88 636 3,62 531 GIMAP4 0,29 736 6,55 548 6,09 442 LYZ 0,29 737 1,88 636 3,62 531 GIMAP4 0,29 736 6,55 548 6,09 442 LYZ 0,29 737 1,88 636 3,62 531 GIMAP4 0,29 736 6,55 548 6,09 442 LYZ 0,29 737 1,88 636 3,62 531 GIMAP4 0,29 736 6,55 548 6,09 442 LYZ 0,29 737 1,88 636 3,62 531 GIMAP4 0,29 736 6,55 548 6,09 442 LYZ 0,29 737 1,88 636 3,62 531 GIMAP4 0,29 736 6,55 548 6,09 442 LYZ 0,29 737 1,88 636 3,62 531 GIMAP4 0,29 736 6,55 548 6,09 442 LYZ 0,29 737 1,88 636 3,62 531 GIMAP4 0,29 736 6,55 548 6,09 442 LYZ 0,29 737 1,88 636 3,62 531 GIMAP4 0,29 738 4,93 510 11,60 336 TMEM252 0,28 739 1,35 655 548 6,09 442 LYA 0,27 741 0,22 750 17,97 2281 LPAR5 0,27 741 0,22 750 17,97 2281 LPAR5 0,27 742 0,33 740 1,29 724 AQP7 0,27 741 0,22 750 17,97 2281 LPAR5 0,27 742 0,33 740 1,29 724 AQP7 0,27 743 0,39 732 18,39 277 PCLO 0,26 746 748 49,37 734 1,79 654 CRMB 0,20 746 746 748 442 7,98 389 GRMB 0,20 746 746 748 442 7,98 389	KCNT1	0,46	714	1,00	688	1,21	740
CYSLTR2 0.44 717 4,54 521 7,82 392 FXYD2 0.44 718 3,15 559 1,08 762 COL19A1 0.43 719 5,07 503 2,04 634 ITK 0.42 720 0.23 749 1,59 678 ALOX5 0,41 721 1,04 685 1,70 667 PAQR9 0,40 722 0,32 742 7,77 395 TNNT3 0,40 723 19,16 296 16,05 293 STAB1 0,40 724 5,49 491 15,82 297 CLEC7A 0,40 725 0,61 724 1,17 746 ASB12 0,39 726 0,03 777 1,75 659 KCNIP1 0,38 727 5,04 505 3,11 562 ZBTB7C 0,38 728 0,25 736 1,03 773	PEBP4	0,45	715	0,22	751	49,17	160
FXYD2	ARHGEF15	0,44	716	35,00	202	52,80	152
COL19A1	CYSLTR2	0,44	717	4,54	521	7,82	392
ITK 0,42 720 0,23 749 1,59 678 ALOX5 0,41 721 1,04 685 1,70 667 PAGR9 0,40 722 0,32 742 7,77 395 TNNT3 0,40 723 19,16 296 16,05 293 STAB1 0,40 724 5,49 491 15,82 297 CLEC7A 0,40 725 0,61 724 1,17 746 ASB12 0,39 726 0,03 777 1,75 659 KCNIP1 0,38 727 5,04 505 3,11 562 ZBTB7C 0,38 728 0,35 736 1,03 773 SV2B 0,37 729 2,33 601 7,29 409 PRIMA1 0,37 730 1,17 678 1,22 737 SMOC2 0,35 731 4,97 509 13,24 324 ASB4 0,33 732 10,92 380 6,75 422 TKTL1 0,32 733 1,78 629 2,02 635 GLP1R 0,30 734 13,99 344 1,59 681 PREX2 0,30 735 3,53 550 7,14 411 NPR1 0,29 736 6,55 460 4,38 497 LYZ 0,29 737 1,68 636 3,62 531 TMEM252 0,28 739 1,35 665 1,53 688 GABRA4 0,28 740 3,65 548 6,09 442 ADRB1 0,27 741 0,22 750 17,97 281 LPAR5 0,27 742 0,33 732 733 1,78 665 1,53 688 GABRA4 0,26 774 0,10 767 1,80 677	FXYD2	0,44	718	3,15	559	1,08	762
ALOX5 0.41 721 1,04 685 1,70 667 PAQR9 0.40 722 0,32 742 7,77 395 TNNT3 0.40 723 19,16 296 16,05 293 STAB1 0.40 724 5,49 491 15,82 297 CLEC7A 0.40 725 0,61 724 1,17 746 ASB12 0,39 726 0,03 777 1,75 659 KCNIP1 0,38 727 5,04 505 3,11 562 ZBTB7C 0,38 728 0,35 736 1,03 773 SV2B 0,37 729 2,33 601 7,29 409 PRIMA1 0,37 730 1,17 678 1,22 737 SMOC2 0,35 731 4,97 509 13,24 324 ASB4 0,33 732 10,92 380 6,75 422 TKTL1 0,32 733 1,78 629 2,02 635 GLP1R 0,30 734 13,99 344 1,59 681 PREX2 0,30 735 3,53 550 7,14 411 NPR1 0,29 736 6,55 460 4,38 497 LYZ 0,29 737 1,68 639 636 548 GABRA4 0,28 740 3,65 548 6,09 442 ADRB1 0,27 741 0,22 750 17,97 281 LPAR5 0,27 742 0,33 730 732 18,39 277 CCD38 0,25 746 7,48 442 7,98 389 GRM8 0,20 746 7,48 442 7,98 389 GRM8 0,20 747 0,10 767 1,60 677	COL19A1	0,43	719	5,07	503	2,04	634
PAQR9 0.40 722 0.32 742 7.77 395 TNNT3 0.40 723 19,16 296 16,05 293 STAB1 0.40 724 5,49 491 15,82 297 CLECTA 0.40 725 0.61 724 1,17 746 ASB12 0.39 726 0.03 777 1,75 659 KCNIP1 0.38 727 5,04 505 KCNIP1 0.38 728 0.35 736 1,03 773 SV2B 0.37 729 2,33 601 7,29 409 PRIMA1 0.37 730 1,17 678 1,22 737 SMOC2 0.35 731 4,97 509 13,24 324 ASB4 0.33 732 10,92 380 6,75 422 TKTL1 0.32 733 1,78 629 2,02 635 GLP1R 0.30 734 13,99 344 1,59 681 PREX2 0.30 735 3,53 550 7,14 411 NPR1 0.29 736 6,55 460 4,38 497 LYZ 0.29 737 1,68 636 3,62 531 GIMAP4 0.29 738 4,93 510 11,60 336 TMEM252 0.28 739 1,35 665 1,53 688 GABRA4 0.28 740 3,65 548 6,09 442 ADRB1 0.27 741 0.22 750 17,97 281 LPARS 0.27 742 0,39 732 18,39 732 CD38 0.25 745 1,45 655 5,62 453 SH2D3C 0.20 746 7,48 442 7,98 389 GRM8 0.20 747 0,10 767 1,60 677	ITK	0,42	720	0,23	749	1,59	678
TNNT3	ALOX5	0,41	721	1,04	685	1,70	667
STAB1 0,40 724 5,49 491 15,82 297 CLEC7A 0,40 725 0,61 724 1,17 746 ASB12 0,39 726 0,03 777 1,75 659 KCNIP1 0,38 727 5,04 505 3,11 562 ZBTB7C 0,38 728 0,35 736 1,03 773 SV2B 0,37 729 2,33 601 7,29 409 PRIMA1 0,37 730 1,17 678 1,22 737 SMOC2 0,35 731 4,97 509 13,24 324 ASB4 0,33 732 10,92 380 6,75 422 TKTL1 0,32 733 1,78 629 2,02 635 GLP1R 0,30 734 13,99 344 1,59 681 PREX2 0,30 735 3,53 550 7,14 411 </td <td>PAQR9</td> <td>0,40</td> <td>722</td> <td>0,32</td> <td>742</td> <td>7,77</td> <td>395</td>	PAQR9	0,40	722	0,32	742	7,77	395
CLEC7A 0,40 725 0,61 724 1,17 746 ASB12 0,39 726 0,03 777 1,75 659 KCNIP1 0,38 727 5,04 505 3,11 562 ZBTB7C 0,38 728 0,35 736 1,03 773 SV2B 0,37 729 2,33 601 7,29 409 PRIMA1 0,37 730 1,17 678 1,22 737 SMOC2 0,35 731 4,97 509 13,24 324 ASB4 0,33 732 10,92 380 6,75 422 TKTL1 0,32 733 1,78 629 2,02 635 GLP1R 0,30 734 13,99 344 1,59 681 PREX2 0,30 735 3,53 550 7,14 411 NPR1 0,29 736 6,55 460 4,38 497 LYZ 0,29 737 1,68 636 3,62 531 GIMAP4 0,29 738 4,93 510 11,60 336 GMBP4 0,28 739 1,35 665 1,53 688 GABRA4 0,28 740 3,65 548 6,09 442 ADRB1 0,27 741 0,22 750 17,97 281 LPAR5 0,27 742 0,33 732 18,39 277 PCLO 0,26 744 0,37 734 1,79 654 CD38 0,25 745 1,45 655 5,62 453 SH2D3C 0,20 746 7,48 442 7,98 389 GRM8 0,20 747 0,10 767 1,60 677	TNNT3	0,40	723	19,16	296	16,05	293
ASB12 0,39 726 0,03 777 1,75 689 KCNIP1 0,38 727 5,04 505 3,11 562 ZBTB7C 0,38 728 0,35 736 1,03 773 SV2B 0,37 729 2,33 601 7,29 409 PRIMA1 0,37 730 1,17 678 1,22 737 SMOC2 0,35 731 4,97 509 13,24 324 ASB4 0,33 732 10,92 380 6,75 422 TKTL1 0,32 733 1,78 629 2,02 635 GLP1R 0,30 734 13,99 344 1,59 681 PREX2 0,30 735 3,53 550 7,14 411 NPR1 0,29 736 6,55 460 4,38 497 LYZ 0,29 737 16,8 636 3,62 531 GIMAP4 0,29 738 4,93 510 11,60 336 GABRA4 0,28 740 3,65 548 6,09 442 ADRB1 0,27 741 0,22 750 17,97 281 LPARS 0,27 742 0,33 740 1,29 724 AQP7 0,27 743 0,39 732 18,39 277 PCLO 0,26 744 0,37 734 1,79 654 CD38 0,25 745 1,45 655 5,62 453 SH2D3C 0,20 746 7,48 442 7,98 389 GRM8 0,20 747 0,10 767 1,60 677	STAB1	0,40	724	5,49	491	15,82	297
KCNIP1 0,38 727 5,04 505 3,11 562 ZBTB7C 0,38 728 0,35 736 1,03 773 SV2B 0,37 729 2,33 601 7,29 409 PRIMA1 0,37 730 1,17 678 1,22 737 SMOC2 0,35 731 4,97 509 13,24 324 ASB4 0,33 732 10,92 380 6,75 422 TKTL1 0,32 733 1,78 629 2,02 635 GLP1R 0,30 734 13,99 344 1,59 681 PREX2 0,30 735 3,53 550 7,14 411 NPR1 0,29 736 6,55 460 4,38 497 LYZ 0,29 738 4,93 510 11,60 336 GMAP4 0,29 738 4,93 510 11,60 336	CLEC7A	0,40	725	0,61	724	1,17	746
ZBTB7C 0,38 728 0,35 736 1,03 773 SV2B 0,37 729 2,33 601 7,29 409 PRIMA1 0,37 730 1,17 678 1,22 737 SMOC2 0,35 731 4,97 509 13,24 324 ASB4 0,33 732 10,92 380 6,75 422 TKTL1 0,32 733 1,78 629 2,02 635 GLP1R 0,30 734 13,99 344 1,59 681 PREX2 0,30 735 3,53 550 7,14 411 NPR1 0,29 736 6,55 460 4,38 497 LYZ 0,29 738 4,93 510 11,60 336 GIMAP4 0,29 738 4,93 510 11,60 336 TMEM252 0,28 739 1,35 665 1,53 688 <td>ASB12</td> <td>0,39</td> <td>726</td> <td>0,03</td> <td>777</td> <td>1,75</td> <td>659</td>	ASB12	0,39	726	0,03	777	1,75	659
SV2B 0,37 729 2,33 601 7,29 409 PRIMA1 0,37 730 1,17 678 1,22 737 SMCC2 0,35 731 4,97 509 13,24 324 ASB4 0,33 732 10,92 380 6,75 422 TKTL1 0,32 733 1,78 629 2,02 635 GLP1R 0,30 734 13,99 344 1,59 681 PREX2 0,30 735 3,53 550 7,14 411 NPR1 0,29 736 6,55 460 4,38 497 LYZ 0,29 737 1,68 636 3,62 531 GIMAP4 0,29 738 4,93 510 11,60 336 TMEM252 0,28 739 1,35 665 1,53 688 GABRA4 0,28 740 3,65 548 6,09 442 ADRB1 0,27 741 0,22 750 17,97 281 <td>KCNIP1</td> <td>0,38</td> <td>727</td> <td>5,04</td> <td>505</td> <td>3,11</td> <td>562</td>	KCNIP1	0,38	727	5,04	505	3,11	562
PRIMA1 0,37 730 1,17 678 1,22 737 SMOC2 0,35 731 4,97 509 13,24 324 ASB4 0,33 732 10,92 380 6,75 422 TKTL1 0,32 733 1,78 629 2,02 635 GLP1R 0,30 734 13,99 344 1,59 681 PREX2 0,30 735 3,53 550 7,14 411 NPR1 0,29 736 6,55 460 4,38 497 LYZ 0,29 737 1,68 636 3,62 531 GIMAP4 0,29 738 4,93 510 11,60 336 TMEM252 0,28 739 1,35 665 1,53 688 GABRA4 0,28 740 3,65 548 6,09 442 ADRB1 0,27 741 0,22 750 17,97 281 </td <td>ZBTB7C</td> <td>0,38</td> <td>728</td> <td>0,35</td> <td>736</td> <td>1,03</td> <td>773</td>	ZBTB7C	0,38	728	0,35	736	1,03	773
SMOC2 0,35 731 4,97 509 13,24 324 ASB4 0,33 732 10,92 380 6,75 422 TKTL1 0,32 733 1,78 629 2,02 635 GLP1R 0,30 734 13,99 344 1,59 681 PREX2 0,30 735 3,53 550 7,14 411 NPR1 0,29 736 6,55 460 4,38 497 LYZ 0,29 737 1,68 636 3,62 531 GIMAP4 0,29 738 4,93 510 11,60 336 TMEM252 0,28 739 1,35 665 1,53 688 GABRA4 0,28 740 3,65 548 6,09 442 ADRB1 0,27 741 0,22 750 17,97 281 LPAR5 0,27 742 0,33 740 1,29 724 AQP7 0,26 744 0,37 734 1,79 654	SV2B	0,37	729	2,33	601	7,29	409
ASB4 0,33 732 10,92 380 6,75 422 TKTL1 0,32 733 1,78 629 2,02 635 GLP1R 0,30 734 13,99 344 1,59 681 PREX2 0,30 735 3,53 550 7,14 411 NPR1 0,29 736 6,55 460 4,38 497 LYZ 0,29 737 1,68 636 3,62 531 GIMAP4 0,29 738 4,93 510 11,60 336 TMEM252 0,28 739 1,35 665 1,53 688 GABRA4 0,28 740 3,65 548 6,09 442 ADRB1 0,27 741 0,22 750 17,97 281 LPAR5 0,27 742 0,33 740 1,29 724 AQP7 0,27 743 0,39 732 18,39 277 PCLO 0,26 744 0,37 734 1,79 654 CD38 0,25 745 1,45 655 5,62 453 SH2D3C 0,20 746 7,48 442 7,98 389 GRM8 0,20 747 0,10 767 1,60 677	PRIMA1	0,37	730	1,17	678	1,22	737
TKTL1 0,32 733 1,78 629 2,02 635 GLP1R 0,30 734 13,99 344 1,59 681 PREX2 0,30 735 3,53 550 7,14 411 NPR1 0,29 736 6,55 460 4,38 497 LYZ 0,29 737 1,68 636 3,62 531 GIMAP4 0,29 738 4,93 510 11,60 336 TMEM252 0,28 739 1,35 665 1,53 688 GABRA4 0,28 740 3,65 548 6,09 442 ADRB1 0,27 741 0,22 750 17,97 281 LPAR5 0,27 742 0,33 740 1,29 724 AQP7 0,27 743 0,39 732 18,39 277 PCLO 0,26 744 0,37 734 1,79 654 CD38 0,25 745 1,45 655 5,62 453	SMOC2	0,35	731	4,97	509	13,24	324
GLP1R 0,30 734 13,99 344 1,59 681 PREX2 0,30 735 3,53 550 7,14 411 NPR1 0,29 736 6,55 460 4,38 497 LYZ 0,29 737 1,68 636 3,62 531 GIMAP4 0,29 738 4,93 510 11,60 336 TMEM252 0,28 739 1,35 665 1,53 688 GABRA4 0,28 740 3,65 548 6,09 442 ADRB1 0,27 741 0,22 750 17,97 281 LPAR5 0,27 742 0,33 740 1,29 724 AQP7 0,27 743 0,39 732 18,39 277 PCLO 0,26 744 0,37 734 1,79 654 CD38 0,25 745 1,45 655 5,62 453 SH2D3C 0,20 746 7,48 442 7,98 389	ASB4	0,33	732	10,92	380	6,75	422
PREX2 0,30 735 3,53 550 7,14 411 NPR1 0,29 736 6,55 460 4,38 497 LYZ 0,29 737 1,68 636 3,62 531 GIMAP4 0,29 738 4,93 510 11,60 336 TMEM252 0,28 739 1,35 665 1,53 688 GABRA4 0,28 740 3,65 548 6,09 442 ADRB1 0,27 741 0,22 750 17,97 281 LPAR5 0,27 742 0,33 740 1,29 724 AQP7 0,27 743 0,39 732 18,39 277 PCLO 0,26 744 0,37 734 1,79 654 CD38 0,25 745 1,45 655 5,62 453 SH2D3C 0,20 746 7,48 442 7,98 389 GRM8 0,20 747 0,10 767 1,60 677	TKTL1	0,32	733	1,78	629	2,02	635
NPR1 0,29 736 6,55 460 4,38 497 LYZ 0,29 737 1,68 636 3,62 531 GIMAP4 0,29 738 4,93 510 11,60 336 TMEM252 0,28 739 1,35 665 1,53 688 GABRA4 0,28 740 3,65 548 6,09 442 ADRB1 0,27 741 0,22 750 17,97 281 LPAR5 0,27 742 0,33 740 1,29 724 AQP7 0,27 743 0,39 732 18,39 277 PCLO 0,26 744 0,37 734 1,79 654 CD38 0,25 745 1,45 655 5,62 453 SH2D3C 0,20 746 7,48 442 7,98 389 GRM8 0,20 747 0,10 767 1,60 677	GLP1R	0,30	734	13,99	344	1,59	681
LYZ 0,29 737 1,68 636 3,62 531 GIMAP4 0,29 738 4,93 510 11,60 336 TMEM252 0,28 739 1,35 665 1,53 688 GABRA4 0,28 740 3,65 548 6,09 442 ADRB1 0,27 741 0,22 750 17,97 281 LPAR5 0,27 742 0,33 740 1,29 724 AQP7 0,27 743 0,39 732 18,39 277 PCLO 0,26 744 0,37 734 1,79 654 CD38 0,25 745 1,45 655 5,62 453 SH2D3C 0,20 746 7,48 442 7,98 389 GRM8 0,20 747 0,10 767 1,60 677	PREX2	0,30	735	3,53	550	7,14	411
GIMAP4 0,29 738 4,93 510 11,60 336 TMEM252 0,28 739 1,35 665 1,53 688 GABRA4 0,28 740 3,65 548 6,09 442 ADRB1 0,27 741 0,22 750 17,97 281 LPAR5 0,27 742 0,33 740 1,29 724 AQP7 0,27 743 0,39 732 18,39 277 PCLO 0,26 744 0,37 734 1,79 654 CD38 0,25 745 1,45 655 5,62 453 SH2D3C 0,20 746 7,48 442 7,98 389 GRM8 0,20 747 0,10 767 1,60 677	NPR1	0,29	736	6,55	460	4,38	497
TMEM252 0,28 739 1,35 665 1,53 688 GABRA4 0,28 740 3,65 548 6,09 442 ADRB1 0,27 741 0,22 750 17,97 281 LPAR5 0,27 742 0,33 740 1,29 724 AQP7 0,27 743 0,39 732 18,39 277 PCLO 0,26 744 0,37 734 1,79 654 CD38 0,25 745 1,45 655 5,62 453 SH2D3C 0,20 746 7,48 442 7,98 389 GRM8 0,20 747 0,10 767 1,60 677	LYZ	0,29	737	1,68	636	3,62	531
GABRA4 0,28 740 3,65 548 6,09 442 ADRB1 0,27 741 0,22 750 17,97 281 LPAR5 0,27 742 0,33 740 1,29 724 AQP7 0,27 743 0,39 732 18,39 277 PCLO 0,26 744 0,37 734 1,79 654 CD38 0,25 745 1,45 655 5,62 453 SH2D3C 0,20 746 7,48 442 7,98 389 GRM8 0,20 747 0,10 767 1,60 677	GIMAP4	0,29	738	4,93	510	11,60	336
ADRB1 0,27 741 0,22 750 17,97 281 LPAR5 0,27 742 0,33 740 1,29 724 AQP7 0,27 743 0,39 732 18,39 277 PCLO 0,26 744 0,37 734 1,79 654 CD38 0,25 745 1,45 655 5,62 453 SH2D3C 0,20 746 7,48 442 7,98 389 GRM8 0,20 747 0,10 767 1,60 677	TMEM252	0,28	739	1,35	665	1,53	688
LPAR5 0,27 742 0,33 740 1,29 724 AQP7 0,27 743 0,39 732 18,39 277 PCLO 0,26 744 0,37 734 1,79 654 CD38 0,25 745 1,45 655 5,62 453 SH2D3C 0,20 746 7,48 442 7,98 389 GRM8 0,20 747 0,10 767 1,60 677	GABRA4	0,28	740	3,65	548	6,09	442
AQP7 0,27 743 0,39 732 18,39 277 PCLO 0,26 744 0,37 734 1,79 654 CD38 0,25 745 1,45 655 5,62 453 SH2D3C 0,20 746 7,48 442 7,98 389 GRM8 0,20 747 0,10 767 1,60 677	ADRB1	0,27	741	0,22	750	17,97	281
PCLO 0,26 744 0,37 734 1,79 654 CD38 0,25 745 1,45 655 5,62 453 SH2D3C 0,20 746 7,48 442 7,98 389 GRM8 0,20 747 0,10 767 1,60 677	LPAR5	0,27	742	0,33	740	1,29	724
CD38 0,25 745 1,45 655 5,62 453 SH2D3C 0,20 746 7,48 442 7,98 389 GRM8 0,20 747 0,10 767 1,60 677	AQP7	0,27	743	0,39	732	18,39	277
SH2D3C 0,20 746 7,48 442 7,98 389 GRM8 0,20 747 0,10 767 1,60 677	PCLO	0,26	744	0,37	734	1,79	654
GRM8 0,20 747 0,10 767 1,60 677	CD38	0,25	745	1,45	655	5,62	453
	SH2D3C	0,20	746	7,48	442	7,98	389
ABCD2 0,18 748 0,05 773 3,94 523	GRM8	0,20	747	0,10	767	1,60	677
	ABCD2	0,18	748	0,05	773	3,94	523

GIMAP6	0,18	749	5,24	502	13,20	326
MFNG	0,18	750	1,49	652	2,77	588
ZPBP	0,17	751	0,80	707	1,11	758
CYBB	0,17	752	3,11	561	4,47	490
SOX7	0,16	753	2,80	577	3,49	540
PIK3CG	0,16	754	1,57	646	1,07	764
PDCD1	0,15	755	0,05	774	1,01	777
ASB15	0,14	756	1,34	666	13,65	318
MS4A4A	0,13	757	1,72	634	6,43	433
P2RX3	0,13	758	2,96	566	5,93	445
KLHL6	0,12	759	1,20	677	1,18	743
TCF15	0,12	760	1,79	628	4,56	487
TDRD10	0,12	761	1,29	669	1,97	638
CBFA2T3	0,11	762	0,26	746	1,53	690
HS6ST3	0,11	763	0,12	764	1,56	682
SGSM1	0,09	764	0,29	743	3,26	551
KLHL34	0,08	765	0,14	761	1,67	672
MOGAT1	0,07	766	1,04	686	1,09	760
GIMAP8	0,07	767	2,25	605	16,80	287
ADRA1A	0,06	768	0,52	726	42,79	179
HLA-DOA	0,05	769	0,16	756	1,35	716
DSC1	0,05	770	0,07	770	1,14	753
HLA-DQB1	0,05	771	0,15	758	1,92	643
TAL1	0,04	772	2,11	611	1,63	675
FCGR2B	0,03	773	0,04	776	2,11	628
CLEC10A	0,03	774	0,11	765	1,68	671
AVPR1A	0,03	775	1,42	658	1,59	680
OR51E1	0,02	776	0,78	708	1,31	722
F13A1	0,01	777	8,08	429	25,33	239

Supplementary Table 3: Cardiomyocyte transcriptome. Cardiomyocyte-specific gene transcription in pluripotent stem cell-derived (embryonic) cardiomyocytes (pooled from HES2, hiPS-G1 and hiPS-CDI [iCell] cardiomyocytes; n=3/group), fetal heart (3 biopsies from single donor), and adult hearts (4 biopsies from the left ventricles of 4 non-failing hearts). Data displayed for direct comparison as RPKM and ranked by expression level.

Supplementary Table 4: Fibroblasts transcriptome

Gene Symbol	Fibroblasts RPKM	Rank	Fetal Heart RPKM	Rank	Adult Heart RPKM	Rank
THBS1	23522,73	1	490,55	1	806,46	1
LGALS1	3703,66	2	193,07	2	183,77	3
S100A6	2439,53	3	60,68	9	138,79	4
NT5E	1353,17	4	14,13	34	10,74	52
PLAU	1177,94	5	15,59	29	45,20	11
ANXA2	1104,48	6	117,85	6	35,17	13
CYP1B1	1003,39	7	14,37	33	388,64	2
SERPINE1	631,35	8	2,33	122	6,82	74
S100A4	620,19	9	34,70	13	41,94	12
ANXA1	593,94	10	33,27	15	18,17	26
WNT5B	588,34	11	9,61	46	1,89	149
MME	529,60	12	1,04	156	2,06	143
NQO1	515,39	13	4,92	81	6,57	75
CCND1	509,69	14	24,96	18	35,03	14
FRMD6	497,35	15	16,08	27	12,31	48
RND3	489,36	16	20,73	21	13,84	44
SERPINE2	486,16	17	34,92	12	16,49	32
POSTN	460,05	18	167,40	3	13,88	43
FBLN1	450,11	19	121,04	5	108,06	5
CTSK	428,50	20	4,58	84	3,35	107
COLEC12	416,90	21	38,59	11	47,76	10
SRGN	371,06	22	9,56	49	27,89	21
MFAP5	340,78	23	7,35	59	29,42	18
PTX3	323,98	24	1,85	129	1,93	147
CD44	269,12	25	2,94	105	8,13	66
MT2A	242,95	26	5,52	73	17,99	27
ALDH1A3	221,42	27	2,18	125	8,07	67
TNFRSF11B	214,04	28	0,34	187	10,34	55
HMGA1	191,50	29	15,85	28	6,43	77
IL7R	182,48	30	1,20	147	1,91	148
LIMA1	177,15	31	15,22	31	15,03	38
COL12A1	166,64	32	101,64	7	52,32	8
HIST1H2BB	165,35	33	147,58	4	2,39	137
SPHK1	164,24	34	4,32	88	9,69	60
LAYN	162,25	35	5,78	71	5,26	81
CRIM1	154,12	36	25,09	17	29,77	17
HPCAL1	150,69	37	13,68	35	25,60	22
TAGLN2	150,05	38	18,33	24	23,62	23
STC2	139,14	39	6,77	67	1,10	193
MMP2	138,29	40	33,83	14	23,44	24
COL8A1	136,22	41	2,72	112	17,32	29
ADM	133,07	42	2,57	115	2,87	125
HMOX1	126,20	43	4,56	85	3,75	98

COTL1	125,90	44	4,60	83	2,91	122
PID1	120,25	45	20,24	23	15,91	36
LOX	118,68	46	5,86	70	1,17	191
RGMB	114,73	47	15,53	30	9,25	62
AXL	113,53	48	7,29	61	6,47	76
PTGS1	107,02	49	2,67	113	2,56	132
PAMR1	102,93	50	3,01	103	3,35	106
CLDN11	93,90	51	1,10	151	1,07	194
EMP1	92,50	52	10,76	43	10,79	51
LPAR1	92,06	53	7,29	60	3,38	105
CD9	84,76	54	7,10	64	14,13	40
GPR176	84,05	55	2,07	126	1,25	188
STC1	81,55	56	0,69	171	3,21	112
EDN1	79,58	57	4,16	91	1,59	164
CLMP	79,43	58	5,34	77	2,15	140
NBL1	75,91	59	5,05	78	12,74	46
ANPEP	72,79	60	1,74	136	1,30	184
DPP4	72,03	61	1,84	131	3,06	118
PCOLCE	61,63	62	11,69	37	10,52	53
EGFR	59,08	63	7,90	54	10,42	54
SLC1A1	58,99	64	0,87	163	6,91	73
F3	58,08	65	21,27	20	32,65	16
FBLN5	53,07	66	9,42	51	16,15	34
FGF2	51,44	67	5,03	79	2,42	136
CLEC11A	51,04	68	5,01	80	1,43	178
LTBP2	50,96	69	2,35	121	16,13	35
TBC1D2	48,84	70	1,06	155	1,57	166
MR1	48,42	71	2,56	116	8,69	64
DAB2	48,34	72	11,04	42	15,81	37
DCN	48,27	73	53,45	10	60,83	7
SH3GL2	46,60	74	11,17	40	33,49	15
CPED1	45,23	75	4,73	82	17,18	30
ATP8B1	44,48	76	5,66	72	7,50	69
MGLL	44,29	77	3,42	98	22,23	25
NTN4	43,44	78	5,46	75	28,83	19
CCBE1	41,52	79	0,67	173	1,05	196
MYO10	41,14	80	4,47	87	3,31	108
FAM20C	40,33	81	7,11	63	8,60	65
MLPH	39,86	82	0,50	178	28,77	20
CXCL1	38,07	83	0,99	158	1,44	175
DRAM1	37,37	84	0,95	161	2,47	134
C8orf4	37,37	85	7,46	57	11,27	50
LOXL3	36,90	86	2,89	107	1,47	173
ARHGAP22	35,90	87	0,63	174	1,82	153
PCDH18	35,89	88	20,59	22	3,28	110
LPXN	34,75	89	2,96	104	3,11	116
SYTL2	34,51	90	14,91	32	5,69	80

HIST1H1A	33,25	91	79,55	8	2,65	128
VEGFC	33,13	92	7,62	55	4,14	92
MYC	32,76	93	4,52	86	9,26	61
ATOH8	31,95	94	13,30	36	13,96	42
SLC14A1	31,68	95	0,91	162	5,01	83
VASN	30,05	96	2,91	106	3,12	115
ENPP2	26,69	97	1,61	141	2,57	131
CPXM2	26,56	98	2,06	127	3,17	113
CD109	25,74	99	9,51	50	4,87	85
ADAM33	24,21	100	6,85	65	3,89	97
CAMK2N1	24,20	101	1,39	143	3,58	101
L1CAM	22,02	102	0,26	190	1,60	163
ARSJ	21,90	103	1,93	128	1,02	199
EHF	21,56	104	1,76	135	1,69	156
IL6	21,48	105	0,13	194	1,52	168
ADAMTS2	21,42	106	9,57	48	1,38	179
SLFN5	21,10	107	3,35	100	5,10	82
ARHGEF28	20,44	108	3,06	102	1,61	161
ENG	20,24	109	18,20	26	48,11	9
DOCK10	19,44	110	3,69	94	1,18	190
SH2D4A	19,26	111	1,78	133	1,61	162
FAM180A	18,67	112	0,35	185	9,75	59
SLC16A4	18,26	113	6,56	68	2,63	129
MRGPRF	17,43	114	1,22	146	1,04	197
CTSF	17,04	115	7,39	58	16,18	33
CRLF1	16,97	116	0,73	167	5,86	79
ALDH3B1	16,69	117	3,58	96	1,47	172
NOV	16,62	118	3,15	101	1,87	150
MAMDC2	16,60	119	0,99	159	2,38	138
BDNF	16,22	120	2,47	117	4,43	88
RGCC	15,83	121	9,62	45	17,13	31
NEK10	15,59	122	10,43	44	8,02	68
SQRDL	15,58	123	0,41	183	2,92	121
VGLL3	15,13	124	2,39	119	1,30	183
DDX3Y	14,62	125	0,00	197	9,86	58
SVEP1	13,14	126	3,37	99	3,66	99
CD248 COLEC10	12,25 11,78	127	3,62 0,29	95	2,43 4,90	135 84
CDKN2C	11,78	128 129	7,29	189 62	2,91	123
ERAP2	11,56	130	1,08	153	2,83	127
ITPR3	11,01					
SLFN11	9,61	131 132	3,82 1,64	93 140	3,45 9,18	103 63
NFASC	9,24	133	1,04	149	10,30	56
SFRP4	8,90	134	0,68	172	1,43	177
OSR2	8,77	135	0,08	193	2,09	142
MT1X	8,73	136	1,74	137	14,61	39
PRR16	8,28	137	3,93	92	4,12	93
7 141410	0,20	101	0,00	32	7,12	

ALPL	7,63	138	0,97	160	2,99	120
LRRN4CL	7,50	139	1,22	145	1,94	146
ABCG2	7,39	140	2,73	111	1,33	182
SYNE3	7,08	141	1,74	138	4,07	96
BST1	7,01	142	2,40	118	1,02	200
RASSF2	6,99	143	6,78	66	1,63	160
ANKRD29	6,80	144	3,44	97	3,09	117
DLL4	6,63	145	9,26	53	14,09	41
ELN	6,49	146	31,57	16	10,02	57
GPR68	6,43	147	1,82	132	1,66	158
OLFML1	5,48	148	11,66	38	4,09	95
NAALADL1	5,38	149	2,73	110	2,28	139
PRDM1	5,29	150	2,36	120	1,87	151
TRPA1	5,16	151	1,00	157	1,04	198
SAMD9L						111
	5,05	152	1,08	152	3,27	
FAM162B	4,85	153	2,18	124	3,17	114
CCDC144A	4,76	154	11,35	39	4,29	91
ACTG2	4,23	155	0,69	170	1,47	174
SHISA3	3,94	156	1,33	144	1,63	159
CLEC14A	3,87	157	7,55	56	13,80	45
NEGR1	3,60	158	1,84	130	1,44	176
EBF3	3,58	159	11,10	41	3,55	102
SPESP1	3,53	160	2,84	108	1,49	169
LRRK1	3,52	161	1,07	154	1,20	189
NGF	3,05	162	2,25	123	1,70	155
SLC37A2	2,94	163	1,12	150	1,11	192
HSPA2	2,92	164	2,66	114	2,84	126
CTSS	2,83	165	0,72	168	2,51	133
ZFY	2,80	166	0,00	198	1,36	180
NR4A2	2,79	167	0,43	182	1,48	171
ADAMTS5	2,78	168	2,79	109	1,86	152
BHMT2	2,77	169	0,40	184	2,10	141
TCF21	2,70	170	6,16	69	1,49	170
PTGER4	2,57	171	0,57	176	4,32	90
APOD	2,41	172	1,76	134	104,00	6
OAS2	2,17	173	0,79	165	4,32	89
LAMA3	2,12	174	4,21	90	2,03	144
TDRD1	1,92	175	0,34	186	1,29	185
DIO2	1,81	176	0,31	188	6,38	78
CCDC36	1,63	177	5,51	74	1,68	157
MKRN3	1,12					
NKAPL		178	1,65	139	2,00	145 109
	1,11	179	1,18	148	3,30	
USP9Y	0,98	180	0,00	200	1,55	167
MUSK	0,77	181	0,49	179	1,06	195
SLCO4A1	0,69	182	0,19	191	3,43	104
UTY	0,64	183	0,00	199	1,34	181
ZNF662	0,59	184	9,60	47	2,58	130

CCL11	0,58	185	0,17	192	4,87	86
ADH1B	0,57	186	0,44	181	7,39	71
FMO2	0,56	187	0,84	164	17,36	28
GIMAP2	0,54	188	4,28	89	7,42	70
CDH19	0,50	189	1,56	142	12,33	47
CD34	0,49	190	18,26	25	12,27	49
HLA-DMB	0,47	191	0,71	169	3,01	119
CLEC3B	0,44	192	9,29	52	4,74	87
VIT	0,38	193	0,02	196	2,88	124
CCR1	0,25	194	0,56	177	1,59	165
LTF	0,21	195	0,45	180	1,77	154
CSF2RB	0,18	196	0,76	166	1,28	186
PRELP	0,16	197	0,60	175	7,08	72
PEG3	0,15	198	23,85	19	4,10	94
MEOX2	0,15	199	5,44	76	3,63	100
COMP	0,14	200	0,02	195	1,26	187

Supplementary Table 4: Fibroblasts transcriptome. Fibroblast-specific gene transcription in fibroblasts (pooled from heart, skin, and gingiva derived fibroblast cultures; n=3/group), fetal heart (3 biopsies from single donor), and adult hearts (4 biopsies from the left ventricles of 4 non-failing hearts). Data displayed for direct comparison as RPKM and ranked by expression level.

Supplementary Table 5: Gene clusters according to the trajectory of cardiomyocytespecific gene transcription in embryonic, fetal, and adult cardiomyocytes.

Adult CM genes	Embryonic CM genes	CM genes without directed pattern
ABCC8	ACVR2B	ABCB4
ABLIM1	ADAMTS9	ABCD2
ABLIM2	AFAP1L2	ABCG1
ACACB	AMT	ABLIM2
ACTC1	APOBEC2	ABRA
ACTN2	APOE	ACACB
ADPRHL1	ARHGAP42	ACE2
ADRA1A	ATP1B1	ACOT11
ADRA2B	B4GALNT4	ACSM3
ADRB1	C10orf35	ACTA1
ADSSL1	C1orf105	ADAM11
AK4	C7	ADAMTS8
AKAP6	CADM4	ADCY1
ANO5	CCDC3	ADCY5
AQP7	CDKN1C	ADD2
ARHGEF15	CIB2	ADHFE1
ART3	CLYBL	ADORA1
ASB10	CNTN4	AGL
ASB11	COL14A1	AGT
ASB15	COL4A5	AIF1L
ATP1A2	COL4A6	ALDOC
ATP1A3	COL9A3	ALPK3
AVPR1A	CPT1B	AMY2B
BCO2	CSRNP3	ANK2
C10orf71	CXADR	ANKRD1
C14orf180	CXXC4	APLNR
C2orf71	DENND5B	APOA1
CA8	DLK1	APOB
CAMK2B	DMKN	APOBEC4
CAND2	DSC2	AQP1
CASQ2	DSG2	ARHGAP26
CCDC69	EBF4	ARHGAP4
CD38	EDNRA	ARHGAP44
CDK18	EFNA1	ASB12
CES1	ENPEP	ASB2
СКМ	EPB41L3	ASB4
CKMT2	EPHA3	ASXL3
CLEC7A	EPHX2	ATG9B
CLGN	ERBB3	ATP1B2
CLIC5	FAM184A	ATRNL1
CMYA5	FAM84B	AUTS2
COL23A1	FTCD	B3GNT7

COX6A2	FXYD1	B4GALNT3
CPNE4	FXYD2	BCAM
CRIP2	FZD3	BCL11A
CRIP3	GABRP	BCL2L11
CRYAB	GAS7	BCL6B
CTNND2	GATM	BMP5
CYBB	GCA	BMP7
CYP2J2	GRIA4	BST2
CYSLTR2	GUCY1A3	BVES
CYYR1	HAND1	C11orf21
DAND5	HEPH	C1orf105
DES	HOOK1	C1orf168
DHRS7C	HOPX	C6
DOK7	HRASLS	CA14
DTNA	IGF2	CA2
DUSP27	IGFBP2	CA3
DYSF	IGSF3	CACNA1H
EDNRB	ISYNA1	CACNB2
EEF1A2	JPH1	CADPS
EFHC2	KBTBD11	CAMK2A
ENAM	KCNIP1	CASQ1
ESAM	KCNJ5	CASZ1
ESRRB	KIAA0895	CBFA2T3
F13A1	KIAA1324L	CCDC141
F5	KRT8	CCL21
FABP3	LAPTM4B	CEACAM1
FAM107A	LLGL2	CELSR1
FAM134B	LRRC17	CFI
FBXO40	MAN1C1	CGNL1
FILIP1	MDK	CHD7
GABRA4	MERTK	CHDH
GABRB1	METTL7A	CHN2
GIMAP4	MMP15	CHRDL2
GIMAP5	MPP7	CHRNA3
GIMAP6	MST1	CILP
GIMAP8	NAP1L3	CLEC10A
GNG7	NRK	CMTM5
GRM1	P2RY1	CNN1
HEYL	PCDHB12	COBL
HHATL	PDE9A	COL15A1
HPR	PDGFD	COL19A1
HRC	PLBD1	COL21A1
HSPB7	PLEKHH1	COL9A3
IFNK	PRICKLE1	COLEC11
IGSF5	PRKCZ	COLQ
INPP5J	PROM1	CORIN
IRX6	PTH1R	CORO6

ITGA7	RAB17	СР
ITGA9	RAB3C	CPE
ITM2A	RAP1GAP	CPEB3
KBTBD13	RASGEF1B	CPNE5
KCNJ11	RASL10B	CPVL
KCNJ12	RASL11B	CREB5
KCNJ4	RASSF4	CSF3R
KCNQ1	RELN	CSRP3
KCNT1	RNF43	CTNNA3
KLHL31	SAMSN1	CXCR4
KLHL34	SERPINI1	DERL3
KLHL38	SH3BGRL2	DLG2
LDB3	SHC2	DMD
LDHD	SLAIN1	DNAJC5G
LMOD3	SLC40A1	DSC1
LPAR5	SLC44A5	DUSP13
LPL	SORCS1	DUSP26
LSP1	SPINT2	DUSP8
MAOB	SPOCK2	DYNC1I1
MB	SPON1	EDA
MCF2L	ST6GAL1	EGF
MFNG	ST6GALNAC3	EGLN3
MLIP	SYTL1	ELF3
MOGAT1	TMC6	ELMO1
MS4A4A	TMEM133	ELOVL2
MS4A6A	TMEM139	ENO3
MTUS1	TMEM176B	EPB41L4A
MURC	TMEM88	EPHA4
MYADML2	TNNI1	EPHA7
MYBPC3	TPD52	EPN3
MYH11	TRIM24	ERBB4
MYH7	TSHZ2	ESRRG
MYL2	TSTD1	FAM110C
MYL3	UNC13D	FAM110D
MYLK3	VANGL2	FAM13C
MYOM1	VCAM1	FAM151A
MYOM2	WNT11	FAM155B
MYOM3	ZNF853	FAM160A1
MYOZ2	ZNRF2	FAM189A2
NCAM1		FAM222A
NDRG2		FAM47E
NEBL		FAM78A
NGFR		FAM81A
NIPSNAP3B		FBXL22
NRAP		FCGR2B
NTN1		FGF12
OBSCN		FGF18

OR51E1	FGF9
P2RX3	FHIT
PCLO	FIGN
PCP4	FITM1
PDE1B	FNDC5
PDK4	FRAS1
PGM5	FREM1
PIP5K1B	FRMD4B
PLIN5	FSD2
PLN	FXYD6
PLXDC1	GAB1
PPARGC1B	GADD45G
PPM1L	GARNL3
PPP1R1C	GATA3
PPP1R3A	GATA4
PREX2	GCNT2
PRIMA1	GCOM1
PRKAA2	GJA3
PRSS46	GKAP1
PYGM	GLP1R
RAB6B	GLT1D1
RASGRP2	GPD1
RBFOX1	GPR22
RBPMS2	GPRIN3
RCAN2	GPX3
RD3L	GREB1
RGS5	GRIK5
RGS6	GRM8
RNASE1	GUCY1B3
RORB	GUCY2C
RRAGD	HAND2
RYR2	HCN4
SCN2B	HEY1
SCN5A	HEY2
SELP	HFE2
	HFM1
SEMA3G	
SFMBT2	HIF3A
SGCA	HLA-DOA
SGSM1	HLA-DQB1
SH2D3C	HLA-DRB1
SHE	HMGCS2
SLC25A4	HOOK1
SLC26A9	HP
SLC2A4	HRH2
SLC35F1	HS6ST3
SLC4A3	HSPB3
SLC5A1	HTR4

SLCO2B1 HTRA3 SORBS1 ICA1 SOX7 IFI44L SPTB IGSF1 SRL IGSF9B ST8SIA5 ILDR2 STAB1 INHA SYNPO2L IRX4 TCF15 ISYNA1 TDRD10 ITGB1BP2 **TECRL** ITIH3 TGFB3 ITK THBS4 JAG2 TKTL1 JPH2 TMC8 KCNA4 TMEM252 KCNH2 TMEM38A KIAA0895 TMOD1 KIAA1324L TNNI3 KIAA1958 TNNT1 KIF26A TRDN KLHL3 TRIM54 KLHL30 TSPAN18 KLHL6 TTN KRT8 **TXLNB** L3MBTL4 USP2 LAD1 VSNL1 LGI2 VWC2 LGI4 VWF LMOD2 WBSCR17 LRMP XIRP1 LRRC10 XIRP2 LRRC39 XK LRRTM3 ZBTB16 LYZ ZPBP MAEL MAPK4 MARK1 MED12L

MED12L
MEP1B
METTL11B
METTL24
MGAT3
MGAT4A
MLF1
MOG
MPPED2
MPZL2

MSI1

MTSS1

MTTP

MTUS2

MYH14

MYH6

MYH7B

MYL4

MYL7

MYO18B

MYO5C

MYOCD

NAALAD2

NAP1L2

NEB

NEURL2

NFATC2

NINJ2

NKX2-5

NMNAT3

NPNT

NPPA

NPPB

NPR1

NR0B2

NREP

NRXN1

NT5M

NTRK1

NUP210

OSBP2

P2RY14

PACRG

PACSIN1

PAIP2B

PAQR9

PARK2

PARM1

PCDH7

PCDHB14

PCDHB15

PCDHB5

PDCD1

PDE3B

PDE4D

PDK1

PEBP4

PHACTR3

PIK3AP1

PIK3CG

PKP2

PLA1A

PLCB2

PLCL2

PLCXD3

PLEKHA7

PLVAP

PNMT

POF1B

POPDC2

PPARGC1A

PPFIA4

PPM1K

PPP1R12B

PPP1R13B

PPP1R14C

PPP1R1A

PPP1R9A

1 1 1 11(0)

PRDM16

PRKCB

PRKCH

PROX1 PRRG3

PRSS42

PRSS45

PTGER3

PTGES3L

PTP4A3

PTPN6

PTPRD

PTPRE

PZP

QRFPR

RAB3IP

RAB9B

RALGPS1

RALYL

RAMP1

RAMP2

RAPGEF4

RASD2

RASGRP3

RASSF5

RBM20

RBM24

RBM38

RCOR2

RCSD1

REEP1

RERG

RGS1

RGS16

RIC3

RIMKLA

RNASE6

RNF144A

RNF165

RNF207

RRAD

RTN4RL1

RXRG

S100A8

S1PR1

SCARF1

SEC14L5

SEMA5B

SEMA6B

SEPP1

SERPINA3

SERPINA5

SH3BGR

SIPA1L2

SKIDA1

SLC15A2

SLC16A10

SLC16A12

SLC1A3

SLC22A7

SLC29A2

SLC30A3

SLC38A3

SLC38A8

SLC47A1

SLC6A13

SLC7A2

SLC8A1

SLCO5A1

SMOC2

SMPX

SMTNL2

SMYD1

SNTA1

SOBP

SORBS2

SPATA25

SPHKAP

SPINK5

SPINK7

SPN

SPSB4

SRGAP3

SSTR2

ST6GALNAC1

ST8SIA6

STAT4

STOX2

SULT1C4

SUSD4

SV2B

SYT17

SYT2

TAL1

TBX20

TCAP

TESC

TET1

THSD7A

TLL2

TMEM176A

TMEM178A

TMEM179

TMEM56

TMEM71

TMEM74

TMEM74B

TNFSF10

TNNI3K

TNNT2

TNNT3

TPD52L1

TPRG1

TREM1

TRIL

TRIM63

TSPAN12

TSPAN7


TTC39A

TYRP1


UGT2B4 UNC45B UPB1 VASH1 VAV3 VIP VIPR2 VSTM2L VTN VWA7 WNK2 WT1 XPO4 YBX2 YPEL1 YPEL2 ZBTB7C ZDHHC15 ZMAT1 ZNF385B ZNF711


Supplementary Table 5: Gene clusters according to the trajectory of cardiomyocyte-specific gene transcription in embryonic, fetal, and adult cardiomyocytes. Adult CM genes (progressively up in HES2-CM monolayer culture<fetal heart<adult heart), embryonic CM genes (progressively down in HES2-CM monolayer culture>fetal heart>adult heart), and CM genes without a uniform increase or decrease from embryo (HES2-CM monolayer culture) to fetal and finally adult stages.


Supplemental Figures




Supplementary Figure 1. Maturation of EHM constructed from defined cardiomyocyte and non-myocyte populations. (a) Force per cardiomyocyte (CM) in undefined vs. defined EHM. (b) Actinin median fluorescence intensity (MFI) assessed by flow cytometry in cardiomyocytes isolated from undefined vs. defined EHM. (c) Inotropic response (left panel) and time-to-50%-relaxation (right panel) in undefined vs. defined EHM in response to 1 μmol/L isoprenaline followed by 10 μmol/L carbachol at 0.8 mmol/L calcium. (d) Immunostaining of MLC2A (green), MCL2V (magenta) and nuclei (blue) in cardiomyocyte monolayer culture. Note grey appearance of double positive cells (arrows); bar: 20 µm. (e) Quantification of MLC2A single positive (green), MLC2V single positive (magenta), and MLC2A/V double-positive (grey) cardiomyocytes before EHM generation ("input cells") and after isolation from undefined vs. defined EHM ("output cells"). (f) Maximal FOC in undefined and defined EHM from indicated PSC lines; each label represents one EHM. (a-c) undefined (n=10) vs. defined (n=9) EHM: *p<0.05 by twotailed, unpaired Student's t-test (a,b) and *p<0.05 by 2-way repeated-measures ANOVA followed by Tukey's multiple comparison test (c); (e) n=3-4 cell pools/group, p<0.05 by 1-way ANOVA followed by Tukey's multiple comparison test for MLC2A/V doublepositive cardiomyocytes.












Supplementary Figure 2. Expression of pluripotency associated genes and cell cycle activity in defined vs. undefined EHM. (a) Expression of indicated pluripotency genes relative to pluripotent stem cells (HES2) in human foreskin fibroblasts (HFF), 2-week-old undefined EHM (HES2), and 2-week-old defined EHM made from purified cardiomyocytes (HES2) and HFF; n=3-6 per group, *p<0.05 undefined EHM vs. defined EHM by two-tailed, unpaired Student's t-test. (b) Representative immunostaining of cell cycle marker Ki67 in monolayer cardiomyocytes before EHM generation ("input cells"), in 2-week-old undefined EHM, and in 2-week-old defined EHM (all HES2). Actinin (green), Ki67 (magenta), Nuclei (blue); bars: 50 μm. (c) Quantification of Ki67⁺ cardiomyocytes (actinin⁺ cells) and (d) Ki67⁺ non-myocytes (actinin⁻ cells) in monolayer cultures before EHM generation ("input cells"), 2-week-old undefined EHM, and 2-week-old defined EHM by flow cytometry. n=3-6 per condition, *p<0.05 by 1-way ANOVA followed by Tukey's multiple comparison test.






	Factor	Viability	CM actinin content	CM size	NM size	CM/NM ratio
Medium supplements	B27 plus insulin 2%	-	O	-	-	O
	B27 plus insulin 4%	+	-	-	0	-
	B27 minus insulin 2%	-	-	-	-	o
	B27 minus insulin 4%	-	O	-	0	o
Growth factors	TGF-β1 (5 ng/ml)	o	+	0	0	0
	TGF-β2 (5 ng/ml)	-	-	+	+	o
	TGF-inhibitor (100 nmol/L)	+	o	-	-	o
	IGF-1 (20 ng/ml)	+	+	+	+	o
	VEGF ₁₆₅ (5 ng/ml)	o	+	0	0	o
	FGF-2 (10 ng/ml)	o	o	+	0	-
	PDGF-BB (10 ng/ml)	-	0	+	+	-
	Cardiotrophin-1 (10 ng/ml)	-	+	+	+	o
	Neuregulin-1 (10 ng/ml)	-	O	+	+	-
	EGF (10 ng/ml)	+	o	0	-	o




Supplementary Figure 3. Definition of defined, serum-free EHM. (a) Normalized force of contraction (FOC) at 2 mmol/L calcium of EHM made with rat collagen and MatrigelTM (n=12) or bovine collagen and MatrigelTM (n=14). (b) Normalized FOC at 2 mmol/L calcium of EHM made according to the Starting Protocol (n=12) and Matrix Protocol (n=9); see **Table 1** for details. (c) Normalized FOC at 2 mmol/L calcium of EHM made with bovine collagen only (0.4 mg/EHM), bovine collagen plus fibronectin (5 µg/EHM), or bovine collagen plus laminin (5 μg/EHM) as indicated; n=4/group. (d) Factorial screen in cardiac aggregate cultures: aggregates were cultured for 10 days in the presence or absence of respective factors and then analyzed by flow cytometry. Table of tested medium supplements and growth factors with a semi-quantitative analysis of viability, cardiomyocyte (CM) actinin content, CM and nonmyocyte (NM) size, and CM/NM ratio. Comparison is either to serum-containing medium (Matrix Protocol) for medium supplements or control medium (\alpha MEM with 2\% B27 with insulin) without growth factor supplementation for the indicated growth factors (n=1-3 biological replicates). (e) Normalized FOC in EHM cultured for the indicated days in the presence of the indicated growth factors (GF: 100 ng/ml IGF-1 [n=10], 10 ng/ml FGF-2 [n=3], 5 ng/ml VEGF₁₆₅ [n=3], 5 ng/ml TGFβ1 [n=6], combination [ALL] of IGF-1, FGF-2, VEGF₁₆₅, TGFβ1 [n=16]) compared to serum-free medium (Iscove's with 4% B27 plus insulin) without respective growth factor supplementation (No GF, n=6). (f) Normalized FOC in EHM cultured in 2% full B27 (n=9), 4% full B27 (n=16), 4% B27 without antioxidants (-AO, n=5), or 4% B27 without insulin (-insulin, n=6) in the presence of ALL growth factors. (g) Normalized FOC in EHM cultured in indicated basal media, Iscove's (IMDM, n=9), \alpha MEM (n=12), RPMI (n=9), and RPMI supplemented with calcium (total free calcium ~1.2 mM, n=3) in the presence of 4% B27 and ALL growth factors as indicated in (e); numbers in square brackets indicate free calcium concentration of respective medium. (e-g) Dashed lines indicate mean (black) and SEM (grey) of normalized FOC in Matrix Protocol EHM (refer to Table 1); *p<0.05 vs. Matrix Protocol EHM and p<0.05 for indicated comparisons by 1-way ANOVA followed by Tukey's multiple comparison test.

a


		Protocols				
	Cell lines	Starting, undefined	Matrix, undefined	Serum-free, defined		
HESC	HES2	■ n=8, W4	□ n.d.	□ n=24, W4 *		
	H7	▲ n.d.	▲ n=3, W4	Δ n=7, W4 *		
iPSC	hiPS-G1	• n=11, W4	• n=4, W4	O n=18, W4 *		
	iCell®	• n.d.	o n=4, W4	o n=10, W4 *		



Supplementary Figure 4. EHM protocol development. (a) Summary of EHM constructed according to indicated protocols (details in Table 1) from different pluripotent stem cell lines (details in Supplementary Table 1). (b) Force of contraction (FOC) recorded in EHM (after 4 weeks in culture [W4]; constructed from indicated pluripotent stem cell lines; refer to Supplementary Table 1) under isometric conditions, electrical field-stimulation at 1.5 Hz, and increasing extracellular calcium concentrations. EHM were constructed according to the indicated protocols (Table 1): Starting Protocol with undefined cell composition, Matrix Protocol with undefined cell composition, Serum-free Protocol with defined cell composition (n-numbers indicated in (a); n.d.: not determined; *p<0.05 serum-free, defined vs. serum-containing (Starting or Matrix protocol), undefined EHM by 2-way ANOVA with Tukey's multiple comparison test.





Supplementary Figure 5. Morphology of EHM-derived cardiomyocytes. Immunostaining of sarcomeric actinin (left) and myosin heavy chain (right) in 2D monolayer cardiomyocytes (top row) or EHM-derived cardiomyocytes (lower row). Graph depicts the average sarcomere size with minimal to maximal values of 2D cardiomyocytes (2D CM), Starting Protocol (SP), or Serum-free Protocol (SF) EHM-derived cardiomyocytes (EHM CM); bars: 20 µm; *p<0.05 by 1-way ANOVA followed by Tukey's multiple comparison test. (b) Electron micrographs of 4 week serumfree EHM (hiPS-G1); characteristic sarcomere structures, organelles, and cell-cell labelled (Mito: mitochondria, Cav: caveolae); contacts are bars: 1 μm. (c) Immunostaining of myomesin (M-band protein), MLC2V, and n-cadherin (associated with intercalated disc) in 2D monolayer cardiomyocytes (left panels) and EHM-derived cardiomyocytes (right panels); bars: 20 µm




Supplementary Figure 6. Cellularity and dimensions of EHM during long-term culture.

(a) Output cardiomyocyte (CM) number for HES2 (left panel) and hiPS-G1 (right panel) EHM after 2, 4, and 6/8 weeks in culture. n=12/10/3 for weeks 2/4/6 in HES2 EHM, n=4/7/6 for weeks 2/4/8 in hiPS-G1 EHM. (b) Cross sectional area (CSA) of HES2-RFP EHM (left panel) and hiPS-G1 EHM (right panel) at 2, 4, and 6/8 weeks in culture. n=12/10/8 for weeks 2/4/6 in HES2 EHM; n=7/10/8 for weeks 2/4/8 in hiPS-G1 EHM; *p<0.05 by 1-way ANOVA followed by Tukey's multiple comparison test. (c) Absolute uncorrected FOC of HES2 EHM (left panel) and hiPS-G1 EHM (right panel) at 2, 4, and 6/8 weeks in culture. *p<0.05 by 2-way ANOVA followed by Tukey's multiple comparison test; n=12/14/8 for weeks 2/4/6 in HES2 EHM and n=7/10/8 for weeks 2/4/8 in hiPS-G1 EHM.









- **2**D D22
- 2D D60
- EHM serum W2
- EHM serum-free W2
- ☐ EHM serum-free W6
- Fetal heart
- Adult heart


Supplementary Figure 7. Cardiomyocyte maturation transcripts. Expression of cardiomyocyte (CM) genes (according to analyses in Figure 3a) with a developmental trajectory (up: "adult" CM genes; down: "embryonic" CM genes) in: 22-day-old cardiomyocyte monolayer cultures (2D D22); 60-day-old cardiomyocyte monolayer cultures (2D D60); 2-week-old undefined, serum-containing EHM (EHM serum W2, Matrix Protocol); 2-week-old defined, Serum-free Protocol EHM (EHM serum-free W2); 6-week-old defined, Serum-free Protocol EHM (EHM serum-free W6); fetal and adult heart; n=3-4/group. *p<0.05 vs. 2D D22 and *p<0.05 for indicated comparisons by 1-way ANOVA followed by Tukey's multiple comparison test. Note that the 6 weeks EHM culture is preceded by 3 weeks of cardiomyocyte differentiation and selection; hence EHM and 2D D60 have been cultured for a similar duration under similar culture medium conditions.




Supplementary Figure 8. Adrenoceptor expression and function in EHM. (a) RPKM of adrenoceptor subtypes: 22-day-old and 60-day-old monolayer CM culture (2D D22 and 2D D60); 2 week undefined, serum-containing EHM cultures (EHM serum W2); 2 and 6 week defined, Serum-free Protocol EHM cultures (EHM SF W2 and EHM SF W6); fetal and adult heart; n=3-4/group. *p<0.05 vs. 2D d22 and \$p<0.05 and indicated comparisons by 1-way ANOVA followed by Tukey's multiple comparison test. Note that the 6 weeks EHM culture is preceded by 3 weeks of cardiomyocyte differentiation and selection; hence EHM and 2D D60 have been cultured for a similar duration under similar culture medium conditions. (b) hiPS-G1 EHM and (c) HES2 EHM change in force of contraction (FOC) in response to 1 µmol/L isoprenaline at EC₅₀ extracellular calcium; EHM were constructed according to: (1) undefined Starting Protocol (n=11/20); (2) Matrix Protocol (n=11/32) and (3) defined, Serum-free Protocol (n=15/18); *p<0.05 by 1-way ANOVA followed by Tukey's multiple comparison test. (d) Inotropic response of EHM to isoprenaline at 0.6 mmol/L extracellular calcium in percent of baseline force of contraction (FOC; n=11); inset: original contraction traces of unstimulated EHM (black) and after exposure to 1 µmol/L isoprenaline (red). (e) Inotropic effect of isoprenaline (100 nmol/L; n=11) alone or after 30 min pre-incubation with the specific β1adrenoceptor antagonist (CGP-20712A, 300 nmol/L, n=7), the specific β2-adrenoceptor antagonist (ICI-118551, 50 nmol/L, n=7), or both (n=5); *p<0.05 CGP vs. ICI by two-tailed, unpaired Student's t-test.




Supplementary Figure 9. Validation of flow cytometry-based cardiomyocyte size measurements. (a) Panel 1: flow cytometry gating strategy for the enumeration of EHM-derived cells: total cells; panel 2: live cells (negative for SytoxRed stain); panel 3: single cells (homogenous nuclear DNA signal to exclude doublets); panel 4: RFP⁺ cardiomyocytes vs. GFP⁺ fibroblasts; panel 5: cardiomyocyte size analyzed by RFP median fluorescence intensity (MFI; representative distribution of cardiomyocytes from control [grey area] and NE-treated [1 μmol/L, red line] EHM); panel 6: RFP⁺ cells stained for sarcomeric actinin after fixation to confirm cardiomyocyte identity. (b) Measurement of RFP⁺ cardiomyocyte cell area by fluorescence microscopy; representative images of cells derived enzymatically from control EHM and EHM treated with 1 μmol/L NE for 7 days; bars: 50 μm. (c) Correlation of cardiomyocyte area measured by fluorescence microscopy and flow cytometry parameters for size approximation (FSC: forward scatter; SSC: sideward scatter, live cells and cells fixed with 70% ethanol).





Supplementary Figure 10. Serum masks chronic catecholamine stimulation induced heart failure phenotype. (a) Force frequency response in defined, serum-free EHM (Serum-free Protocol, n=4) and undefined, serum-containing EHM (Starting Protocol, n=4) after treatment with 1 μmol/L norepinephrine (NE) for 7 days. *p<0.05 by 2-way repeated-measures ANOVA followed by Sidak's multiple comparison test. (b) Overview of change in force of contraction (FOC), acute isoprenaline response (ISO), and cardiomyocyte (CM) size after treatment with 1 μmol/L NE for 7 days compared to untreated controls in undefined, serum-containing EHM (Starting Protocol, black bars, n=8) and defined, serum-free EHM (Serum-free Protocol; grey bars, n=11). *p<0.05 Starting vs. Serum-free Protocol by two-tailed, unpaired Student's t-test.



Supplementary Figure 11. EHM patch function. Correlation of force of contraction (FOC) and fractional area change (FAC) recorded in small EHM loops and patches from the same production runs (n=10 production runs).

Supplemental references

- 1. Xu C, Police S, Rao N, Carpenter MK. Characterization and enrichment of cardiomyocytes derived from human embryonic stem cells. *Circ Res.* 2002; 91:501-508.
- 2. Kehat I, Kenyagin-Karsenti D, Snir M, Segev H, Amit M, Gepstein A, Livne E, Binah O, Itskovitz-Eldor J, Gepstein L. Human embryonic stem cells can differentiate into myocytes with structural and functional properties of cardiomyocytes. *J Clin Invest.* 2001; 108:407-414.
- 3. Mummery C, Ward-van Oostwaard D, Doevendans P, Spijker R, van den Brink S, Hassink R, van der Heyden M, Opthof T, Pera M, de la Riviere AB, Passier R, Tertoolen L. Differentiation of human embryonic stem cells to cardiomyocytes: role of coculture with visceral endoderm-like cells. *Circulation*. 2003; 107:2733-2740.
- 4. Passier R, Oostwaard DW, Snapper J, Kloots J, Hassink RJ, Kuijk E, Roelen B, de la Riviere AB, Mummery C. Increased cardiomyocyte differentiation from human embryonic stem cells in serum-free cultures. *Stem Cells.* 2005; 23:772-780.
- 5. Yang L, Soonpaa MH, Adler ED, Roepke TK, Kattman SJ, Kennedy M, Henckaerts E, Bonham K, Abbott GW, Linden RM, Field LJ, Keller GM. Human cardiovascular progenitor cells develop from a KDR+ embryonic-stem-cell-derived population. *Nature*. 2008; 453:524-528
- 6. Riegler J, Tiburcy M, Ebert A, Tzatzalos E, Raaz U, Abilez OJ, Shen Q, Kooreman NG, Neofytou E, Chen VC, Wang M, Meyer T, Tsao PS, Connolly AJ, Couture LA, Gold JD, Zimmermann WH, Wu JC. Human Engineered Heart Muscles Engraft and Survive Long Term in a Rodent Myocardial Infarction Model. *Circ Res.* 2015; 117:720-730.

- 7. Zimmermann WH, Schneiderbanger K, Schubert P, Didie M, Munzel F, Heubach JF, Kostin S, Neuhuber WL, Eschenhagen T. Tissue engineering of a differentiated cardiac muscle construct. *Circ Res.* 2002; 90:223-230.
- 8. Zimmermann WH, Melnychenko I, Wasmeier G, Didie M, Naito H, Nixdorff U, Hess A, Budinsky L, Brune K, Michaelis B, Dhein S, Schwoerer A, Ehmke H, Eschenhagen T. Engineered heart tissue grafts improve systolic and diastolic function in infarcted rat hearts.

 Nat Med. 2006; 12:452-458.
- 9. Soong PL, Tiburcy M, Zimmermann WH. Cardiac differentiation of human embryonic stem cells and their assembly into engineered heart muscle. *Curr Prot Cell Biol.* 2012;55: 23.8.1-23.8.21.
- 10. Tiburcy M, Meyer T, Soong PL, Zimmermann WH. Collagen-based engineered heart muscle. *Methods Mol Biol.* 2014; 1181:167-176.
- 11. Tiburcy M, Didie M, Boy O, Christalla P, Doker S, Naito H, Karikkineth BC, El-Armouche A, Grimm M, Nose M, Eschenhagen T, Zieseniss A, Katschinski DM, Hamdani N, Linke WA, Yin X, Mayr M, Zimmermann WH. Terminal differentiation, advanced organotypic maturation, and modeling of hypertrophic growth in engineered heart tissue. *Circ Res.* 2011; 109:1105-1114.

Supplemental Video Legends:

Supplementary Video 1: Defined, serum-free small EHM loop (2 weeks old) on flexible holders.

Supplementary Video 2: High purity cardiomyocyte (CM) EHM (left) and 70:30% CM:HFF EHM (right); input cardiomyocyte were from identical cardiomyocyte pools (iCell CM; CDI).

Supplementary Video 3: Free floating defined, serum-free small EHM loop (4 weeks old).

Supplementary Video 4: Color-coded EHM on flexible holders. Sequential recordings of GFP⁺-fibroblasts, RFP⁺-cardiomyocytes, and EHM in transmitted light.

Supplementary Video 5: Defined, serum-free EHM patch (1.5x1.7 cm, 3 weeks old) on a 3D printed array of flexible holders.