

S2 Table. Age-standardized rates (ASR) of urologic cancer according to sex in GLOBOCAN 2012

		Both sexes		Male		Female	
		Case	ASR	Case	ASR	Case	ASR
Korea	Bladder	4,097	5.2	3,305	9.6	792	1.7
	Kidney	5,651	8	3,888	11.7	1,763	4.7
	Prostate			10,351	30.3		
	Testis			222	0.9		
USA	Bladder	68,639	11.6	52,099	19.6	16,540	5.1
	Kidney	58,222	12	36,345	15.9	21,877	8.5
	Prostate			233,159	98.2		
	Testis			8,073	5		
Japan	Bladder	22,042	5.6	16,755	9.8	5,287	2.2
	Kidney	16,830	5.3	11,141	7.8	5,689	3
	Prostate			55,970	30.4		
	Testis			1,274	2.2		
UK	Bladder	8,778	5.8	6,346	9.2	2,432	2.8
	Kidney	9,714	8.2	6,067	10.9	3,647	5.8
	Prostate			45,406	73.2		
	Testis			2,163	6.8		
France	Bladder	11,175	8	9,283	15	1,892	2.2
	Kidney	11,023	9.7	7,358	14.1	3,665	5.9
	Prostate			56,841	98		
	Testis			2,332	7.6		
Australia	Bladder	3,489	7.6	2,674	12.5	815	3.2
	Kidney	3,501	9.5	2,280	12.9	1,221	6.3
	Prostate			21,966	115.2		
	Testis			780	6.6		
Germany	Bladder	28,405	13.4	21,656	22.7	6,749	5.5
	Kidney	18,615	10.6	11,353	14	7,262	7.5
	Prostate			68,262	77.3		
	Testis			4,031	9.7		
Malaysia	Bladder	890	3.7	718	6.1	172	1.4
	Kidney	611	2.4	415	3.3	196	1.5
	Prostate			1,186	10.8		
	Testis			135	0.9		
Philippines	Bladder	989	1.5	679	2.3	310	0.9
	Kidney	1,008	1.4	641	2	367	1
	Prostate			4,858	18		
	Testis			204	0.5		
Singapore	Bladder	338	4.3	262	7	76	1.8
	Kidney	401	5.2	272	7.4	129	3.2
	Prostate			1,212	33.1		
	Testis			37	1.3		
Thailand	Bladder	2,537	2.7	1,921	4.5	616	1.2
	Kidney	1,017	1.2	644	1.6	373	0.8
	Prostate			3,182	7.2		
	Testis			208	0.6		