1	Free-ranging dogs show age related plasticity in their ability to follow human pointing
2	Debottam Bhattacharjee <sup>1</sup> , Nikhil Dev N <sup>1,2</sup> , Shreya Gupta <sup>1,3</sup> , Shubhra Sau <sup>1</sup> , Rohan Sarkar <sup>1</sup> , Arpita
3	Biswas <sup>1</sup> , Arunita Banerjee <sup>1</sup> , Daisy Babu <sup>1</sup> , Diksha Mehta <sup>1,4</sup> and Anindita Bhadra <sup>1*</sup>
4	
5	Affiliations:
6	<sup>1</sup> Department of Biological Sciences, Indian Institute of Science Education and Research
7	Kolkata, Nadia, West Bengal, India
8	<sup>2</sup> Indian Institute of Science Education and Research Thiruvannathapuram, Kerala, India
9	<sup>3</sup> Indian Institute of Science Education and Research Bhopal, Madhya Pradesh, India
10	<sup>4</sup> Shivaji College, University of Delhi, Delhi, India
11	
12	*Corresponding author
13	E-mail: abhadra@iiserkol.ac.in (AB)
14	
15	
16	
17	
18	
19	Fig S3. Bar graph showing proportion of pups that followed and did not follow pointing
20	cues over the range of 4 <sup>th</sup> week – 8 <sup>th</sup> weeks. No significant variation was found for point-

- following behaviour of pups during the age range (Goodness of fit, p = 0.405). Black bars
- 22 indicate pups that followed point and grey bars indicate pups that did not follow the pointing cue.

23

