Appendix Table 1: Classification of all ED Visits* Before and After Update

	Unclassified		Emergent EDNNP [†]		Emergent EDNP ^t		Emergent PCT ^t		Non- Emergent		Injury Related		Mental Health		Alcohol Related		Drug Related	
	Before	After	Before	After	Before	After	Before	After	Before	After	Before	After	Before	After	Before	After	Before	After
2006	11.2	8.6	12.8	13.6	7.4	8.0	20.8	21.6	19.8	20.1	24.5	24.6	2.3	2.4	0.9	0.9	0.2	0.2
2007	12.7	8.9	12.8	14.2	7.2	7.9	20.7	21.8	19.1	19.6	24.0	24.0	2.4	2.4	1.0	1.0	0.2	0.2
2008	13.5	8.9	13.0	14.8	6.9	7.8	20.6	21.9	19.0	19.6	23.2	23.2	2.5	2.6	1.0	1.0	0.2	0.2
2009	14.8	8.7	12.7	14.9	6.9	7.9	20.9	22.6	19.0	20.1	22.0	22.0	2.5	2.6	1.0	1.0	0.2	0.2
2010	14.9	8.8	12.9	15.3	6.7	7.7	20.2	21.9	19.0	19.9	22.4	22.4	2.6	2.7	1.1	1.1	0.3	0.3
2011	15.4	8.9	13.0	15.6	6.7	7.7	20.3	22.1	18.8	19.8	21.9	21.9	2.5	2.6	1.1	1.1	0.3	0.3
2012	15.5	8.9	13.0	15.6	6.6	7.6	20.5	22.3	19.1	20.2	21.3	21.4	2.6	2.7	1.1	1.1	0.3	0.3

^{*}Calculated from the Nationwide Emergency Department Sample (NEDS) using visit weights on all ED visits in the NEDS by year (as shown in Table 1).
*EDNNP, ED care needed and not preventable/avoidable; EDNP, ED care needed and preventable/avoidable; PCT, primary care treatable.