

Supplementary Table 1: Primer Sequences used for RT-QPCR

	Forward primer sequences	Reverse primer sequences
mFXR	GCTTGATGTGCTACAAAAGCTG	CGTGGTGATGGTTGAATGTCC
mTGR5	CCTGGCAAGCCTCATCGTC	AGCAGCCCGGCTAGTAGTAG
mFn	TTCAAGTGTGATCCCCATGAAG	CAGGTCTACGGCAGTTGTCA
mFSP-1	TCCACAAATACTCAGGCAAAGAG	GCAGCTCCCTGGTCAGTAG
mTNFa	CAGGCGGTGCCTATGTCTC	CGATCACCCCGAAGTTCAGTAG
mMCP1	TTAAAAACCTGGATCGGAACCAA	GCATTAGCTTCAGATTTACGGGT
mIL1b	GAAATGCCACCTTTTGACAGTG	TGGATGCTCTCATCAGGACAG
mTGfb	CCACCTGCAAGACCATCGAC	CTGGCGAGCCTTAGTTTGGAC
mPGC1a	TATGGAGTGACATAGAGTGTGCT	CCACTTCAATCCACCCAGAAAG
mSirt1	GCTGACGACTTCGACGACG	TCGGTCAACAGGAGGTTGTCT
mSirt3	GAGCGGCCTCTACAGCAAC	GGAAGTAGTGAGTGACATTGGG
mERRa	GGGAGCATCGAGTACAGC	AGACGCACACCCTCCTTGA
mNrf1	AGCACGGAGTGACCCAAAC	TGTACGTGGCTACATGGACCT

Supplemental Figure S1





