Appendix A

	US Healthcare Facilities in the Premier Research Database with Accessible Microbiology Results				
Characteristic, n (%)	(N=178)				
Setting					
Urban	142 (79.8)				
Rural	36 (20.2)				
Facility					
Teaching	62 (34.8)				
Non-teaching	116 (65.2)				
Number of beds					
0–99	30 (16.9)				
100–199	40 (22.5)				
200–299	39 (21.9)				
300–399	27 (15.2)				
400–499	14 (7.9)				
500+	28 (15.7)				

Appendix B

### cUTI At least one diagnosis from group A OR At least one diagnosis from group B AND At least one event (either diagnosis or procedure) from group C

	Group A (Diagnosis Codes)
ICD-9-CM Diagnosis Code	Description
598.0X	Urethral stricture due to infection
996.64	Infection and inflammatory reaction due to indwelling urinary catheter
590.1X	Acute pyelonephritis
590.2X	Renal and perinephric abscess
590.3X	Pyeloureteritis cystica
590.8X	Other pyelonephritis or pyonephrosis, not specified as acute or chronic
590.9X	Infection of kidney, unspecified
590.XX	Infections of kidney
590.0X	Chronic pyelonephritis without lesion of renal medullary necrosis
590.01	Chronic pyelonephritis with lesion of renal medullary necrosis
590.1X	Acute pyelonephritis NOS
590.2X	Renal/perirenal abscess
590.3X	Pyeloureteritis cystica
590.8X	Pyelonephritis NOS
590.9X	Infection of kidney NOS

NOS = not otherwise specified.

	Group B (Diagnosis Codes)
ICD-9-CM Diagnosis Code	Description
598.8X	Other specified causes of urethral structure
598.XX	Urethral stricture: infect NOS
599.0X	Urinary tract infection, site not specified
599.2X	Urethral diverticulum
599.3X	Urethral caruncle
599.4X	Urethral false passage
599.5X	Prolapse urethral mucosa
599.69	Urinary obstruction NEC
595.XX	Acute cystitis
595.3X	Trigonitis
595.4X	Cystitis in diseases classified elsewhere
595.8X	Other specified types of cystitis
595.9X	Cystitis, unspecified
595.XX	Acute cystitis
595.1X	Chronic interstitial cystitis
595.2X	Chronic cystitis NEC
595.4X	Cystitis in diseases classified elsewhere
595.81	Cystitis cystica
595.82	Irradiation cystitis
595.89	Cystitis NEC
595.9X	Cystitis NOS
597.XX	Urethral abscess
597.8X	Urethritis, unspecified
597.8X	Urethritis NOS
597.81	Urethral syndrome NOS
597.89	Urethritis NEC
599.1X	Urethral fistula

NEC = "other"; NOS = not otherwise specified. Group C (Diagnosis and Procedure Codes)					
Code Type	Codes	Description			
ICD-9-CM procedure	57.94	Insertion of indwelling urinary catheter			
ICD-9-CM procedure	57.95	Replacement of indwelling urinary catheter			
ICD-9-CM procedure	96.48	Irrigation of indwelling urinary catheter			
CPT-4 procedure	51702	Insertion of temporary indwelling bladder catheter, simple (eg, Foley)			
CPT-4 procedure	51703	Insertion of temporary indwelling bladder catheter, complicated (eg, altered anatomy, fractured catheter/balloon)			
ICD-9-CM diagnosis	V53.6X	Urinary catheter			
ICD-9-CM diagnosis	V55.6X	Attention to other artificial opening of urinary tract			
ICD-9-CM diagnosis	592.XX	Nephrolithiasis or ureteric calculi			
ICD-9-CM diagnosis	753.2X	Obstructive defect of renal pelvis and ureter			
ICD-9-CM diagnosis	599.6X	Urinary obstruction			
ICD-9-CM diagnosis	600.XX	Prostate hyperplasia			
ICD-9-CM diagnosis	596.XX	Bladder neck obstruction			
ICD-9-CM diagnosis	591.XX	Hydronephrosis			
ICD-9-CM diagnosis	788.2X	Retention of urine			
ICD-9-CM diagnosis	596.4X	Atony of bladder			
ICD-9-CM diagnosis	596.53	Paralysis of bladder			
ICD-9-CM diagnosis	596.54	Neurogenic bladder			
ICD-9-CM diagnosis	596.55	Detrusor sphincter dyssynergia			

ICD-9-CM = International Classification of Diseases, Ninth Edition, Clinical Modification; NOS = not otherwise specified.

cIAI
At least one diagnosis from group A
AND

At least one procedure from group B

Г

Group A (Diagnosis Codes)				
ICD-9-CM Diagnosis Code	Description	Comment		
562.01	Diverticulitis of small intestine (without mention of hemorrhage)			
562.03	Diverticulitis of small intestine (with hemorrhage)			
562.11	Diverticulitis of colon (without mention of hemorrhage)			
562.13	Diverticulitis of colon (with hemorrhage)			
569.81	Fistula of intestine, excluding rectum and anus			
569.82	Ulceration of intestine			
569.83	Perforation of intestine			
531.1X	Gastric ulcer with perforation, acute			
531.2X	Gastric ulcer with hemorrhage and perforation, acute			
531.5X	Gastric ulcer with perforation, chronic			
531.6X	Gastric ulcer with hemorrhage and perforation, chronic			
532.1X	Duodenal ulcer with perforation, acute			
532.2X	Duodenal ulcer with hemorrhage and perforation, acute			
532.5X	Duodenal ulcer with perforation, chronic			
532.6X	Duodenal ulcer with hemorrhage and perforation, chronic			
533.1X	Peptic ulcer with perforation, acute			
533.2X	Peptic ulcer with hemorrhage and perforation, acute			
533.5X	Peptic ulcer with perforation, chronic			
533.6X	Peptic ulcer with hemorrhage and perforation, chronic			
534.1X	Gastrojejunal ulcer with perforation, acute			
534.2X	Gastrojejunal ulcer with hemorrhage and perforation, acute			
534.5X	Gastrojejunal ulcer with perforation, chronic			
534.6X	Gastrojejunal ulcer with hemorrhage and perforation, chronic			
540.0X	Acute appendicitis with generalized peritonitis			
540.1X	Acute appendicitis with peritoneal abscess			
541.XX	Appendicitis NOS			

542.XX	Other appendicitis	
567.XX	Peritonitis	
569.5X	Abscess of intestine	
572.XX	Abscess of liver	
575.4 plus 574.0, 574.3, 574.6,	Acute cholecystitis	Patients who meet this criterion will
574.8, or 575.0		need a minimum of 2 diagnosis codes
576.1X	Cholangitis	

NOS = not otherwise specified.

	Group B (Procedure Codes)	Group B (Procedure Codes)					
Code Type	Codes	Description					
ICD-9-CM	43.5X-43.9X, 44.40-44.42, 44.61, 45.6X-46.13, 46.20-46.23, 46.7X, 46.80-46.82, 46.91-46.94, 46.99, 47.XX, 50.0X, 50.12-50.69, 51.02-51.04, 51.13, 51.2X, 51.3X, 51.4X-51.5X, 51.61-51.63, 51.69, 51.7X, 51.81-51.83, 51.89, 51.91-51.95, 51.99, 52.01, 52.09, 52.12, 52.22, 52.3X-52.83, 52.92, 52.95, 52.96, 52.99, 54.1X, 54.21, 54.4X, 54.5X, and/or 54.92-54.95	Laparotomy, laparoscopy, or percutaneous drainage					
CPT-4	43117, 43118, 43121, 43122, 43631, 43632, 43633, 43634, 43775, 43845, 43620, 43621, 43622, 43840, 43500, 43501, 43502, 43840, 44602, 44603, 43840, 44110, 44111, 44120, 44121, 44125, 43496, 44120, 44121, 44125, 44126, 44127, 44128, 44132, 44133, 44202, 44203, 44660, 44661, 44132, 44133, 44155, 44156, 44212, 44143, 44144, 44160, 44204, 44205, 44206, 44212, 44143, 44144, 44160, 44204, 44205, 44206, 44212, 44143, 44147, 44207, 44208, 45395, 45397, 45550, 44139, 44140, 44144, 44147, 44205, 44206, 44212, 44146, 44117, 44217, 44207, 44208, 45395, 45397, 45550, 44139, 44140, 44144, 44147, 44265, 44666, 44861, 44210, 44211, 44212, 44137, 44150, 44151, 44155, 44157, 44158, 44320, 44625, 44665, 45820, 45825, 44300, 44322, 57307, 45562, 45563, 45800, 45805, 45126, 51597, 58240, 44120, 4412, 44125, 44150, 44155, 44156, 44187, 44310, 44144, 44187, 44310, 44151, 44316, 44799, 44210, 44211, 44212, 45136, 44602, 44603, 35870, 44640, 44602, 44602, 44603, 44604, 44605, 45820, 44604, 44605, 35870, 44650, 44370, 44379, 44379, 44330, 44323, 44397, 44620, 44602, 44603, 44604, 44605, 44615, 44604, 44605, 45513, 44900, 49006, 50845, 44650, 44799, 44079, 47001, 47101, 47164, 47164, 47160, 47560, 47561, 47700, 49550, 44990, 49000, 49406, 50845, 44650, 44799, 44079, 47001, 471001, 47560, 47561, 47300, 47120, 47122, 47125, 47130, 47133, 47140, 47141, 47142, 47380, 47381, 47382, 47399, 47120, 47122, 47125, 47130, 47143, 47133, 47140, 47141, 47142, 47380, 47360, 47360, 47360, 47360, 47361, 47362, 47490, 47480, 48000, 48001, 47480, 47560, 47561, 47620, 47701, 47360, 47420, 47425, 47561, 47610, 47612, 47620, 47700, 47510, 47511, 43273, 47499, 47499, 43154, 48155, 48146, 48155, 48160, 48550, 48150, 48100, 48100, 48105, 48120, 48500, 43240, 48999, 48140, 48145, 48150, 48152, 48153, 48154, 48000, 48001, 48556, 49000, 49220, 58960, 49000, 49026, 58951, 58955, 58957, 58958, 60545, 44180, 44005, 49405, 49419	Laparotomy, laparoscopy, or percutaneous drainage					

#### Hospital-associated pneumonia, including ventilator-associated pneumonia (VAP)

### Algorithm 1

- 1) A primary OR secondary discharge diagnosis of VAP (997.31)
- 2) ≥1 positive cultures for Gram-negative bacteria of interest drawn from a site consistent with pneumonia (the date of the earliest such culture will be deemed the index date)
- 3) Index date  $\geq$ 3 days following admission

#### AND

4) Receipt of antibiotics on the index date or within the 3-day period thereafter

# Algorithm 2

- 1) Any discharge diagnosis (ie, principal or secondary) of pneumonia (excluding VAP) (**481.xx**, **482.xx**, **483.xx**, **484.xx**, **486.xx**, **482.0**, **482.1**, **482.2**, **485.xx**)
- 2) ≥1 positive cultures for Gram-negative bacteria of interest drawn from a site consistent with pneumonia (the date of the earliest such culture will be deemed the index date)
- 3) Index date  $\geq$ 3 days following admission

### AND

4) Receipt of antibiotics on the index date or within the 3-day period thereafter

# Algorithm 3

- 1) Any discharge diagnosis (ie, principal or secondary) of pneumonia (excluding VAP)
- 2)  $\geq 1$  positive cultures for Gram-negative bacteria of interest drawn from a site consistent with pneumonia (the date of the earliest such culture will be deemed the "index date") < 3 days following admission
- 3) Receipt of antibiotics on the index date or within the 3-day period thereafter

# ĀND

4) Evidence that the source of pneumonia was nosocomial (as opposed to community-acquired or healthcare associated)

	BSI
ICD-9-CM Diagnosis Code	Description
790.7	Bacteremia
038.0	Streptococcal septicemia
038.10	Staphylococcal septicemia, unspecified
038.11	Methicillin-susceptible Staphylococcus aureus septicemia
038.12	Methicillin-resistant S aureus septicemia
038.19	Other staphylococcal septicemia
038.2	Pneumococcal septicemia
038.3	Septicemia due to anaerobes
038.40	Septicemia due to Gram-negative organism, unspecified
038.41	Septicemia due to Haemophilus influenzae (Hinfluenzae)
038.42	Septicemia due to E coli
038.43	Septicemia due to Pseudomonas spp
038.44	Septicemia due to Serratia spp
038.49	Other septicemia due to Gram-negative organisms
038.8	Other specified septicemias
038.9	Unspecified septicemia
421.0	Acute and subacute bacterial endocarditis
421.1	Acute and subacute infective endocarditis in diseases, classified elsewhere
421.9	Acute endocarditis, unspecified
424.90	Endocarditis valve, unspecified cause
771.81	Septicemia [sepsis] of newborn
995.91	Sepsis

Culture Site	cUTI	cIAI	HAP	VAP	Bacteremia
Urine culture	Х				
Gastric culture		Х			
Wound culture		Х			
Fluid culture		Х			
Body fluid culture		Х			
Wound culture deep		Х			
Aerobic culture		Х			
Tissue culture		Х			
Drainage culture		Х			
Wound culture aerobic/anaerobic		Х			
Wound culture aerobic		Х			
Wound culture superficial		Х			
Abscess culture		Х			
Blood culture					Х
Quantitative blood culture					Х
Respiratory culture			Х	Х	
Quantitative respiratory culture			Х	Х	
Respiratory culture, cystic fibrosis			Х	Х	
Sputum culture			Х	Х	
Bronchial culture			Х	Х	
Bronchial/BAL lavage			Х	Х	

Appendix C. Designated Culture Sites for Infection Types of Interest

BAL = bronchoalveolar; cIAI = complicated intra-abdominal infection; cUTI = complicated urinary tract infection; HAP = hospital-associated pneumonia; VAP = ventilator-associated pneumonia