

Supplementary Table S1 Cumulative risk for celiac disease autoimmunity (CDA) for each HLA genotype after 5, 10 and 15 years follow-up.

Table S1

HLA	Years of follow-up	Number of cumulative events for CDA	Cumulative risk for CDA (%)	Lower CI (%)	Upper CI (%)
DR3-DQ2/DR3-DQ2	5	13	14.8	9.6	22.4
	10	19	22.1	15.9	30.3
	15	21	26.4	19.5	35.1
DR3-DQ2/DR4-DQ8	5	18	8.1	5.8	11.4
	10	38	14.6	11.4	18.6
	15	39	15.1	11.9	19.2
DR3-DQ2/X	5	9	10.6	7.2	15.3
	10	22	17.1	12.9	22.4
	15	24	18.4	14.1	23.9
DR4-DQ8/DR4-DQ8	5	2	2.7	0.8	8.1
	10	10	11.5	7.2	18.1
	15	10	11.5	7.2	18.1
DR4-DQ8/X	5	3	0.9	0.3	2.5
	10	8	3.1	1.8	5.3
	15	14	5.7	3.9	8.3

Supplementary Table S2 Cumulative risk for celiac disease (CD) (Table S1B) for each HLA genotype after 5, 10 and 15 years follow-up.

Table S2

HLA	Years of follow-up	Number of cumulative events for CD	Cumulative risk for CD (%)	Lower CI (%)	Upper CI (%)
DR3-DQ2/DR3-DQ2	5	8	9.8	5.7	16.7
	10	12	14.2	9.2	21.5
	15	13	14.2	9.2	21.5
DR3-DQ2/DR4-DQ8	5	12	4.9	3.1	7.6
	10	24	9.2	6.7	12.6
	15	24	9.2	6.7	12.6
DR3-DQ2/X	5	8	7.7	4.9	11.9
	10	16	12.3	8.8	17.1
	15	18	13.6	9.9	18.6
DR4-DQ8/DR4-DQ8	5	1	1.0	0.2	5.2
	10	4	4.5	2.1	9.6
	15	4	4.5	2.1	9.6
DR4-DQ8/X	5	1	0.3	0.1	1.6
	10	3	1.5	0.7	3.1
	15	4	1.5	0.7	3.1