

Table S2. Primer sequences for qRT-PCR

Gene	Abbreviation	Primer sequence
Acetyl-CoA carboxylase	<i>Acc1</i>	AAGTCCTTGGTCGGGAAGTATACA ACTCCCTCAAAGTCATCACAAACA
Acyl-CoA oxidase 1	<i>Acox1</i>	CCGCCACCTTCAATCCAGAG CAAGTTCTCGATTTCTCGACGG
Apolipoprotein C2/Apolipoprotein C-II	<i>Apoc2</i>	CCCTTCCTGCCACTACATTC CAACATCAGGATGACCAGGA
Cluster of differentiation 36/fatty acid translocase	<i>Cd36</i>	TTGTACCTATACTGTGGCTAAATGAGA CTTGTGTTTGAACATTTCTGCTT
Carnitine palmitoyltransferase 1A	<i>Cpt1a</i>	TGCCTCTATGTGGTGTCCAA TCAAACAGTTCCACCTGCTG
Cytochrome P450, family 7, subfamily A, polypeptide 1 (Cholesterol 7 α -hydroxylase)	<i>Cyp7a1</i>	AGCAACTAAACAACCTGCCAGTACTA GTCCGGATATTC AAGGATGCA
Cytochrome P450, family 8, subfamily B, polypeptide 1 (Sterol 12 α -hydroxylase)	<i>Cyp8b1</i>	GGCTGGCTTCCTGAGCTTATT ACTTCCTGAACAGCTCATCGG
EGF-like module-containing mucin-like hormone receptor-like 1	<i>Emr1</i>	GGAGGACTTCTCCAAGCCTATT AGGCCTCTCACTTCTGCTT
Fatty acid synthetase	<i>Fas</i>	TGGTGAATTGTCTCCGAAAAGA CACGTTTCATCACGAGGTCATG
Peroxisome proliferator-activated receptor alpha	<i>Ppara</i>	CACGCATGTGAAGGCTGTAA GCTCCGATCACACTTGTCTG
Scavenger receptor class B member 1	<i>Srb1</i>	CGTTGTCATGATCCTCATGTT ACAGGCTGCTCGGGTCTAT
Serum amyloid A 3	<i>Saa3</i>	TGCCATCATTCTTTGCATCTTGA CCGTGAACCTTCTGAACAGCCT
Tumor necrosis factor α	<i>Tnfa</i>	CCAGACCCTCACACTCA CACTTG GTGGTTTGTACGAC
Very-low-density-lipoprotein receptor	<i>Vldlr</i>	GCCC GTTCTACTCAGTGTATCC GAACTCATCTGCACTACATGTTATGTT