

Table S2. Characteristics of non-smoking patients at time of index event (non-smokers)

	Control (n=2009)	Intervention (n=1529)	p-value
Age, mean (SD)	64.0 (19.6)	64.9 (20.4)	.18
Male sex, n (%)	861 (42.9)	597 (39.0)	.02
Low SES (lowest two income quintiles), n (%)	754 (37.5)	562 (36.8)	.42
Smokes > 20 cpd, n (%)	n/a	n/a	
Rurality (RIO) score, mean (SD)	16.4 (21.1)	17.0 (20.3)	.36
High overall morbidity (RUB score >3), n (%)	1683 (83.8)	1290 (84.4)	.77
History of AMI, n (%)	219 (10.9)	131 (8.6)	.02
Asthma, n (%)	342 (17.0)	257 (16.8)	.87
Cancer, n (%)	261 (11.3)	175 (11.7)	.70
CHF, n (%)	430 (21.4)	347 (22.7)	.35
COPD, n (%)	490 (24.4)	412 (26.9)	.08
Diabetes, n (%)	535 (26.6)	411 (26.9)	.87
Hypertension, n (%)	1203 (59.9)	903 (59.1)	.62
History of mental illness, n (%)	97 (4.8)	80 (5.2)	.59
History of Stroke or TIA, n (%)	278 (13.8)	229 (15.0)	.34

AMI=Acute Myocardial Infarction; CHF=Heart Failure; CPD=Cigarettes per day; COPD=Chronic Obstructive Pulmonary Disease; n=Number; RIO=Rurality Index of Ontario; RUB=Resource Utilization Band; SD=Standard Deviation; SES=Socio-economic Status; TIA=Transient Ischemic Attack