

## Increased expression of long non-coding RNA CCEPR is associated with poor prognosis and promotes tumorigenesis in urothelial bladder carcinoma

### Supplementary Materials

**Supplementary Table 1: Summary of clinicopathological features of tissues of bladder cancer**

Pt No.	Sex	Age	Stage	Grade	Pt No.	Sex	Age	Stage	Grade
1	M	66	T2bN0M0	H	29	M	58	T4aN0M0	H
2	M	53	T1N0M0	L	30	M	63	T2aN0M0	L
3	M	75	T2bN0M0	H	31	M	50	T2bN0M0	H
4	F	64	T1N0M0	L	32	M	73	T3bN0M0	H
5	M	58	T3aN0M0	H	33	F	62	T4aN0M0	H
6	M	65	T2bN0M0	H	34	M	41	T1N0M0	L
7	F	38	T3aN0M0	H	35	M	62	T4aN0M0	H
8	M	59	T2bN0M0	H	36	M	76	T2bN0M0	L
9	M	43	T3aN0M0	H	37	M	25	T1N0M0	L
10	F	64	T2bN0M0	H	38	F	74	T3aN0M0	H
11	M	69	T1N0M0	L	39	F	70	T1N0M0	L
12	M	72	T3aN0M0	H	40	M	59	T4N0M0	H
13	F	89	T1N0M0	L	41	F	72	T1N0M0	L
14	M	68	T2bN0M0	H	42	M	46	T1N0M0	L
15	F	63	T3aN0M0	H	43	M	63	T3aN0M0	H
16	M	63	T2bN0M0	H	44	M	86	T1N0M0	L
17	M	78	T2aN0M0	L	45	M	70	T2bN0M0	H
18	M	70	T2aN0M0	L	46	M	49	T1N0M0	L
19	F	41	T2aN0M0	L	47	M	61	T3aN0M0	H
20	M	59	T2bN0M0	H	48	M	53	T2aN0M0	L
21	F	73	T2aN0M0	L	49	M	73	T2bN1M0	H
22	M	67	T2bN0M0	H	50	M	47	T2aN0M0	L
23	F	61	T3aN0M0	H	51	M	77	T3aN0M0	H
24	F	51	T1N0M0	L	52	M	66	T1N0M0	L
25	M	58	T4aN3M0	H	53	F	74	T2bN0M0	H
26	M	63	T2aN0M0	L	54	F	60	T2aN0M0	H
27	M	57	T4aN0M0	H	55	M	68	T1N0M0	L
28	M	54	T2bN0M0	H					

Pt No. patient number; M male; F female; Grade the World Health Organization 2004 classification; H high; L low; Stage the American Joint Committee on Cancer TNM classification.

**Supplementary Table 2: The primer sequences included in this study**

Name	primer sequences (5'-3')
CCEPR forward	AAGGTCCCAGGATACTCGC
CCEPR reverse	GTGTCGTGGACTGGCAAAAT
PCNA forward	GCCATATTGGAGATGCTGT
PCNA reverse	TGAGTGTACCCGTTGAAGA
GAPDH forward	CGCTCTCTGCTCCTCCTGTTC
GAPDH reverse	ATCCGTTGACTCCGACCTTCAC