Autonomic versus perceptual accounts for tactile hypersensitivity in autism spectrum disorder

Hiroshi Fukuyama^{1,2}

Shin-ichiro Kumagaya³

Kosuke Asada³

Satsuki Ayaya³

Masaharu Kato¹

- ¹ Center for Baby Science, Doshisha University, Japan
- ² Graduate School of Arts and Sciences, The University of Tokyo, Japan
- ³ Research Center for Advanced Science and Technology, The University of Tokyo, Japan

Supplementary information

- Figure S1. The mean value of the slope across groups in the touch comparison task
- Figure S2. The mean fraction of strong response to each comparison stimulus compared to the standard stimulus across groups in the touch comparison task
- Table S1. Profile data of the participants in each group

Supplementary information




Figure S1. The mean value of the slope (derivative) across groups. A steeper slope means more sensitivity to force differences in light touch (monofilament stimuli). Error bars show SD.




Figure S2. The mean fraction of strong response to each comparison stimulus compared to the standard stimulus (1.40 g) across groups. X shows the force of the standard stimulus and was not included in the comparison stimuli. Error bars show SD.

Table S1. Profile data of the participants in each group

			ASD ($n = 23, 12 \text{ males}$)		TD $(n = 19, 9 \text{ males})$	
			Mean	range	Mean	range
			(SD)		(SD)	
Age (year)			40.08	25.42-59.75	41.46	33.25-49.58
_ ,			(9.26)		(5.23)	
WAIS-III	FIQ		111.957	78-136	99.947	71-116
			(15.665)		(11.895)	
	VIQ		120.217	96-144	103.316	70-127
			(14.155)		(14.256)	
	PIQ		99.174	62-135	95.579	78-109
			(18.067)		(8.840)	
ADOS			8.35	1-16	-	-
(n = 20)			(3.99)			
SRS-2	Total		108.83	50-157	56.58	24-116
			(29.22)		(21.11)	
	SCI		87.30	40-128	47.79	20-93
			(23.93)		(16.52)	
		Awr	11.04	4-16	6.89	3-13
			(3.01)		(2.42)	
		Cog	21.17	11-30	10.79	6-21
			(5.19)		(3.71)	
		Com	36.43	13-54	17.84	7-41
			(11.61)		(8.57)	
		Mot	18.65	10-30	12.26	4-20
			(6.59)		(4.42)	
	RRB		21.52	10-31	8.79	2-23
			(6.37)		(5.63)	
AASP	Poor		43.04	27-53	28.74	19-45
	Registration		(7.74)		(7.89)	
	Sensation		32.65	18-46	41.74	33-53
	Seeking		(7.59)		(5.69)	
	Sensitivity		47.61	28-68	35.26	22-54
	to Stimuli		(11.42)		(7.79)	
	Sensation		44.83	26-68	36.26	25-54
	Avoiding		(11.21)		(8.74)	

ASD, autism spectrum disorder; TD, typically developing; WAIS-III, Wechsler Adult Intelligence Scale, third edition; FIQ, Full Intelligence Quotient; VIQ, Verbal IQ; PIQ, Performance IQ; ADOS, Autism Diagnostic Observation Schedule (The ADOS was not conducted for the TD group.); SRS-2, Social Responsiveness Scale, second edition (Japanese version); SCI, Social Communication and Interaction; Awr, Social Awareness; Cog, Social Cognition; Com, Social Communication; Mot, Social Motivation; RRB, Restricted Interests and Repetitive Behavior; AASP, Adolescent/Adult Sensory Profile (Japanese version)