

TABLE S1. Yeast strains used in this study

Name	Genotype*	Source
W303a	<i>MATA</i> , <i>ade2</i> , <i>his3</i> , <i>leu2</i> , <i>trp1</i> , <i>ura3</i>	Euroscarf
A2596	<i>MATA</i> , <i>ade2</i> , <i>his3</i> , <i>leu2</i> , <i>trp1</i> , <i>ura3</i> , <i>cdc15-2</i>	A. Amon (1)
A5321	<i>MATA</i> , <i>ade2</i> , <i>his3</i> , <i>leu2</i> , <i>trp1</i> , <i>ura3</i> , <i>cdc14-3</i>	A. Amon (1)
K2788	<i>MATA</i> , <i>ade2</i> , <i>leu2</i> , <i>ura3</i> , <i>esp1-1</i>	S. Elledge (2)
LGY101	<i>S288c</i> , <i>MATA</i> , <i>leu2</i> , <i>trp1</i> , <i>ura3</i> , <i>rat7-1</i>	C. Cole (3)
MNY7	<i>MATA</i> , <i>ade2</i> , <i>his3</i> , <i>leu2</i> , <i>trp1</i> , <i>ura3</i> , <i>crm1Δ::KANMX6</i> [<i>pDC-CRM1 LEU2</i>]	M. Rosbash (4)
MNY8	<i>MATA</i> , <i>ade2</i> , <i>his3</i> , <i>leu2</i> , <i>trp1</i> , <i>ura3</i> , <i>crm1Δ::KANMX6</i> [<i>pDC-crm1 (T539C) LEU2</i>]	M. Rosbash (4)
Y850	<i>MATA</i> , <i>ade2</i> , <i>his3</i> , <i>leu2</i> , <i>trp1</i> , <i>ura3</i> , <i>cdc5-1</i>	S. Elledge (2)
JDY851	<i>MATA</i> , <i>ade2</i> , <i>his3</i> , <i>leu2</i> , <i>trp1</i> , <i>ura3</i> , <i>nop7-GFP(S65T)::natNT2</i>	J. de la Cruz (5)
SHM596-1	<i>S288c</i> , <i>MATA</i> , <i>his3</i> , <i>leu2</i> , <i>trp1</i> , <i>ura3</i> , <i>spc42-EQFP611-KANMX6</i>	E. Schieber (6)
Y00407	<i>BY4741</i> , <i>MATA</i> , <i>his3</i> , <i>leu2</i> , <i>met15</i> , <i>ura3</i> , <i>nup60Δ::KANMX4</i>	Euroscarf
Y03551	<i>BY4741</i> , <i>MATA</i> , <i>his3</i> , <i>leu2</i> , <i>met15</i> , <i>ura3</i> , <i>nup42Δ::KANMX4</i>	Euroscarf
Y04917	<i>BY4741</i> , <i>MATA</i> , <i>his3</i> , <i>leu2</i> , <i>met15</i> , <i>ura3</i> , <i>nup100Δ::KANMX4</i>	Euroscarf
Y05244	<i>BY4741</i> , <i>MATA</i> , <i>his3</i> , <i>leu2</i> , <i>met15</i> , <i>ura3</i> , <i>nup2Δ::KANMX4</i>	Euroscarf
YGM1	<i>MATA</i> , <i>ade2</i> , <i>his3</i> , <i>leu2</i> , <i>trp1</i> , <i>ura3</i> , <i>tsr1-GFP(S65T)::TRP1</i>	M. Dosil (7)
YGM15	<i>MATA</i> , <i>ade2</i> , <i>leu2</i> , <i>ura3</i> , <i>esp1-1</i> , <i>tsr1-GFP(S65T)-KANMX6</i>	This study
YGM62	<i>MATA</i> , <i>ade2</i> , <i>his3</i> , <i>leu2</i> , <i>trp1</i> , <i>ura3</i> , <i>rrp12Δ::KANMX4</i> [<i>pGM37; pNOP1-GFP-rrp12 LEU2</i>]	This study
YGM79	<i>MATA</i> , <i>ade2</i> , <i>his3</i> , <i>leu2</i> , <i>trp1</i> , <i>ura3</i> , <i>nsa1-GFP(S65T)::natNT2</i>	This study
YGM97	<i>MATA</i> , <i>ade2</i> , <i>his3</i> , <i>leu2</i> , <i>trp1</i> , <i>ura3</i> , <i>enp1-GFP(S65T)::HIS3MX</i>	This study
YGM192	<i>MATA</i> , <i>his3</i> , <i>leu2</i> , <i>met15</i> , <i>ura3</i> , <i>nup116Δ::KANMX6</i>	This study
YGM198	<i>MATA</i> , <i>ade2</i> , <i>his3</i> , <i>leu2</i> , <i>trp1</i> , <i>ura3</i> , <i>nop7-GFP(S65T)::natNT2</i> , <i>crm1Δ::KANMX6</i> [<i>pDC-CRM1 LEU2</i>]	This study

YGM200	<i>MATA, ade2, his3, leu2, trp1, ura3, nop7-GFP(S65T)::natNT2, csm1Δ::KANMX6 [pDC-crm1 (T539C) LEU2]</i>	This study
YGM218	<i>BY4741, leu2, met15, ura3, csm1Δ::KANMX6, nop7-GFP(S65T)::natNT2</i>	This study
YGM220	<i>BY4741, leu2, met15, ura3, heh1Δ::KANMX6, nop7-GFP(S65T)::natNT2</i>	This study
YLG1	<i>MATA, ade2, his3, leu2, trp1, ura3, rio2-GFP(S65T)::HIS3MX</i>	This study
YLG2	<i>MATA, ade2, his3, leu2, trp1, ura3, ltv1-GFP(S65T)::HIS3MX</i>	This study
YMD6	<i>MATA, ade2, his3, leu2, trp1, ura3, pwp2-GFP(S65T)::KANMX</i>	This study
YMD24	<i>MATA, ade2, his3, leu2, trp1, ura3, nop58-GFP(S65T)::TRP1</i>	This study
YPM7	<i>MATA, ade2, his3, leu2, trp1, ura3, KANM-GAL::HA-rrp12</i>	M. Dosil (7)
YSG2	<i>MATA, ade2, his3, leu2, trp1, ura3, net1-GFP(S65T)::natNT2</i>	This study
YSG13	<i>MATA, ade2, leu2, ura3, esp1-1, net1-GFP(S65T)-KANMX6</i>	This study
YSG19	<i>MATA, leu2, trp1, ura3, rat7-1(nup159-1), nop7-GFP(S65T)::natNT2</i>	This study
YSG32	<i>MATA, ade2, his3, leu2, trp1, ura3, CDC20::pMET3-3HA-cdc20-URA3, nop7-GFP(S65T)::natNT2</i>	This study

*Unless stated otherwise, strains are isogenic with strain W303

1. Tomson, B. N., D'Amours, D., Adamson, B. S., Aragon, L., and Amon, A. (2006) Ribosomal DNA transcription-dependent processes interfere with chromosome segregation. *Molecular and cellular biology* **26**, 6239-6247
2. Wang, Y., Shirogane, T., Liu, D., Harper, J. W., and Elledge, S. J. (2003) Exit from exit: resetting the cell cycle through Amn1 inhibition of G protein signaling. *Cell* **112**, 697-709
3. Gorsch, L. C., Dockendorff, T. C., and Cole, C. N. (1995) A conditional allele of the novel repeat-containing yeast nucleoporin RAT7/NUP159 causes both rapid cessation of mRNA export and reversible clustering of nuclear pore complexes. *The Journal of cell biology* **129**, 939-955
4. Neville, M., and Rosbash, M. (1999) The NES-Crm1p export pathway is not a major mRNA export route in *Saccharomyces cerevisiae*. *The EMBO journal* **18**, 3746-3756
5. Garcia-Gomez, J. J., Lebaron, S., Froment, C., Monserrat, B., Henry, Y., and de la Cruz, J. (2011) Dynamics of the putative RNA helicase Spb4 during ribosome assembly in *Saccharomyces cerevisiae*. *Mol Cell Biol* **31**, 4156-4164
6. Sezen, B., Seedorf, M., and Schiebel, E. (2009) The SESA network links duplication of the yeast centrosome with the protein translation machinery. *Genes & development* **23**, 1559-1570
7. Moriggi, G., Nieto, B., and Dosil, M. (2014) Rrp12 and the Exportin Crm1 Participate in Late Assembly Events in the Nucleolus during 40S Ribosomal Subunit Biogenesis. *PLoS Genet* **10**, e1004836