




Figure 1




Blots were cut into slices before incubation with primary antibodies.

Figure 2, a - c


Blots were cut into slices before incubation with primary antibodies.

Figure 2, d - f


d




e



f




Blots were cut into slices before incubation with primary antibodies.

Figure 4

Blots were cut into slices before incubation with primary antibodies.


Figure 5

e




Blots were cut into slices before incubation with primary antibodies.

Extended Data Figure 1




Blots were cut into slices before incubation with primary antibodies.

Extended Data Figure 2




Blots were cut into slices before incubation with primary antibodies.

Extended Data Figure 3



Blots were cut into slices before incubation with primary antibodies.


Extended Data Figure 4



Blots were cut into slices before incubation with primary antibodies.


Extended Data Figure 5

h







Blots were cut into slices before incubation with primary antibodies.

Extended Data Figure 6



Blots were cut into slices before incubation with primary antibodies.


Extended Data Figure 7, a - d




Blots were cut into slices before incubation with primary antibodies.

Extended Data Figure 7, e, f, h


e



f




h



Blots were cut into slices before incubation with primary antibodies.


Extended Data Figure 8, a - c




Blots were cut into slices before incubation with primary antibodies.

Extended Data Figure 8, d, e

d




e



Blots were cut into slices before incubation with primary antibodies.

Extended Data Figure 9



Blots were cut into slices before incubation with primary antibodies.