

**Article title:**

Neurovascular hand symptoms in relation to cold exposure in northern Sweden – a population-based study

**Journal name:**

International Archives of Occupational and Environmental Health

**Author names:**

A Stjernbrandt<sup>1</sup>, B Björ<sup>1</sup>, M Andersson<sup>1</sup>, L Burström<sup>1</sup>, I Liljelind<sup>1</sup>, T Nilsson<sup>1</sup>, R Lundström<sup>1,2</sup>, J Wahlström<sup>1</sup>

**Affiliations:**

<sup>1</sup>Department of Public Health and Clinical Medicine, Umeå University, 901 87 Umeå, Sweden

<sup>2</sup>Department of Radiation Sciences, Umeå University, 901 87 Umeå, Sweden

**Corresponding author:**

Dr. Albin Stjernbrandt

Occupational and Environmental Medicine

University Hospital of Umeå

901 85, Umeå

Tel +46 90 785 99 52

Fax +46 90 785 24 56

albin.stjernbrandt@umu.se

## Online Resource 1. Non-responder analysis

Non-responders and responders have been stratified according to sex, county, and age.

		Non-responders		Responders	
		N	%	N	%
<b>County</b>					
Norrbotten	♂	3190	69.0	1436	31.0
	♀	2718	61.8	1679	38.2
Västerbotten	♂	3733	67.2	1824	32.8
	♀	2934	58.1	2120	41.9
Västernorrland	♂	3080	68.4	1425	31.6
	♀	2606	59.4	1778	40.6
Jämtland	♂	2356	69.1	1056	30.9
	♀	1847	58.5	1309	41.5
<b>Age group [years]</b>					
18–30	♂	3908	31.6	717	12.5
	♀	3130	31.0	965	14.0
31–45	♂	2943	23.8	857	14.9
	♀	2437	24.1	1230	17.9
46–60	♂	3027	24.5	1490	26.0
	♀	2406	23.8	1893	27.5
61–70	♂	2481	20.1	2677	46.6
	♀	2132	21.1	2798	40.6
		N	SD	N	SD
<b>Mean age</b>					
	♂	41.3	(15.0)	51.6	(14.6)
	♀	41.6	(15.2)	49.8	(14.6)