

SUPPORTING INFORMATION

fig.3a

Control	1 $\mu\text{mol/L}$	8 $\mu\text{mol/L}$	16 $\mu\text{mol/L}$	32 $\mu\text{mol/L}$	64 $\mu\text{mol/L}$
100.00	92.64	97.62	89.90	82.35	78.76
100.00	99.80	99.78	87.09	87.58	76.10
100.00	97.90	93.12	93.12	83.14	80.92
100.00	94.17	92.59	91.82	80.56	77.31

fig.3b

Time	Control				1.875mmol				3.75mmol				7.5mmol				15mmol				30mmol			
4h	100.00	100.00	100.00	100.00	95.58	94.23	105.93	92.85	89.36	96.82	97.30	99.17	83.39	95.46	88.07	82.05	82.14	74.67	67.47	71.22	36.99	37.57	44.62	39.87
8h	100.00	100.00	100.00	100.00	99.90	90.24	95.03	96.68	96.77	92.91	92.97	95.74	87.47	76.30	78.60	88.58	68.88	63.21	64.32	68.00	10.15	9.19	4.20	5.26
12h	100.00	100.00	100.00	100.00	87.63	86.63	86.33	91.95	87.32	79.63	82.14	85.74	79.11	80.68	75.31	84.42	51.64	56.88	63.17	61.58	3.26	2.19	1.20	1.21
24h	100.00	100.00	100.00	100.00	89.78	73.25	78.75	93.79	84.34	89.62	81.36	69.63	68.96	63.39	65.80	70.05	51.13	52.12	51.30	54.47	0.15	0.19	0.25	0.05