

Supplementary Material - RESULTS

Figure S1. Flow chart of the case-crossover study, 2009-2014




Figure S2. Frequency of patients undergoing dental procedures exposure within the 20 months preceding oral streptococcal IE of the 648 patients included in the case-crossover study, 2009 -2014




Table S1. Concordant and Discordant Pairs of Exposures to dental procedures in the 648 Patients With oral streptococcal IE Infective Endocarditis included in the Case-crossover study, 2009 to 2014

a) 2 categories of exposure classification

		Control period M7-9, M13-15, M19-21 (N=1737)		
		Non exposition	Invasive dental procedures	Non Invasive dental procedures
Case period	Non exposure	1307	42	128
	Invasive dental procedures	69	5	15
	Non Invasive dental procedures	131	8	32

b) 4 categories of exposure classification

		Control period M7-9, M13-15, M19-21 (N=1737)					
		Non exposure	Non-invasive dental procedures		Invasive dental procedures		
			without AP	with AP	without AP	with AP	
Case period	Non exposure	1307	106	22	17	25	
	Non-invasive dental procedures	without AP	109	23	5	4	4
		with AP	22	3	1	0	0
	Invasive dental procedures	without AP	31	2	1	4	1
		with AP	38	10	2	0	0

AP : Antibiotic Prophylaxis