Reducing social isolation in older people: a systematic review protocol

Supplementary files

Supplementary file 1: PRISMA-P checklist	2
Supplementary file 2: Search strategy	4
Supplementary file 3: Pro-forma for Data Extraction	9

Supplementary file 1: PRISMA-P checklist

Table A.1: PRISMA-P 2015 checklist

Section and topic	Item No.	Checklist Item	Reported
Section and topic		Checkist item	on page #
A) Administrat	tive Informa	tion	1 1 1
Identification	1a	Identify the report as a protocol of a systematic review	1
Update	1b	Identify protocol as an update of a previous systematic review if	n/a
·		applicable	
Registration	2	Name of registry and registration number	2
B) Authors			
Contact		Provide name, institutional affiliation, e-mail address of all protocol	1
		authors; provide physical mailing address of corresponding author	
Contributions		Describe contributions of protocol authors and identify the guarantor	1+6+7
		of the review	
Amendments		If the protocol represents an amendment of a previously completed or	n/a
		published protocol, identify as such and list changes; otherwise, state	
		plan for documenting important protocol amendments	
Support			
- Sources	5a	Indicate Sources of financial or other support for the review	10
- Sponsor	5b	Provide name for the review funder and/or sponsor	9
- Role of sponsor	5c	Describe roles of funder(s), sponsor(s) and/or institution(s), if any, in	n/a
or funder		developing the protocol	
C) Introductio			ı
Rationale	6	Describe the rationale for the review in the context of what is already	3 + 4
	_	known	
Objectives	7	Provide an explicit statement of the question(s) the review will address	3 + 4
		with reference to participants, interventions, comparators, and	
->		outcomes (PICO)	
D) Methods	Ι.		1 -
Eligibility Criteria	8	Specify the study characteristics (such as PICO, study design, setting,	5
		time frame) and report characteristics (such as years considered,	
		language, publication status) to be used as criteria for eligibility for the review	
Information	9	Describe all intended information sources (such as electronic	5+6
Sources	9	databases, contact with study authors, trial registers or other grey	3+0
Sources		literature sources) with planned dates of coverage	
Search Strategy	10	Present draft of search strategy to be used for at least one electronic	5+
Jearch Strategy	10	database, including planned limits, such that it could be repeated	Additional
		database, melading planned innits, sacin that it could be repeated	file 2
E) Study Reco	rds		1.11.0 2
Data Management	11a	Describe the mechanism(s) that will be used to manage records and	6
		data throughout the review	
Selection Process	11b	State the process that will be used for selecting studies (such as two	5 - 7
		independent reviewers) through each phase of the review (that is,	
		screening, eligibility and inclusion in meta-analysis)	
Data Collection	11c	Describe planned method of extracting data from reports (such as	6+8+
Process		piloting forms, done independently, in duplicate), any processes for	Additional
		obtaining and confirming data from investigators	file 3
Data Items	12	List and define all variables for which data will be sought (such as PICO	6
		items, funding sources), any pre-planned data assumptions and	
		simplifications	
Outcomes and	13	List and define all outcomes for which data will be sought, including	6
prioritization		prioritization of main and additional outcomes, with rationale	

Section and topic	Item No.	Checklist Item	Reported on page #
Risk of bias in individual studies	14	Describe anticipated methods for assessing risk of bias of individual studies, including whether this will be done at the outcome or study level, or both; state how this information will be used in data synthesis	7
Data Synthesis	15a	Describe criteria under which study data will be quantitatively synthesised	7 + 8
	15b	If data are appropriate for quantitative synthesis, describe planned summary measures, methods of handling data and methods of combining data from studies, including any planned exploration of consistency	7+8
	15c	Describe any proposed additional analyses (such as sensitivity or subgroup analyses, meta-regression)	7 + 8
	15d	If quantitative synthesis is not appropriate, describe the type of summary planned	7 + 8
Meta-bias(es)	16	Specify any planned assessment of meta-bias(es) (such as publication bias across studies, selective reporting within studies)	7
Confidence in cumulative evidence	17	Describe how the strength of the body of evidence will be assessed	7

Supplementary file 2: Search strategy

Table A.2.1: Ovid MEDLINE and Embase- search date 15/01/16

Searches	Search Terms
1	exp "Aged, 80 and over"/ or exp Aged/
2	older*.ti,ab.
3	elder*.ti,ab.
4	senior*.ti,ab.
5	geriatric.ti,ab.
6	aged.ti,ab.
7	OR/1-6
8	Social Isolation/
9	Loneliness/
10	isolation.ti,ab.
11	loneliness.ti,ab.
12	(social* adj3 isolat*).ti,ab.
13	(emotional* adj3 isolat*).ti,ab.
14	OR/ 8-13
15	exp Social Support/
16	"social support*".ti,ab.
17	loss.ti,ab.
18	access.ti,ab.
19	(social* adj3 activ*).ti,ab.
20	"social network*".ti,ab.
21	"social intervention*".ti,ab.
22	(promot* or prevent* or support* or self-help or "self help" or educat*).ti,ab.
23	Self Care/
24	exp Policy/
25	policy.ti,ab.
26	program*.ti,ab
27	OR/ 15-26
28	7 AND 14 AND 27
29	limit 28 to yr="1995 -Current"

Table A.2.2: PsycINFO - search date 15/01/16

Searches	Search Terms
1	exp "Aged, 80 and over"/ or exp Aged/
2	older*.ti,ab.
3	elder*.ti,ab.
4	senior*.ti,ab.
5	geriatric.ti,ab.
6	aged.ti,ab.
7	OR/1-6
8	Social Isolation/
9	Loneliness/
10	isolation.ti,ab.
11	loneliness.ti,ab.
12	(social* adj3 isolat*).ti,ab.
13	(emotional* adj3 isolat*).ti,ab.
14	OR/ 8-13
15	exp Social Support/
16	"social support*".ti,ab.
17	loss.ti,ab.
18	access.ti,ab.
19	(social* adj3 activ*).ti,ab.
20	"social network*".ti,ab.
21	"social intervention*".ti,ab.
22	(promot* or prevent* or support* or self-help or "self help" or educat*).ti,ab.
23	Self Care/
24	exp Policy Making/ or exp Health Care Policy/ or exp Government Policy Making/
25	policy.ti,ab.
26	program*.ti,ab
27	OR/ 15-26
28	7 AND 14 AND 27
29	limit 28 to yr="1995 -Current"

Table A.2.3: Cinahl - search date 15/01/16

Searches	Search Terms
1	exp "Aged, 80 and over"/ or exp Aged/
2	older*.ti,ab.
3	elder*.ti,ab.
4	senior*.ti,ab.
5	geriatric.ti,ab.
6	aged.ti,ab.
7	OR/1-6
8	Social Isolation/
9	Loneliness/
10	isolation.ti,ab.
11	loneliness.ti,ab.
12	(social* adj3 isolat*).ti,ab.
13	(emotional* adj3 isolat*).ti,ab.
14	OR/ 8-13
15	exp "Support, Psychosocial+"/
16	"social support*".ti,ab.
17	loss.ti,ab.
18	access.ti,ab.
19	(social* adj3 activ*).ti,ab.
20	"social network*".ti,ab.
21	"social intervention*".ti,ab.
22	(promot* or prevent* or support* or self-help or "self help" or educat*).ti,ab.
23	Self Care/
24	(MH "Public Policy+") OR (MH "Policy Making") OR (MH "Policy Studies+") OR (MH "Health Policy
	Studies") OR (MH "Health Policy+") OR (MH "Policy and Procedure Manuals") OR (MH
	"Organizational Policies+") OR (MH "Hospital Policies+")
25	policy.ti,ab.
26	program*.ti,ab
27	OR/ 15-27
28	7 AND 14 AND 27
29	limit 28 to yr="1995 -Current"

Table A.2.4: ASSIA - search date 20/01/16

Search Terms

((SU.EXACT.EXPLODE("Terminally ill elderly people") OR SU.EXACT.EXPLODE("Disabled elderly women") OR SU.EXACT.EXPLODE("Low income elderly people") OR SU.EXACT.EXPLODE("Visually impaired elderly women") OR SU.EXACT.EXPLODE("Visually impaired elderly people") OR SU.EXACT.EXPLODE("Terminally ill elderly women") OR SU.EXACT.EXPLODE("Widowed elderly men") OR SU.EXACT.EXPLODE("Married elderly men") OR SU.EXACT.EXPLODE("Terminally ill elderly men") OR SU.EXACT.EXPLODE("Language disordered elderly people") OR SU.EXACT.EXPLODE("Elderly widows") OR SU.EXACT.EXPLODE("Mentally ill elderly women") OR SU.EXACT.EXPLODE("Elderly husbands") OR SU.EXACT.EXPLODE("Remarried elderly people") OR SU.EXACT.EXPLODE("Elderly fathers") OR SU.EXACT.EXPLODE("Sick elderly people") OR SU.EXACT.EXPLODE("Learning disabled elderly people") OR SU.EXACT.EXPLODE("Mentally ill elderly men") OR SU.EXACT.EXPLODE("Divorced elderly people") OR SU.EXACT.EXPLODE("Sick elderly women") OR SU.EXACT.EXPLODE("Emotionally disturbed elderly people") OR SU.EXACT.EXPLODE("Disabled elderly people") OR SU.EXACT.EXPLODE("Elderly married couples") OR SU.EXACT.EXPLODE("Elderly mothers") OR SU.EXACT.EXPLODE("Mentally ill elderly people") OR SU.EXACT.EXPLODE("Disabled elderly men" OR "Elderly men" OR "Married elderly men" OR "Mentally ill elderly men" OR "Terminally ill elderly men" OR "Widowed elderly men") OR SU.EXACT.EXPLODE("Single elderly people") OR SU.EXACT.EXPLODE("Elderly relatives") OR SU.EXACT.EXPLODE("Disabled elderly men") OR SU.EXACT.EXPLODE("Brain damaged elderly people" OR "Centenarians" OR "Disabled elderly people" OR "Divorced elderly people" OR "Elderly people" OR "Emotionally disturbed elderly people" OR "Gifted elderly people" OR "Hearing impaired elderly people" OR "Homeless elderly people" OR "Housebound elderly people" OR "Language disordered elderly people" OR "Learning disabled elderly people" OR "Low income elderly people" OR "Mentally ill elderly people" OR "Remarried elderly people" OR "Retired people" OR "Sick elderly people" OR "Single elderly people" OR "Terminally ill elderly people" OR "Visually impaired elderly people") OR SU.EXACT.EXPLODE("Blind-Deaf elderly women" OR "Disabled elderly women" OR "Elderly women" OR "Married elderly women" OR "Mentally ill elderly women" OR "Sick elderly women" OR "Single elderly women" OR "Terminally ill elderly women" OR "Visually impaired elderly women") OR SU.EXACT.EXPLODE("Homeless elderly people") OR SU.EXACT.EXPLODE("Married elderly women") OR SU.EXACT("Hearing impaired elderly people") OR SU.EXACT.EXPLODE("Housebound elderly people") OR SU.EXACT.EXPLODE("Elderly housing assistance programmes") OR SU.EXACT.EXPLODE("Elderly parents")) OR (ab(older* OR elder* OR senior* OR geriatric OR aged) OR ti(older* OR elder* OR senior* OR geriatric OR aged))) AND (SU.EXACT.EXPLODE("Isolation" OR "Purdah" OR "Seclusion") OR SU.EXACT.EXPLODE("Loneliness") OR (ti(isolation OR loneliness OR (social* NEAR/3 isolat*) OR (emotion* NEAR/3 isolat*)) OR ab(isolation OR loneliness OR (social* NEAR/3 isolat*) OR (emotion* NEAR/3 isolat*)))) AND ((SU.EXACT.EXPLODE("Computer based social support" OR "Perceived social support" OR "Social support") OR SU.EXACT.EXPLODE("Perceived social support")) OR SU.EXACT.EXPLODE("Selfcare") OR SU.EXACT.EXPLODE("Agricultural policy" OR "Colonial policy" OR "Constitutional policy" OR "Criminal justice policy" OR "Criminal policy" OR "Economic policy" OR "Energy policy" OR "Environmental policy" OR "Fiscal equalization" OR "Fiscal policy" OR "Foreign policy" OR "Health policy" OR "Housing policy" OR "Incomes policy" OR "Industrial policy" OR "Mental health policy" OR "Monetary policy" OR "Organizational policy" OR "Penal policy" OR "Policy" OR "Public health policy" OR "Public policy" OR "Regional policy" OR "Science policy" OR "Social housing policy" OR "Social policy" OR "Technological policy" OR "Transport policy" OR "Urban policy" OR "Welfare policy") OR (ab("social support*") OR ti("social support*")) OR (ab(loss) OR ti(loss)) OR (ab(access)) OR (ab((social* NEAR/3 activ*) OR "social network*" OR "social intervention*") OR ti((social* NEAR/3 activ*) OR "social network*" OR "social intervention*")) OR (ab(promot* OR prevent* OR support* OR self-help OR "self help" OR educat*) OR ti(promot* OR prevent* OR support* OR self-help OR "self help" OR educat*)) OR (ab(policy OR program*) OR ti(policy OR program*)))

Table A.2.5: LILACS - search date 21/01/16

Search Terms

(aged OR older* OR elder* OR senior* OR geriatric) AND (isolat* OR loneliness) AND ("social support*" OR loss OR access OR "social* activ*" OR "social network*" OR "social intervention*" OR promot* OR prevent* OR support* OR self-help OR "self help" OR educat* OR policy OR program*))

Table A.2.6: OpenGrey - search date 21/01/16

Search Terms

(aged OR older* OR elder* OR senior* OR geriatric) AND (isolat* OR loneliness) AND ("social support*" OR loss OR access OR "social* activ*" OR "social network*" OR "social intervention*" OR promot* OR prevent* OR support* OR self-help OR "self help" OR educat* OR policy OR program*))

Table A.2.7: The Cochrane Library – search date 21/01/16

Searches	Search Terms
1	MeSH descriptor: [Aged] explode all trees
2	older* or aged or elder* or senior* or geriatric.ti,ab.
3	#1 or #2
4	MeSH descriptor: [Social Isolation] explode all trees
5	isolation.ti,ab.
6	loneliness.ti,ab.
7	(social* near/3 isolat*) .ti,ab.
8	(emotional* near/3 isolat*) .ti,ab.
9	#4 or #5 or #6 or #7 or #8
10	MeSH descriptor: [Social Support] explode all trees
11	"social support*" .ti,ab.
12	loss.ti,ab.
13	access.ti,ab.
14	(social* near/3 activ*) .ti,ab.
15	"social network*" .ti,ab.
16	"social intervention*" .ti,ab.
17	(promot* or prevent* or support* or self-help or "self help" or educat*) .ti,ab.
18	MeSH descriptor: [Self Care] explode all trees
19	MeSH descriptor: [Policy] explode all trees
20	policy.ti,ab.
21	program*.ti,ab.
22	#10 or #11 or #12 or #13 or #14 or #15 or #16 or #17 or #18 or #19 or #20 or #21
23	#3 and #9 and #22
	Limit by date: 1995 to present

Supplementary file 3: Pro-forma for Data Extraction

Reviewer		
Date form completed		
-		
Study Details		
Title		
Author		
Year Published		
Journal		
Location (country/city)		
Language (if not English)		
		Location in text
		(page/figure/table/other)
Type of study	Randomised controlled trial	(1.18.)
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	Non-randomised controlled trial	
	Controlled before and after study	
	Uncontrolled before and after study	
A. Start Date	A.	
B. End Date	В.	
Outcomes Measured (aims)	5.	
Outcomes weasured (anns)		
		1
Participants		
		Location in text
Setting	Large population in unspecified setting	(page/figure/table/other)
Setting	Large population in unspecified setting Community:	
Setting	Community:	
Setting	Community:	
_	Community:	
Type of Participants	Community:	
Type of Participants Enrolment Eligibility	Community:	
Type of Participants Enrolment Eligibility A. Inclusion Criteria	Community:	
Type of Participants Enrolment Eligibility A. Inclusion Criteria B. Exclusion Criteria	Community:	
Type of Participants Enrolment Eligibility A. Inclusion Criteria B. Exclusion Criteria Recruitment process (e.g.	Community:	
Type of Participants Enrolment Eligibility A. Inclusion Criteria B. Exclusion Criteria Recruitment process (e.g. phone, mail, clinic)	Community:	
Type of Participants Enrolment Eligibility A. Inclusion Criteria B. Exclusion Criteria Recruitment process (e.g. phone, mail, clinic) Total number randomised	Community:	
Type of Participants Enrolment Eligibility A. Inclusion Criteria B. Exclusion Criteria Recruitment process (e.g. phone, mail, clinic) Total number randomised (or total population for	Community:	
Type of Participants Enrolment Eligibility A. Inclusion Criteria B. Exclusion Criteria Recruitment process (e.g. phone, mail, clinic) Total number randomised (or total population for non-RCT)	Community:	
Type of Participants Enrolment Eligibility A. Inclusion Criteria B. Exclusion Criteria Recruitment process (e.g. phone, mail, clinic) Total number randomised (or total population for non-RCT) Age range (mean age)	Community:	
Type of Participants Enrolment Eligibility A. Inclusion Criteria B. Exclusion Criteria Recruitment process (e.g. phone, mail, clinic) Total number randomised (or total population for non-RCT) Age range (mean age) Gender (% female)	Community:	
Type of Participants Enrolment Eligibility A. Inclusion Criteria B. Exclusion Criteria Recruitment process (e.g. phone, mail, clinic) Total number randomised (or total population for non-RCT) Age range (mean age) Gender (% female) Ethnicity	Community:	
Type of Participants Enrolment Eligibility A. Inclusion Criteria B. Exclusion Criteria Recruitment process (e.g. phone, mail, clinic) Total number randomised (or total population for non-RCT) Age range (mean age) Gender (% female) Ethnicity Sample size	Community:	
Type of Participants Enrolment Eligibility A. Inclusion Criteria B. Exclusion Criteria Recruitment process (e.g. phone, mail, clinic) Total number randomised (or total population for non-RCT) Age range (mean age) Gender (% female) Ethnicity Sample size Any other relevant	Community:	
Type of Participants Enrolment Eligibility A. Inclusion Criteria B. Exclusion Criteria Recruitment process (e.g. phone, mail, clinic) Total number randomised (or total population for non-RCT) Age range (mean age) Gender (% female) Ethnicity Sample size Any other relevant sociodemographic	Community:	
Type of Participants Enrolment Eligibility A. Inclusion Criteria B. Exclusion Criteria Recruitment process (e.g. phone, mail, clinic) Total number randomised (or total population for non-RCT) Age range (mean age) Gender (% female) Ethnicity Sample size Any other relevant sociodemographic information	Community:	
Type of Participants Enrolment Eligibility A. Inclusion Criteria B. Exclusion Criteria Recruitment process (e.g. phone, mail, clinic) Total number randomised (or total population for non-RCT) Age range (mean age) Gender (% female) Ethnicity Sample size Any other relevant sociodemographic	Community:	

Intervention

			Location in text (page/figure/table/other)
Intervention	Description		, , , , , , , , , , , , , , , , , , , ,
	Duration of each		
	intervention episode		
	Duration of intervention studied (total study duration)		
	Frequency (daily/weekly etc.)		
	Provider (i.e. no., profession, training)		
	Economic information (cost, resource requirements)		
Type of intervention	Group Intervention	Community based: At home Centralised location Supported Living*:	
	One-to-one Intervention	Community based: At home Centralised location Supported Living*:	
	Focus of intervention	Social skills training Enhanced social support Increased opportunity for social interaction Social cognitive training Provision of services**	
Intervention Mode	Technology assisted Non-technology assisted	Other	
Compliance	ivon-technology assisted		
Notes			<u> </u>
	1		

Outcomes

	Description as stated in paper/report	Location in text (page/figure/table/other)
Measure of social isolation/loneliness		
Outcome tool validated	Yes No Unclear	
Any outcomes other than	Yes	
social isolation/loneliness measured?	Details	
	No	

Results: effect of the intervention on social isolation or loneliness

							Location in text (page/figure/ table/other)
Comparison							
Outcome							
Subgroup							
Time point (from start							
or end of							
intervention)							
Results	Interventio	n		Compari	ison		
Effect size	Mean Fffort size:	SD (or other variance, specify)	No participant s	Mean	SD (or other variance, specify)	No participants	
Effect size	Standard en Inverse var	rror:	l:				
Any other results reported (e.g. Odds ratio)							
Statistical method used							
Notes							

Results: effects of the intervention on other outcome continuous variables

							Location in text (page/figure/ table/other)
Comparison							
Outcome							
Subgroup							
Time point (from start							
or end of							
intervention)							
Results	Intervention	on		Compari	ison		
	Mean	SD (or other variance, specify)	No participant s	Mean	SD (or other variance, specify)	No participants	
Effect size	Effect size						
	Inverse va	riance:					
		dence interva					
Any other results reported (e.g. Odds ratio)							
Statistical Method used							
Notes							

Results: effect of the intervention on other outcome categorical variables

			_		Location in text (page/figure/table/other)
Comparison					
Outcome					
Subgroup					
Time point (from start or end of intervention)					
Results	Intervention		Comparison		
	No. with event	No. in group	No. with event	No. in group	
Effect size (95% CI)		1			
Any other results reported (e.g. Odds ratio)					
Statistical method used					
Notes					

Other Information

	Location in text (page/figure/table/other)
Author's conclusions	
References to other relevant studies	
Reviewer's conclusions	
Notes	

^{*}Residential or nursing care

^{**}Provision of services such as transport, medical services, etc.