

### Appendix 3. Covariates used for statistical adjustment

Author	Year	Maternal preconception status						Maternal clinical status				Foetus characteristics				Total number of covariates						
		Ethnicity/Race	Educational level	Marital status	Economic status	Insurances status	Urban status	Weight	Height	Body mass index	Age	Parity	Previous caesarean section	Pre-existing (before pregnancy) conditions	Conditions developed during pregnancy	Gestational age	Birth weight	Other characteristics	Prenatal care	Birth characteristics	Provider characteristics	Other variables
Stafford*	1990																					0
Haas et al. A*	1993																					0
Haas et al. B*	1993																					0
Braveman et al.	1995	+	+	+	+	+	+															15
Burns et al.	1995	+	+																			33
Aron et al.	2000																					39
Grant A	2005	++	+	+	+			+	+		++	++	++	++	++	++	++	++	++	++	++	68
Grant B	2005	++									++	++	++	++	++	++	++	++	++	++	++	31
Grant C	2005	++									++	++	++	++	++	++	++	++	++	++	++	31
Korst et al.	2005	+									+											6
Misra	2008	+									++		++	++				++	++	++	++	30
Coonrod et al.	2008	+	+								+		++	++	+	+	+	+	+	+	++	20
Huesch	2011	+		+							+											8
Movsas et al.	2012	+									+	+	+	+	+	+	+					9
Kozhimannil et al.	2013	+									+	+	+	++	++	+						16
Lutomski et al.	2014										+		+	++	+							6
Huesch et al.	2014	+				+					+		++	++	+							124
Henke et al.	2014	+	+			+					+		++	++	+		++	+	++	++	++	28
Bannister-Tyrrell et al.	2015											+	+	++	++	+		+	++	+	+	12
Sebastião et al.	2016																					0
Sentell et al. *	2016	+									+	+		+					+	+		6

+ One covariate adjusted for

++ Two or more covariates adjusted for

\*Stafford, Haas et al. and Sebastião et al. only reported crude estimates.