

Supplemental Table 1a: Concerns noted by participants in free list activities and definitions used for coding

| <i>Concern</i> | <i>Definition</i> |
|---|--|
| <i>Themes in all Urination, Defecation and Menstruation Lists</i> | |
| Fear | Fear when going to urinate/ defecate/ manage menses, whether of animals, ghosts, people, or harsh weather. |
| Feel Dirty | Concern about feeling or getting dirty when urinating/ defecating/ managing menses. |
| Health | Concern that health is compromised when urinating/ defecating or in relation to menstruation. |
| Need Support | Concern unable to urinate/ defecate/ manage menses alone because of need for company or support. |
| People | Concern of being seen by people when urinating/ defecating/ managing menses or that menstrual materials will be seen. |
| Shame | Concern of being publically shamed or feeling ashamed if seen by others when urinating/ defecating/ managing menses. |
| Support Barrier | Concern that someone will not provide support / will get upset if asked to accompany to urinate/ defecate/ manage menses. |
| Water | Concern getting and carrying water for urinating/ defecating/ managing menses is a great difficulty. |
| Work | Concern that workload related to urination/ defecation/ menstrual management activities is high. |
| <i>Themes in Urination and Defecation Lists</i> | |
| Dependents | Concern for well-being of dependents - child, elderly, infirm- when leaving them to urinate/ defecate. |
| Difficulty-Pain | Concern about pain or difficulty related to urination/ defecation, including general body pain, strain, etc. |
| Fall | Concern for falling when going to or in the act of urinating/ defecating. |
| Harm | Concern about being harmed when urinating/ defecating, whether by an animal, person, or environmental conditions. |
| Incontinence | Concern about the inability to hold urination/ defecation due to physical ailment. |
| Light | Concern about not having light when urinating/ defecating at night. |
| Menstruation | Concern about increased difficulty urinating/ defecating at the time of menstruation. |
| No Proper Facility | Concern that there is not a proper facility for urinating/ defecating available. |
| Place | Concern the place available and used for urinating/ defecating is problematic, whether dirty, far, hard to access, in the open, etc. |
| Squat | Concern about having difficulty sitting, squatting, or getting up and down when urinating/ defecating. |
| Stand | Concern for need to stand up in the middle of urination/ defecation if someone suddenly appears. |
| Support Others | Concern that there is difficulty providing support to others for their urination/ defecation needs. |
| Suppress | Concern about the need to suppress because various factors prevent attention to personal needs. |
| Urgency | Concern about experiencing and sudden, strong urge to urinate/ defecate. |
| Walk | Concern about walking to the place for urination/ defecation. |
| Wet | Concern that she will have to get wet when going to urinate/defecate during the rains. |

Supplemental Table 1b: Concerns noted by participants in free list activities and definitions used for coding (Continued)

| <i>Concern</i> | <i>Definition</i> |
|---------------------------------------|---|
| <i>Themes in Urination List Only</i> | |
| Infection | Concern for infection if unintentionally urinating over the urine of others. |
| Limit Water | Concern about the need to limit water in order to reduce need for urination. |
| Urine Contact | Concern about accidentally touching urine and therefore becoming untouchable or making others untouchable. |
| Urine On Self | Concern about getting urine on the body because of inability to suppress. |
| <i>Themes in Defecation List Only</i> | |
| Cleaning Self | Concern about personal cleaning after defecation. |
| Concern For Others | Concerns for others' safety or needs when defecating, typically their concern for daughters or daughters-in-law. |
| Defecate On Self | Concern about getting feces on the body because of inability to suppress. |
| Defecation Time | Concerns about the amount of time defecation takes to complete because location is far, others around, cleaning extensive, etc. |
| Fixed Time | Concern about having to defecate at a fixed time of day. |
| Forced Latrine Use | Concern about being forced to use the latrine against will, either all the time or during certain times of day or year. |
| Future Needs | Concerns about defecating in the future given deteriorating health, inevitable departure of daughters to marriage, etc. |
| Latrine Conditions | Concern that the conditions of the household latrine are poor. |
| Latrine Unusable | Concern that the latrine available is unsuitable for defecating. |
| Limit Food | Concern about the need to limit food in order to reduce need for defecation. |
| No Money | Concern for lacking money to construct or maintain a latrine. |
| No Gov. Support | Concern for insufficient support, financial or otherwise, from government to build or maintain a latrine. |
| Obligations | Concern regarding the need to attend to household obligations or responsibilities to others before tending to defecation needs. |
| Scold | Concern about being scolded due to defecation behavior (i.e. taking time, going to wrong place, improperly caring for others). |

Supplemental Table 1c: Concerns noted by participants in free list activities and definitions used for coding (Continued)

| <i>Concern</i> | <i>Definition</i> |
|---|--|
| <i>Themes in Menstruation List Only</i> | |
| Access to Materials | Concern about barriers to getting materials wanted /needed. |
| Bathing | Concern about bathing at onset of menstruation, regardless of time of day, night, season. |
| Changing Cloth | Concern with changing the cloth or pad, whether finding a place, not having privacy, etc. |
| Disposal | Concern about where and how to dispose of menstrual cloths or pads. |
| Drying Cloth | Concerns about where/ how to dry cloth after washing. |
| Falling Cloth | Concern that cloth will fall from clothing. |
| Fertility | Concern about fertility related to menstrual cycle, whether about ability to have children or plan for them due to irregularity. |
| Forced Separation | Concern about the need to 'stay separate' at night until bathing possible due to menstrual onset. |
| General Discomfort | Concern about generally feeling uncomfortable, bad, weak, or irritated because of menstruation. |
| Heavy Bleeding | Concern about heavy menstrual flow. |
| Household Duties | Concern about ability to effectively perform household work during menstruation. |
| Irregularity | Concern about not having a regular menstrual cycle. |
| Leaks | Concern for menstrual leaks on cloths, bed, etc. |
| Mobility | Concern about inability to move freely during menstruation, because of cloth, pad, restrictions, discomfort, etc. |
| Odor | Concern that body, cloth or clothes is generating a bad odor. |
| Pain | Concern about pain, whether in the head, stomach, legs, back or hands. |
| Restrictions | Concern for restrictions or requirements that are imposed because menstruation. |
| Sleep | Concern about inability to sleep well during menstruation. |
| Start when Away | Concern that menstrual cycle will start when away from home. |
| Storing Cloth | Concern about storing the reusable menstrual cloth between uses. |
| Untouchability | Concern about being untouchable, making things untouchable, or others touching things made untouchable by menstruation. |
| Urination | Concern with urinating during menstruation. |
| Washing Cloth | Concern with washing cloths used to absorb menstrual blood. |
| Wounds | Concern about getting wounds on legs from their menstrual pads or cloths. |

Supplemental Table 2: Type and frequency of urination-related concerns overall, and by participant type and latrine status

| Concern | All | | 1. Unmarried (UM) | | 2. Recently Married (RM) | | 3. Married (M) | | 4. Older Woman (OW) | | Latrine At Home | | No Latrine At Home | |
|--------------------|------|-------|-------------------|-------|--------------------------|-------|----------------|-------|---------------------|-------|-----------------|-------|--------------------|-------|
| | N=63 | | n=15 | | n=11 | | n=21 | | n=16 | | n=34 | | n=29 | |
| Place | 47 | 74.6% | 11 | 73.3% | 10 | 90.9% | 14 | 66.7% | 12 | 75.0% | 25 | 73.5% | 22 | 75.9% |
| People | 42 | 66.7% | 14 | 93.3% | 6 | 54.5% | 12 | 57.1% | 10 | 62.5% | 22 | 64.7% | 20 | 69.0% |
| Fear | 40 | 63.5% | 13 | 86.7% | 10 | 90.9% | 10 | 47.6% | 7 | 43.8% | 22 | 64.7% | 17 | 58.6% |
| Need Support | 26 | 41.3% | 10 | 66.7% | 5 | 45.5% | 7 | 33.3% | 4 | 25.0% | 14 | 41.2% | 12 | 41.4% |
| Wet | 21 | 33.3% | 9 | 60.0% | 3 | 27.3% | 4 | 19.0% | 5 | 31.3% | 9 | 26.5% | 12 | 41.4% |
| Squat | 21 | 33.3% | 0 | 0.0% | 3 | 27.3% | 6 | 28.6% | 12 | 75.0% | 13 | 38.2% | 8 | 27.6% |
| Urine Infection | 19 | 30.2% | 6 | 40.0% | 4 | 36.4% | 6 | 28.6% | 3 | 18.8% | 10 | 29.4% | 9 | 31.0% |
| Get Dirty | 17 | 27.0% | 9 | 60.0% | 3 | 27.3% | 4 | 19.0% | 1 | 6.3% | 8 | 23.5% | 9 | 31.0% |
| Suppress | 16 | 25.4% | 5 | 33.3% | 5 | 45.5% | 3 | 14.3% | 3 | 18.8% | 11 | 32.4% | 5 | 17.2% |
| Work | 12 | 19.0% | 5 | 33.3% | 1 | 9.1% | 4 | 19.0% | 2 | 12.5% | 4 | 11.8% | 8 | 27.6% |
| No Proper Facility | 11 | 17.5% | 4 | 26.7% | 3 | 27.3% | 1 | 4.8% | 3 | 18.8% | 5 | 14.7% | 6 | 20.7% |
| Shame | 10 | 15.9% | 6 | 40.0% | 0 | 0.0% | 3 | 14.3% | 1 | 6.3% | 6 | 17.6% | 4 | 13.8% |
| Support Others | 9 | 14.3% | 3 | 20.0% | 0 | 0.0% | 3 | 14.3% | 3 | 18.8% | 5 | 14.7% | 4 | 13.8% |
| Walk | 9 | 14.3% | 0 | 0.0% | 1 | 9.1% | 3 | 14.3% | 5 | 31.3% | 3 | 8.8% | 6 | 20.7% |
| Support Barrier | 8 | 12.7% | 5 | 33.3% | 0 | 0.0% | 3 | 14.3% | 0 | 0.0% | 2 | 5.9% | 6 | 20.7% |
| Stand | 8 | 12.7% | 5 | 33.3% | 1 | 9.1% | 1 | 4.8% | 1 | 6.3% | 4 | 11.8% | 4 | 13.8% |
| Urine On Self | 8 | 12.7% | 3 | 20.0% | 1 | 9.1% | 2 | 9.5% | 2 | 12.5% | 3 | 8.8% | 5 | 17.2% |
| Dependents | 7 | 11.1% | 2 | 13.3% | 2 | 18.2% | 2 | 9.5% | 1 | 6.3% | 4 | 11.8% | 3 | 10.3% |
| Urine Contact | 6 | 9.5% | 1 | 6.7% | 0 | 0.0% | 3 | 14.3% | 2 | 12.5% | 1 | 2.9% | 5 | 17.2% |
| Harm | 5 | 7.9% | 1 | 6.7% | 0 | 0.0% | 1 | 4.8% | 3 | 18.8% | 1 | 2.9% | 4 | 13.8% |
| Urgency | 4 | 6.3% | 0 | 0.0% | 0 | 0.0% | 2 | 9.5% | 2 | 12.5% | 1 | 2.9% | 3 | 10.3% |
| Incontinence | 4 | 6.3% | 0 | 0.0% | 0 | 0.0% | 2 | 9.5% | 2 | 12.5% | 2 | 5.9% | 2 | 6.9% |
| Menstruation | 4 | 6.3% | 2 | 13.3% | 0 | 0.0% | 1 | 4.8% | 1 | 6.3% | 3 | 8.8% | 1 | 3.4% |
| Fall | 4 | 6.3% | 1 | 6.7% | 2 | 18.2% | 0 | 0.0% | 1 | 6.3% | 2 | 5.9% | 2 | 6.9% |
| Health | 4 | 6.3% | 2 | 13.3% | 0 | 0.0% | 0 | 0.0% | 2 | 12.5% | 1 | 2.9% | 3 | 10.3% |
| Difficulty-Pain | 4 | 6.3% | 0 | 0.0% | 1 | 9.1% | 2 | 9.5% | 1 | 6.3% | 4 | 11.8% | 0 | 0.0% |
| Water | 3 | 4.8% | 0 | 0.0% | 2 | 18.2% | 0 | 0.0% | 1 | 6.3% | 2 | 5.9% | 1 | 3.4% |

Only one respondent mentioned each of the following concerns: Limit Water (RM); Light (RM).

Six women did not indicate any concerns related to urination: 1 UM, 1 RM, 1 M, and 3 OW; 3 have latrines and 3 do not.

Supplemental Table 3: Type and frequency of defecation-related concerns overall, and by participant type and latrine status

| Concern | All | | 1. Unmarried (UM) | | 2. Recently Married (RM) | | 3. Married (M) | | 4. Older Woman (OW) | | Latrine At Home | | No Latrine At Home | |
|--------------------|------|-------|-------------------|-------|--------------------------|-------|----------------|-------|---------------------|-------|-----------------|-------|--------------------|-------|
| | N=65 | | n=14 | | n=11 | | n=21 | | n=19 | | n=33 | | n=31 | |
| Place | 47 | 72.3% | 10 | 71.4% | 8 | 72.7% | 15 | 71.4% | 14 | 73.7% | 17 | 51.5% | 30 | 96.8% |
| Fear | 36 | 55.4% | 10 | 71.4% | 5 | 45.5% | 12 | 57.1% | 9 | 47.4% | 16 | 48.5% | 20 | 64.5% |
| Need Support | 33 | 50.8% | 5 | 35.7% | 6 | 54.5% | 13 | 61.9% | 9 | 47.4% | 16 | 48.5% | 17 | 54.8% |
| People | 27 | 41.5% | 9 | 64.3% | 5 | 45.5% | 7 | 33.3% | 6 | 31.6% | 8 | 24.2% | 19 | 61.3% |
| No Proper Facility | 23 | 35.4% | 3 | 21.4% | 3 | 27.3% | 10 | 47.6% | 7 | 36.8% | 1 | 3.0% | 22 | 71.0% |
| Get Dirty | 21 | 32.3% | 5 | 35.7% | 5 | 45.5% | 6 | 28.6% | 5 | 26.3% | 6 | 18.2% | 15 | 48.4% |
| Support Others | 20 | 30.8% | 3 | 21.4% | 3 | 27.3% | 4 | 19.0% | 10 | 52.6% | 9 | 27.3% | 11 | 35.5% |
| Water | 18 | 27.7% | 3 | 21.4% | 3 | 27.3% | 7 | 33.3% | 4 | 21.1% | 12 | 36.4% | 6 | 19.4% |
| Walk | 17 | 26.2% | 1 | 7.1% | 1 | 9.1% | 5 | 23.8% | 9 | 47.4% | 6 | 18.2% | 11 | 35.5% |
| Suppress | 15 | 23.1% | 6 | 42.9% | 2 | 18.2% | 5 | 23.8% | 2 | 10.5% | 6 | 18.2% | 9 | 29.0% |
| Dependents | 14 | 21.5% | 2 | 14.3% | 3 | 27.3% | 5 | 23.8% | 4 | 21.1% | 8 | 24.2% | 6 | 19.4% |
| Health | 13 | 20.0% | 5 | 35.7% | 1 | 9.1% | 4 | 19.0% | 3 | 15.8% | 5 | 15.2% | 8 | 25.8% |
| Squat | 13 | 20.0% | 0 | 0.0% | 2 | 18.2% | 6 | 28.6% | 5 | 26.3% | 8 | 24.2% | 5 | 16.1% |
| Support Barrier | 13 | 20.0% | 4 | 28.6% | 2 | 18.2% | 4 | 19.0% | 3 | 15.8% | 6 | 18.2% | 7 | 22.6% |
| Wet | 13 | 20.0% | 5 | 35.7% | 2 | 18.2% | 2 | 9.5% | 4 | 21.1% | 6 | 18.2% | 7 | 22.6% |
| Shame | 12 | 18.5% | 6 | 42.9% | 1 | 9.1% | 3 | 14.3% | 2 | 10.5% | 4 | 12.1% | 8 | 25.8% |
| Latrine Conditions | 11 | 16.9% | 1 | 7.1% | 5 | 45.5% | 3 | 14.3% | 2 | 10.5% | 10 | 30.3% | 1 | 3.2% |
| Obligations | 11 | 16.9% | 4 | 28.6% | 0 | 0.0% | 6 | 28.6% | 1 | 5.3% | 5 | 15.2% | 6 | 19.4% |
| Urgency | 10 | 15.4% | 3 | 21.4% | 0 | 0.0% | 4 | 19.0% | 3 | 15.8% | 2 | 6.1% | 8 | 25.8% |
| Latrine Unusable | 10 | 15.4% | 1 | 7.1% | 3 | 27.3% | 3 | 14.3% | 3 | 15.8% | 10 | 30.3% | 0 | 0.0% |
| Work | 9 | 13.8% | 0 | 0.0% | 1 | 9.1% | 5 | 23.8% | 3 | 15.8% | 4 | 12.1% | 5 | 16.1% |
| Harm | 8 | 12.3% | 2 | 14.3% | 0 | 0.0% | 5 | 23.8% | 1 | 5.3% | 1 | 3.0% | 7 | 22.6% |
| Fall | 7 | 10.8% | 0 | 0.0% | 1 | 9.1% | 2 | 9.5% | 4 | 21.1% | 1 | 3.0% | 6 | 19.4% |
| Stand | 7 | 10.8% | 2 | 14.3% | 2 | 18.2% | 0 | 0.0% | 3 | 15.8% | 0 | 0.0% | 7 | 22.6% |
| Defecation Time | 6 | 9.2% | 2 | 14.3% | 1 | 9.1% | 3 | 14.3% | 0 | 0.0% | 3 | 9.1% | 3 | 9.7% |
| Difficulty-Pain | 6 | 9.2% | 0 | 0.0% | 0 | 0.0% | 3 | 14.3% | 3 | 15.8% | 3 | 9.1% | 3 | 9.7% |
| No Money | 5 | 7.7% | 0 | 0.0% | 1 | 9.1% | 3 | 14.3% | 1 | 5.3% | 1 | 3.0% | 4 | 12.9% |
| Scold | 5 | 7.7% | 1 | 7.1% | 0 | 0.0% | 3 | 14.3% | 1 | 5.3% | 0 | 0.0% | 5 | 16.1% |
| Cleaning Self | 4 | 6.2% | 0 | 0.0% | 0 | 0.0% | 2 | 9.5% | 2 | 10.5% | 2 | 6.1% | 2 | 6.5% |
| Forced Latrine Use | 4 | 6.2% | 1 | 7.1% | 3 | 27.3% | 0 | 0.0% | 0 | 0.0% | 4 | 12.1% | 0 | 0.0% |
| Defecate On Self | 3 | 4.6% | 1 | 7.1% | 0 | 0.0% | 2 | 9.5% | 0 | 0.0% | 1 | 3.0% | 2 | 6.5% |
| Limit Food | 3 | 4.6% | 0 | 0.0% | 0 | 0.0% | 3 | 14.3% | 0 | 0.0% | 0 | 0.0% | 3 | 9.7% |

Only two respondents mentioned each of the following concerns: Concern For Others (1 M, 1 OW); Fixed Time (2 RM); Light (2 RM); Future Needs (1 M, 1 OW).

Only one respondent mentioned each of the following concerns: No Support (M); Incontinence (M); Menstruation (OW).

Four women did not indicate any concerns related to defecation 2 UM, 1 RM, and 1 M; All 4 have latrines.

Supplemental Table 4: Type and frequency of menstruation-related concerns overall, by participant type, and latrine status

| Concern | All | | 1. Unmarried (UM) | | 2. Recently Married (RM) | | 3. Married (M) | | 4. Older Woman (OW) | | Latrine At Home | | No Latrine At Home | |
|----------------------|------|-------|-------------------|-------|--------------------------|-------|----------------|-------|---------------------|-------|-----------------|-------|--------------------|-------|
| | N=67 | | n=16 | | n=12 | | n=21 | | n=18 | | n=37 | | n=30 | |
| Bathing | 35 | 52.2% | 12 | 75.0% | 7 | 58.3% | 13 | 61.9% | 3 | 16.7% | 19 | 51.4% | 16 | 53.3% |
| Washing Cloth | 34 | 50.7% | 8 | 50.0% | 8 | 66.7% | 9 | 42.9% | 9 | 50.0% | 19 | 51.4% | 16 | 53.3% |
| Drying Cloth | 31 | 46.3% | 10 | 62.5% | 3 | 25.0% | 11 | 52.4% | 7 | 38.9% | 16 | 43.2% | 15 | 50.0% |
| General Discomfort | 29 | 43.3% | 11 | 68.8% | 2 | 16.7% | 7 | 33.3% | 10 | 55.6% | 12 | 32.4% | 17 | 56.7% |
| People | 25 | 37.3% | 8 | 50.0% | 4 | 33.3% | 7 | 33.3% | 6 | 33.3% | 13 | 35.1% | 12 | 40.0% |
| Pain | 23 | 34.3% | 8 | 50.0% | 4 | 33.3% | 7 | 33.3% | 6 | 33.3% | 13 | 35.1% | 12 | 40.0% |
| Feel Dirty | 20 | 29.9% | 8 | 50.0% | 4 | 33.3% | 3 | 14.3% | 5 | 27.8% | 9 | 24.3% | 11 | 36.7% |
| Restrictions | 20 | 29.9% | 7 | 43.8% | 3 | 25.0% | 6 | 28.6% | 4 | 22.2% | 13 | 35.1% | 7 | 23.3% |
| Irregularity | 18 | 26.9% | 4 | 25.0% | 6 | 50.0% | 6 | 28.6% | 2 | 11.1% | 14 | 37.8% | 4 | 13.3% |
| Need Support | 15 | 22.4% | 4 | 25.0% | 2 | 16.7% | 7 | 33.3% | 2 | 11.1% | 10 | 27.0% | 5 | 16.7% |
| Work | 13 | 19.4% | 1 | 6.3% | 3 | 25.0% | 5 | 23.8% | 4 | 22.2% | 4 | 10.8% | 9 | 30.0% |
| Wounds | 13 | 19.4% | 3 | 18.8% | 2 | 16.7% | 5 | 23.8% | 3 | 16.7% | 6 | 16.2% | 7 | 23.3% |
| Leaks | 12 | 17.9% | 3 | 18.8% | 2 | 16.7% | 4 | 19.0% | 3 | 16.7% | 7 | 18.9% | 5 | 16.7% |
| Obligations | 12 | 17.9% | 2 | 12.5% | 1 | 8.3% | 4 | 19.0% | 5 | 27.8% | 4 | 10.8% | 8 | 26.7% |
| Water | 12 | 17.9% | 4 | 25.0% | 4 | 33.3% | 2 | 9.5% | 2 | 11.1% | 6 | 16.2% | 6 | 20.0% |
| Forced Separation | 11 | 16.4% | 2 | 12.5% | 2 | 16.7% | 4 | 19.0% | 3 | 16.7% | 5 | 13.5% | 6 | 20.0% |
| Access to Materials | 10 | 14.9% | 5 | 31.3% | 4 | 33.3% | 1 | 4.8% | 0 | 0.0% | 8 | 21.6% | 2 | 6.7% |
| Shame | 8 | 11.9% | 2 | 12.5% | 2 | 16.7% | 3 | 14.3% | 1 | 5.6% | 5 | 13.5% | 3 | 10.0% |
| Constrained Mobility | 7 | 10.4% | 1 | 6.3% | 4 | 33.3% | 2 | 9.5% | 0 | 0.0% | 4 | 10.8% | 3 | 10.0% |
| Heavy Bleeding | 7 | 10.4% | 1 | 6.3% | 0 | 0.0% | 3 | 14.3% | 3 | 16.7% | 2 | 5.4% | 5 | 16.7% |
| Health | 6 | 9.0% | 1 | 6.3% | 3 | 25.0% | 1 | 4.8% | 1 | 5.6% | 5 | 13.5% | 1 | 3.3% |
| Odor | 6 | 9.0% | 2 | 12.5% | 0 | 0.0% | 2 | 9.5% | 2 | 11.1% | 2 | 5.4% | 4 | 13.3% |
| Disposal | 5 | 7.5% | 1 | 6.3% | 3 | 25.0% | 1 | 4.8% | 0 | 0.0% | 4 | 10.8% | 1 | 3.3% |
| Untouchability | 5 | 7.5% | 1 | 6.3% | 1 | 8.3% | 2 | 9.5% | 1 | 5.6% | 2 | 5.4% | 3 | 10.0% |
| Changing Cloth | 4 | 6.0% | 2 | 12.5% | 2 | 16.7% | 0 | 0.0% | 0 | 0.0% | 3 | 8.1% | 1 | 3.3% |
| Sleep | 4 | 6.0% | 0 | 0.0% | 0 | 0.0% | 3 | 14.3% | 1 | 5.6% | 2 | 5.4% | 2 | 6.7% |
| Support Barrier | 4 | 6.0% | 2 | 12.5% | 0 | 0.0% | 2 | 9.5% | 0 | 0.0% | 4 | 10.8% | 0 | 0.0% |

Only three respondents mentioned each of the following concerns: Fear (2 UM, 1 RM); Fertility (1 RM, 2 M); Storing Cloth (1 UM, 1 RM, 1 OW).

Only two respondents mentioned each of the following concerns: Falling Cloth (1 UM, 1 RM); Start when Away (1 UM, 1 M); Urination (1 UM, 1 M).

Two women did not indicate any concerns related to menstruation: 1 M and 1 OW; neither have latrines.