

Reference	Was the sample frame appropriate to address the target population?	Were study participants sampled in an appropriate way?	Was the sample size adequate?	Were the study participants and setting described in detail?	Was data analysis conducted with sufficient coverage of the identified sample?	Were valid methods used for the identification of the condition?	Was the condition measured in a standard, reliable way for all study participants?	Was the statistical analysis appropriate?	Was the response rate adequate? If no, was the low response rate managed appropriately?
Overview N=21 studies	12 (57%) Yes 7 (33%) Unclear 2 (10%) No	17 (81%) Yes 3 (14%) Unclear 1 (5%) No	15 (71%) Yes 5 (24%) Unclear 1 (5%) No	18 (86%) Yes 0 (0%) Unclear 3 (14%) No	15 (71%) Yes 5 (24%) Unclear 1 (5%) No	9 (43%) Yes 12 (57%) Unclear 0 (0%) No	11 (52%) Yes 9 (43%) Unclear 1 (5%) No	18 (86%) Yes 3 (14%) Unclear 0 (0%) No	16 (76%) Yes 4 (19%) Unclear 1 (5%) No
Beck 2012 ³⁵	Yes	Yes	Yes	Yes	Yes	Unclear	Unclear	Yes	Yes
Bohn 2015 ²⁹	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Bryden 2003 ³⁰	No	Yes	No	Yes	Yes	Yes	Yes	Yes	Yes
Butalia 2013 ²²	Unclear	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Butalia 2014 ²³	Unclear	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Cengiz 2013 ²⁴	Yes	Yes	Yes	Yes	Yes	Unclear	Unclear	Yes	Yes
Garg 2004 ³⁷	Unclear	Unclear	Unclear	Yes	No	Unclear	Unclear	Unclear	Unclear
Janez 2012 ⁴¹	No	No	Unclear	No	Unclear	Unclear	Unclear	Unclear	Unclear
Laimer 2016 ⁴²	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Lebenthal 2012 ²⁵	Yes	Yes	Unclear	Yes	Unclear	Yes	Yes	Yes	Unclear
Li 2014 ⁴⁴	Unclear	Yes	Yes	Yes	Unclear	Yes	Yes	Yes	Unclear
Miller 2015 ³⁸	Yes	Yes	Yes	Yes	Yes	Unclear	Unclear	Yes	Yes
Nathan 2009 ³⁶	Yes	Yes	Yes	Yes	Yes	Unclear	Unclear	Yes	Yes
Shalitin 2012 ⁴⁵	Unclear	Yes	Unclear	Yes	Unclear	Yes	Yes	Yes	Yes
Simmons 2013 ³⁹	Yes	Yes	Yes	Yes	Yes	Unclear	Unclear	Yes	Yes

Reference	Was the sample frame appropriate to address the target population?	Were study participants sampled in an appropriate way?	Was the sample size adequate?	Were the study participants and setting described in detail?	Was data analysis conducted with sufficient coverage of the identified sample?	Were valid methods used for the identification of the condition?	Was the condition measured in a standard, reliable way for all study participants?	Was the statistical analysis appropriate?	Was the response rate adequate? If no, was the low response rate managed appropriately?
Overview N=21 studies	12 (57%) Yes 7 (33%) Unclear 2 (10%) No	17 (81%) Yes 3 (14%) Unclear 1 (5%) No	15 (71%) Yes 5 (24%) Unclear 1 (5%) No	18 (86%) Yes 0 (0%) Unclear 3 (14%) No	15 (71%) Yes 5 (24%) Unclear 1 (5%) No	9 (43%) Yes 12 (57%) Unclear 0 (0%) No	11 (52%) Yes 9 (43%) Unclear 1 (5%) No	18 (86%) Yes 3 (14%) Unclear 0 (0%) No	16 (76%) Yes 4 (19%) Unclear 1 (5%) No
Sparud-Lundin 2008 ⁴³	Unclear	Unclear	Unclear	Yes	Unclear	Unclear	Yes	Yes	No
Trief 2014 ³¹	Yes	Yes	Yes	Yes	Yes	Unclear	Unclear	Yes	Yes
Weinstock 2013 ¹³	Yes	Yes	Yes	Yes	Yes	Unclear	Yes	Yes	Yes
Wong 2014 ⁴⁰	Yes	Yes	Yes	Yes	Yes	Unclear	Unclear	Yes	Yes

Key: JBI = Joanna Briggs Institute.